


P1 資料庫截圖 顯示 shop 內 hats data




The screenshot shows the pgAdmin 4 interface. On the left, the 'public' schema is expanded, showing the 'shop_76' table. The 'Query Editor' is active, displaying the following SQL query:

```
1 SELECT * FROM public.shop_76
2 ORDER BY id ASC
```

The 'Data Output' tab shows the results of the query, which are 9 rows of data. The columns are: id, name, price, cat_id, remote_url, and local_url.

id	name	price	cat_id	remote_url	local_url
1	Brown Brim	25	1	https://i.ibb.co/QdJwgmp/brown-cowboy.png	img/hats/brown-cowboy.png
2	Blue Beanie	18	2	https://i.ibb.co/yphgK0X/blue-beanie.png	img/hats/blue-beanie.png
3	Brown Cowboy	35	3	https://i.ibb.co/QdJwgmp/brown-cowboy.png	img/hats/brown-cowboy.png
4	Grey Brim	25	4	https://i.ibb.co/RjBLWxB/grey-brim.png	/img/hats/grey-brim.png
5	Green Beanie	18	5	https://i.ibb.co/YTjW3vF/green-beanie.png	/img/hats/green-beanie.png
6	Palm Tree	14	6	https://i.ibb.co/rKBDvJX/palm-tree-cap.png	/img/hats/palm-tree-cap.png
7	Red Beanie	18	7	https://i.ibb.co/bLB646Z/red-beanie.png	/img/hats/red-beanie.png
8	Wolf Cap	14	8	https://i.ibb.co/1f2nMMM/wolf-cap.png	/img/hats/wolf-cap.png
9	Blue Snapback	16	9	https://i.ibb.co/X2VJP2W/blue-snapback.png	/img/hats/blue-snapback.png

P2 medel,shop_76 抓取並 Console



The screenshot shows the Visual Studio Code editor with a project named 'Shop_76'. The 'index.js' file in the 'models' directory is open, showing the following code:


```
22 }
23 };
24
25 const test = async () => {
26   let results = await Shop_76.fetchAll();
27   console.log("results", JSON.stringify(results.rows));
28 };
29
30 test();
```

The 'Terminal' tab shows the output of the command `node Shop_76.js`, which is:


```
at test (C:\1102-db-class-76\crown_76\models\Shop_76.js:27:51)
at processTicksAndRejections (node:internal/process/task_queues:96:5)
Doris@LAPTOP-LUHKOQBS MINGW64 /c/1102-db-class-76/crown_76/models (master)
$ node Shop_76.js
results [
  {
    id: 1,
    name: 'Brown Brim',
    price: 25,
    cat_id: 1,
    remote_url: 'https://i.ibb.co/QdJwgmp/brown-cowboy.png',
    local_url: 'img/hats/brown-cowboy.png'
  },
  {
    id: 2,
    name: 'Blue Beanie',
    price: 18,
    cat_id: 2,
    remote_url: 'https://i.ibb.co/yphgK0X/blue-beanie.png',
    local_url: 'img/hats/blue-beanie.png'
  },
  {
    id: 3,
    name: 'Brown Cowboy',
    price: 35,
    cat_id: 3,
    remote_url: 'https://i.ibb.co/QdJwgmp/brown-cowboy.png',
    local_url: 'img/hats/brown-cowboy.png'
  },
  {
    id: 4,
    name: 'Grey Brim',
    price: 25,
    cat_id: 4,
    remote_url: 'https://i.ibb.co/RjBLWxB/grey-brim.png',
    local_url: '/img/hats/grey-brim.png'
  },
  {
    id: 5,
    name: 'Green Beanie',
    price: 18,
    cat_id: 5,
    remote_url: 'https://i.ibb.co/YTjW3vF/green-beanie.png',
    local_url: '/img/hats/green-beanie.png'
  },
  {
    id: 6,
    name: 'Palm Tree',
    price: 14,
    cat_id: 6,
    remote_url: 'https://i.ibb.co/rKBDvJX/palm-tree-cap.png',
    local_url: '/img/hats/palm-tree-cap.png'
  },
  {
    id: 7,
    name: 'Red Beanie',
    price: 18,
    cat_id: 7,
    remote_url: 'https://i.ibb.co/bLB646Z/red-beanie.png',
    local_url: '/img/hats/red-beanie.png'
  },
  {
    id: 8,
    name: 'Wolf Cap',
    price: 14,
    cat_id: 8,
    remote_url: 'https://i.ibb.co/1f2nMMM/wolf-cap.png',
    local_url: '/img/hats/wolf-cap.png'
  },
  {
    id: 9,
    name: 'Blue Snapback',
    price: 16,
    cat_id: 9,
    remote_url: 'https://i.ibb.co/X2VJP2W/blue-snapback.png',
    local_url: '/img/hats/blue-snapback.png'
  }
]
```

The 'Terminal' tab also shows the command `node Shop_76.js` being executed, and the output of the command is displayed in the console.

P3 設定路由



P4 能正常顯示 data



postgres://rpigniymfswhov:c147acf8dcb894d7b1cc5d0953d30b562cf8864bdeaf55b2f70489aa7a6cec95@ec2-3-230-238-86.compute-1.amazonaws.com:5432/dckvo1krln95i

P5 heroku URL

https://db-76-1102.herokuapp.com/crown2_76/shop_76/hats