

W2

P1 from localhost:3000/crown_76



code snippet

```
♦ index.ejs views # style.css
♦ index.ejs ...\crown_76 X
• package.jsor
D
                                                            ∨ CROWN_76
                                                                                                 <span class="name">Blue Jean Jacket</span>
<span class="price">1 * $90</span>
       ∨ public
       ∨ assets
                                                                                      <button class="custom-button">GO TO CHECKOUT</button>
        shopping-bag.svg
                                                                          <div class="homepage">
                                                                                 <h3><%= name %> <%= id %></h3>
       > stylesheets
       hats.html
                                                                                 <div class="menu-item">
                                                                                         class="background-image"
                                                                                         src="https://i.ibb.co/cvpntL1/hats.png"
alt=""
       womens.html
                                                                                      JS index.is
       ∨ crown_76
                                                                                         class="background-image"
src="https://i.ibb.co/px2tCc3/jackets.png"
alt=""
       .gitignore
                                                            PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL
                                                            GET /assets/crown.svg 304 5.019 ms - -
GET /assets/shopping-bag.svg 304 1.006 ms
```




W3:


P3 push to Github using local repo

```
MINGW64:/c/Users/Doris/Desktop — 
Doris@LAPTOP-LUHKOQB5 MINGW64 ~/Desktop (master)


$ git clone https://github.com/chen945/1102-db-76.git
Cloning into '1102-db-76'...
remote: Enumerating objects: 89, done.
remote: Counting objects: 100% (89/89), done.
remote: Compressing objects: 100% (75/75), done.
remote: Total 89 (delta 9), reused 89 (delta 9), pack-reused 0
Receiving objects: 100% (89/89), 2.88 MiB | 2.60 MiB/s, done.
Resolving deltas: 100% (9/9), done.
```



P4 Connect to Heroku PostgreSQL



P5 Heroku /crown_76



HEROKU URL

postgres://wecrgjtxuksrei:27721390d7d31df2d58d5b59d2584753ff1f6d6141a348db34f847e756352236@ec2-52-204-196-4.compu

name:wecrgjtxuksrei

password:27721390d7d31df2d58d5b59d2584753ff1f6d6141a348db34f847e756352236

host:ec2-52-204-196-4.compute-1.amazonaws.com

port:5432

database:d63cko8mcn80bp

HEROKU APP URL :https://db-76-1102.herokuapp.com/crown_76

GITHUB URL: https://github.com/chen945/1102-db-76