

# SuperHeavy Plan: Open-Source Release Readiness

Chad Hendren

2026-08-09

## Contents

|                                                          |          |
|----------------------------------------------------------|----------|
| <b>SuperHeavy Plan: Open-Source Release Readiness</b>    | <b>1</b> |
| <b>Coxswain + CX OS</b>                                  | <b>1</b> |
| 1. Executive verdict                                     | 1        |
| 2. Current GitHub status (as of 2026-08-09)              | 2        |
| 3. Positioning (what strangers must learn in 90 seconds) | 4        |
| 4. Gap matrix (ranked for OSS launch)                    | 5        |
| 5. SuperHeavy program: parallel lanes to OSS-ready       | 6        |
| 6. SuperHeavy execution workflow (agent lanes)           | 10       |
| 7. Messaging kit (paste-ready)                           | 10       |
| 8. Risks if you open-source too early                    | 11       |
| 9. Suggested timeline                                    | 11       |
| 10. Immediate next actions (ordered)                     | 11       |
| 11. Success metrics post-launch (30 days)                | 12       |
| 12. Document control                                     | 12       |

## SuperHeavy Plan: Open-Source Release Readiness

### Coxswain + CX OS

| Field                | Value                                                                                                                                                                    |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Document type</b> | SuperHeavy gap map + phased enhancement plan                                                                                                                             |
| <b>Goal</b>          | Public OSS release where strangers instantly understand <b>what it is, what it does for them, how it works, why it is extremely different, and why they should adopt</b> |
| <b>Date</b>          | 2026-08-09                                                                                                                                                               |
| <b>Engine repo</b>   | chendren/coxswain (private)                                                                                                                                              |
| <b>Fleet repo</b>    | chendren/CX0S (private)                                                                                                                                                  |
| <b>Demo vertical</b> | chendren/TelcoCX0S (private)                                                                                                                                             |
| <b>Related</b>       | PRFAQ-CX0S-Coxswain.md / .pdf                                                                                                                                            |

### 1. Executive verdict

**Product capability is far ahead of public readiness.**

You already have a real dual product:

1. **Coxswain** (cox): token-frugal, spec-driven coding agent with visible three-tier routing and a ledger.
2. **CX OS** (cox cx ...): closed-world, offline-first, human-gated Customer Experience Operating System (catalog -> build -> operate -> fleet -> govern), plan-only AWS.

That combination is rare and defensible. What is **not** release-ready is the **public surface**: private repos, red CI, no license, no discoverability, fragmented story across three repos, and docs written for the builder (you), not for a cold visitor in 90 seconds.

**Release bar**: a stranger can clone, run the offline golden path in under 10 minutes, explain the five hard rules, and decide to adopt without a briefing from you.

## 2. Current GitHub status (as of 2026-08-09)

### 2.1 Repository inventory

| Repo      | Visibility     | License     | Topics      | Homepage    | Issues / PRs | Releases | Discussions / Pages |
|-----------|----------------|-------------|-------------|-------------|--------------|----------|---------------------|
| coxswain  | <b>Private</b> | <b>None</b> | <b>None</b> | <b>None</b> | 0 / 0        | <b>0</b> | Off / Off           |
| CXOS      | <b>Private</b> | <b>None</b> | <b>None</b> | <b>None</b> | 0 / 0        | <b>0</b> | Off / Off           |
| TelcoCXOS | <b>Private</b> | <b>None</b> | <b>None</b> | <b>None</b> | 0 / 0        | <b>0</b> | Off / Off           |

| Signal               | coxswain                                      | CXOS                                         |
|----------------------|-----------------------------------------------|----------------------------------------------|
| Created              | 2026-07-22                                    | 2026-08-09                                   |
| Language             | TypeScript                                    | Shell (workspace)                            |
| Description          | Present (agent-focused)                       | Present (workspace-focused)                  |
| Local main vs origin | <b>Ahead 2</b> (travel pack + test stabilize) | <b>Ahead 2</b> (holiday + travel-core)       |
| Untracked assets     | Architecture PNG/SVG, PRFAQ                   | Architecture pack, PRFAQ, some runtime jsonl |

### 2.2 CI / quality gates (blocker)

| Workflow                    | Latest (main)  | Root cause                                                                                                                                                                 |
|-----------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CI</b>                   | <b>Failure</b> | pnpm typecheck parallel: packages cannot resolve @cox/core types (TS2307 Cannot find module '@cox/core'). Typecheck runs before a topological build of workspace packages. |
| <b>Release</b> (changesets) | <b>Failure</b> | Same typecheck cascade.                                                                                                                                                    |
| <b>Scorecard</b> (OSSF)     | <b>Failure</b> | Private-repo permission: Resource not accessible by integration on ListCommits GraphQL. Expected until public + token scopes.                                              |

Local machine (your tree):

- Typecheck: **green** (linked workspace + prior builds).

- Tests: **1 package fail** (@cox/cli): 2 assertions in `cx-runtime.test.ts` expect doctor live exit code 1, received 0.
- Other packages: pass (25/26 package test jobs).
- `cox doctor --offline`: fails without `ANTHROPIC_API_KEY` (correct for “keys missing”; awkward for “offline demo is first-class” messaging).

**Implication:** opening the repo today would show **red badges** and fail first-time CI. That is a hard launch blocker.

### 2.3 Product surface already shipped (strength)

| Layer                  | Evidence                                                                                                     |
|------------------------|--------------------------------------------------------------------------------------------------------------|
| Coding agent           | Spec/steering/hooks/TUI/router/ledger; ~26 packages; 114 test files                                          |
| CX OS layers           | Catalog, program, observe, operate, fleet, govern, fabric (documented + CLI)                                 |
| Vertical packs         | Retail, financial, healthcare, travel (+ registry); telco demo separate                                      |
| Fleet workspace        | 6 programs under <code>CX05/.cox/cx/</code> (core, fin, health, travel, holiday-returns, starter)            |
| Hard rules             | Encoded in docs and operate path: no silent mutation, plan-only AWS, offline-first, strong graph, import law |
| Security posture start | <code>SECURITY.md</code> , Dockerfile, SBOM path, scorecard workflow (not yet green)                         |
| Demo/scripts           | <code>examples/cx-demo</code> golden path, multi-program, runbook, personas doc                              |

### 2.4 OSS hygiene checklist

| Item                                | Status                                                                       |
|-------------------------------------|------------------------------------------------------------------------------|
| LICENSE                             | <b>Missing</b> all repos                                                     |
| CONTRIBUTING.md                     | <b>Missing</b>                                                               |
| CODE_OF_CONDUCT.md                  | <b>Missing</b>                                                               |
| CHANGELOG / Keep-a-Changelog        | <b>Missing</b>                                                               |
| Public ROADMAP                      | Embedded in README only; not issue-linked                                    |
| npm package publish                 | Root private: true; changesets present but broken on CI                      |
| Install story                       | From source via <code>tsx / pnpm cox</code> ; no binary, no npx, no Homebrew |
| Docs site                           | None (no Pages, no Docusaurus/VitePress)                                     |
| Architecture in-repo                | Local only / untracked in places; PRFAQ exists                               |
| Personal machine paths              | Present in a few docs/NOTES (/Users/chadhendren/...)                         |
| Secrets in git                      | None found; <code>.env</code> gitignored                                     |
| Branch protection / required checks | Not verified; scorecard already complains about private access               |

### 2.5 Narrative gap (why people will bounce)

Cold visitor sees either:

- **Agent README** (routing, ledger, Kiro/Claude Code comparisons), with CXOS as a section, **or**
- **Workspace README** (73 lines) that assumes `COXSWAIN_ROOT` and private clone paths.

They do **not** yet get a single landing narrative:

“This is the open-source **Customer Experience Operating System** powered by a **token-frugal coding agent**. Closed world. Offline first. Human-gated. Plan-only cloud. Receipts on every model call.”

Without that, the product looks like “another coding CLI” or “internal workshop files,” not a category-defining OSS system.

---

### 3. Positioning (what strangers must learn in 90 seconds)

#### 3.1 What it is

**Coxswain + CX OS** is a local-first system that turns a CX idea into a multi-target, auditable program and runs a human-gated operate loop, while treating model spend as a first-class, visible decision.

| Product         | One line                                                                                                    |
|-----------------|-------------------------------------------------------------------------------------------------------------|
| <b>Coxswain</b> | Spec-driven coding agent with scout/builder/architect routing and a cost ledger.                            |
| <b>CX OS</b>    | Closed-world CX build + operate OS on top of Coxswain (cox cx).                                             |
| <b>Together</b> | Design once, build three targets, operate with proposals (never silent prod), hand CAB/AWS plans to humans. |

#### 3.2 What it will do for them

| Job                 | Outcome                                                              |
|---------------------|----------------------------------------------------------------------|
| CX PM / SA          | Idea -> gated program + journey/KPI/NBA artifacts in one session     |
| Ops / Journey owner | Health -> proposal -> claim -> task -> done with audit trail         |
| Compliance / Change | Plan-only CFN + APPLY.md + CAB package; no CreateStack from the tool |
| PS / workshop       | Offline golden path without keys or cloud                            |
| Platform eng        | Token savings with receipts; budgets; cache-aware prompts            |

#### 3.3 How it works (one diagram worth of words)

Idea string

- > Pack registry (retail / fin / health / travel / default / telco)
- > Spec gates (requirements -> design -> tasks)
- > Build: artifacts -> local bind -> AWS plan-only
- > Observe: doctor / status / simulate / report
- > Operate: console proposes only -> human claim/apply -> tasks
- > Fleet: board / queue / dashboard
- > Govern: brief / audit / snapshot / cab-export

Engine underneath: router + ledger + agent loop + steering + hooks

#### 3.4 Why it is extremely different

| Everyone else                                                                                                                    | You                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| One flagship model for everything<br>Open-world agents invent journeys<br>Demo dies without cloud/keys<br>Automation writes prod | Tiered routing with <b>receipts and savings math</b><br><b>Closed ontology</b> + pure NBA match<br><b>Offline-first</b> adapters and golden path<br><b>Propose-only</b> ops; <b>never CreateStack</b> from Coxswain |
| Chat transcript as system of record<br>Coding agent <b>or</b> contact-center suite                                               | Spec workspace + audit path + CAB package<br><b>Both loops</b> in one composition root                                                                                                                              |

#### Five hard rules (quoteable brand):

1. No silent production mutation
2. AWS is plan-only
3. Offline-first
4. Strong graph first
5. Import law (CLI sole composition root)

#### 3.5 Why they should adopt

1. **Trust** for regulated CX and CAB boards (human gates + plan-only cloud).
2. **Speed** from idea to healthy multi-target program offline.
3. **Economics** with visible tier routing and ledger savings.
4. **Teachability** for workshops and PS (golden path, runbooks, packs).
5. **Architecture honesty**: strong graph for control; models only where generation is allowed.

#### 4. Gap matrix (ranked for OSS launch)

Score: **P0** launch-blocking · **P1** first-week trust · **P2** growth · **P3** later.

| ID  | Gap                                                       | Priority  | Why it matters                                   |
|-----|-----------------------------------------------------------|-----------|--------------------------------------------------|
| G01 | CI red: typecheck cannot resolve @cox/core                | <b>P0</b> | Public main must be green                        |
| G02 | Local CLI test flake/fail (doctor exit codes)             | <b>P0</b> | CI coverage gate will fail after typecheck fixed |
| G03 | No LICENSE                                                | <b>P0</b> | Not legally open source                          |
| G04 | Repos private                                             | <b>P0</b> | Nobody can see it                                |
| G05 | No CONTRIBUTING / CoC / security entry path for strangers | <b>P0</b> | OSSF + contributor trust                         |
| G06 | Split brain: 3 private repos, weak story linking          | <b>P0</b> | Confusion on “what do I clone?”                  |
| G07 | Hero narrative missing (landing README + one-pager)       | <b>P0</b> | 90-second comprehension                          |

| ID  | Gap                                                                   | Priority  | Why it matters                     |
|-----|-----------------------------------------------------------------------|-----------|------------------------------------|
| G08 | Install friction (clone monorepo, no binary/npx)                      | <b>P1</b> | Time-to-first-success              |
| G09 | Offline doctor fails when Anthropic key missing                       | <b>P1</b> | Contradicts offline-first promise  |
| G10 | CHANGELOG + semver release + GitHub Release notes                     | <b>P1</b> | Adoption and upgrades              |
| G11 | Docs site / architecture gallery not published                        | <b>P1</b> | “How it works” for non-CLI readers |
| G12 | Scorecard + branch protection for public repo                         | <b>P1</b> | Security reputation                |
| G13 | Personal paths scrubbed from docs                                     | <b>P1</b> | Professional OSS polish            |
| G14 | Unpushed commits + untracked diagrams                                 | <b>P1</b> | Public tree incomplete             |
| G15 | npm publish strategy (or explicit “from source only”)                 | <b>P1</b> | Install expectations               |
| G16 | Comparison page vs Claude Code / Kiro / Copilot / LangGraph / Connect | <b>P1</b> | Differentiation                    |
| G17 | Recorded terminal demos (VHS/asciinema) + GIF in README               | <b>P1</b> | Instant understanding              |
| G18 | Issue templates + good first issues                                   | <b>P2</b> | Community bootstrap                |
| G19 | Windows support or explicit non-support                               | <b>P2</b> | Support load                       |
| G20 | Pack authoring guide (“add a vertical in one day”)                    | <b>P2</b> | Ecosystem growth                   |
| G21 | MCP later, binary packaging, subagent fan-out                         | <b>P3</b> | Roadmap, not launch                |

## 5. SuperHeavy program: parallel lanes to OSS-ready

Same pattern as prior SuperHeavy waves: **Map** -> **mass-parallel Build lanes** -> **Verify integrator** -> **Release gate**.

### 5.1 North-star exit criteria (Definition of Done for public launch)

1. **Green CI** on public main (typecheck, build, tests, offline golden path, doctor offline success without paid keys).
2. **Apache-2.0 or MIT LICENSE** on all public repos; **SPDX** in package.json.
3. **One hero README** (coxswain) + thin **CXOS** companion README that points up.

4. **90-second story** above the fold: what / for whom / hard rules / 4-command demo.
5. **Offline golden path** documented and CI-enforced: `cx run + board + cab-export` without API keys.
6. **Architecture pack** committed (3 diagrams + PRFAQ link).
7. **CONTRIBUTING + CoC + SECURITY** + issue templates.
8. **v0.1.0 GitHub Release** with CHANGELOG, install, and known limitations.
9. **Topics + description + homepage** set for discoverability.
10. **No red lies**: M3 live smoke either done or clearly “optional live” not “GA incomplete.”

## 5.2 Phase 0 - Integrity (serial, 1-2 days)

### Lane 0A - CI topology fix

- Change typecheck to: build `@cox/core` (+ `@cox/cx-core`) first, then recursive typecheck; **or** use project references; **or** `pnpm -r --filter ...^... order`.
- Ensure CI installs with frozen lockfile and fails closed on audit (policy choice).
- Bump Actions Node 20 -> 22 LTS before Node 20 hard-fail on runners.

### Lane 0B - Test truth

- Fix `cx-runtime.test.ts` doctor exit-code contract (either restore exit 1 when live stack down, or update tests + docs intentionally).
- Make `cox doctor --offline` return 0 when keys are absent but offline path is healthy (warn on missing keys; do not fail the offline promise).
- Add CI step: `pnpm cx:golden` (or `examples/cx-demo/golden-path.sh`) with keys scrubbed.

### Lane 0C - Push hygiene

- Push local ahead commits for coxswain + CXOS.
- Commit architecture SVG/PNG + PRFAQ (md + pdf) into docs/.
- Scrub `/Users/chadhendren` paths from NOTES/docs.

**Gate:** `pnpm typecheck && pnpm test && pnpm build green` locally **and** on GitHub Actions.

## 5.3 Phase 1 - Legal & community skeleton (parallel)

| Lane                      | Deliverable                                                                                                                                                                       |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1A License</b>         | Choose <b>Apache-2.0</b> (recommended for graph/enterprise adoption clarity) or MIT; apply monorepo-wide + CXOS + TelcoCXOS                                                       |
| <b>1B Community files</b> | <code>CONTRIBUTING.md</code> , <code>CODE_OF_CONDUCT.md</code> (Contributor Covenant), <code>SECURITY.md</code> already exists (public-friendly rewrite), <code>SUPPORT.md</code> |
| <b>1C Templates</b>       | <code>.github/ISSUE_TEMPLATE/</code> (bug, feature, pack request), <code>PULL_REQUEST_TEMPLATE.md</code> , <code>GOOD_FIRST_ISSUES.md</code>                                      |
| <b>1D Changelog</b>       | <code>CHANGELOG.md</code> from 0.1.0; changesets wired to real versioning                                                                                                         |

## 5.4 Phase 2 - Narrative SuperHeavy (parallel; this is the adoption engine)

| Lane                          | Deliverable                                                                                                                            | Answers                              |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>2A Hero README rewrite</b> | coxswain README:<br>above-the-fold positioning, hard rules, 4-command demo, architecture thumbnail, “not another coding agent” section | What / do for me / different / adopt |
| <b>2B WHY.md</b>              | 2-page essay: problem, tenet table, economic story, anti-features                                                                      | Why adopt                            |
| <b>2C HOW-IT-WORKS.md</b>     | Seven-layer OS + engine package map + E2E flow; embed architecture PNGs                                                                | How it works                         |
| <b>2D COMPARISON.md</b>       | Matrix vs Claude Code, Kiro, Copilot CLI, generic agent frameworks, pure Connect tooling                                               | Extremely different                  |
| <b>2E ADOPTION.md</b>         | Paths: workshop, PS engagement, internal LOB pilot, pack extension                                                                     | Why / how to start                   |
| <b>2F CXOS README</b>         | Companion: “this is a fleet workspace; engine lives in coxswain”; link golden path                                                     |                                      |
| <b>2G Demo media</b>          | 20-35s real CLI recording (offline holiday or billing path) + README GIF                                                               | Instant comprehension                |
| <b>2H Website stub</b>        | Optional GitHub Pages or single docs/index.html landing with diagrams                                                                  | Discoverability                      |

#### Copy constraints (non-negotiable):

- Lead with **CX OS outcomes**, not only agent cleverness.
- State hard rules in the first screen.
- Never claim live CreateStack or silent prod remediation.
- Offline demo is the default hero path.

#### 5.5 Phase 3 - Product enhancements that make OSS credible (parallel)

These are **significant** enhancements (not just docs). Each lane is package-scoped like prior SuperHeavy.

| Lane                           | Enhancement                                                                                                          | Rationale for OSS     |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------|
| <b>3A Offline-first doctor</b> | Doctor modes: offline / hybrid / live with correct exit codes; keys optional offline                                 | First command success |
| <b>3B cox cx quickstart</b>    | One command: init + sample idea + board + print next steps                                                           | Time-to-value         |
| <b>3C Install story</b>        | Documented: (1) from source, (2) optional <code>npm i -g</code> when packages public, (3) Docker image for workshops | Multiple entry points |



| Lane                               | Enhancement                                                                                                    | Rationale for OSS          |
|------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>3D Pack SDK</b>                 | docs/PACK-AUTHORING.md + template package<br>cx-pack-template + registry checklist                             | Ecosystem                  |
| <b>3E Public sample workspace</b>  | Slim examples/cx-workspace or keep CXOS public with <b>sanitized</b> committed specs (no personal audit noise) | “What will it do” concrete |
| <b>3F Guardrails demo</b>          | Explicit test that CreateStack is never called; proposal-only console invariant tests                          | Trust differentiation      |
| <b>3G Ledger showcase</b>          | Fixture session + cox ledger report in README showing savings %                                                | Economic differentiation   |
| <b>3H Telemetry off-by-default</b> | Document no phoning home; optional anonymous stats later                                                       | OSS trust                  |
| <b>3I Windows note</b>             | Official: macOS/Linux supported; Windows experimental or WSL-only                                              | Support clarity            |
| <b>3J SBOM + provenance</b>        | Green release workflow; attach SBOM to GitHub Release                                                          | Enterprise adopters        |

## 5.6 Phase 4 - Discoverability & launch ops

| Lane                     | Work                                                                                                                                                                                                       |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>4A Repo settings</b>  | Public; topics: customer-experience, cx, ai-agents, cli, ontology, amazon-connect, offline-first, typescript; homepage URL                                                                                 |
| <b>4B Single entry</b>   | Decision: <b>Primary public repo = coxswain</b> (engine + CX). CXOS and TelcoCXOS public as companions <b>or</b> fold sample workspace into examples/. Prefer <b>one primary</b> to avoid split attention. |
| <b>4C Release v0.1.0</b> | Tag, notes, known limitations, link PRFAQ + architecture                                                                                                                                                   |
| <b>4D Launch kit</b>     | Short blog / LinkedIn / X thread: problem -> hard rules -> 4 commands -> diagram                                                                                                                           |
| <b>4E Scorecard</b>      | Re-run OSSF after public; fix branch protection, pinned actions, code review                                                                                                                               |
| <b>4F Community seed</b> | 5-10 labeled good-first-issues (docs typos, pack copy, tests)                                                                                                                                              |

## 5.7 Recommended repo topology for launch

### Option A (recommended): Engine-primary

|                       |                                                              |
|-----------------------|--------------------------------------------------------------|
| chendren/coxswain     | PUBLIC -- product monorepo (agent + CX OS packages)          |
| examples/cx-demo      | offline golden path                                          |
| examples/workspaces/* | optional sample fleets                                       |
| chendren/CXOS         | PUBLIC -- optional "full fleet" companion (or archive later) |
| chendren/TelcoCXOS    | PUBLIC -- vertical demo (or examples/telco)                  |

### Option B: Umbrella org/README only if you want a fourth meta-repo later.

Do **not** launch three equal-weight repos without a clear “start here.”

---

## 6. SuperHeavy execution workflow (agent lanes)

Suggested mass-parallel blast after Phase 0 is green (mirrors `cxos-superheavy.rhai`):

| Wave                 | Parallel jobs                                                           |
|----------------------|-------------------------------------------------------------------------|
| <b>Map</b>           | Read-only inventory of README/docs gaps; generate issue backlog G01-G21 |
| <b>Build-Docs</b>    | Hero README, WHY, HOW, COMPARISON, ADOPTION, PACK-AUTHORING             |
| <b>Build-Legal</b>   | LICENSE, CoC, CONTRIBUTING, templates                                   |
| <b>Build-Product</b> | doctor offline, quickstart, invariant tests, pack template              |
| <b>Build-Media</b>   | Architecture commit, demo tape, dashboard screenshot                    |
| <b>Build-CI</b>      | typecheck order, golden path job, Node 22, release notes                |
| <b>Verify</b>        | Full test+build; run golden path; scorecard dry-run; README link check  |
| <b>Release</b>       | Public flip checklist; tag v0.1.0; announce                             |

Workflow file to add: `.grok/workflows/oss-release-superheavy.rhai` (Map / Build parallel / Verify).

---

## 7. Messaging kit (paste-ready)

### 7.1 Elevator (25 words)

Coxswain runs CX OS: closed-world, offline-first customer experience programs with human-gated ops, plan-only AWS, and model routing that shows the receipts.

### 7.2 GitHub About blurb

Spec-driven, token-frugal coding agent + Customer Experience Operating System. Closed ontology. Offline demos. Propose-only ops. Plan-only AWS. Never silent prod mutation.

### 7.3 README hero section outline

1. Badge row: CI, license, node, coverage
2. One-liner + hard rules chips
3. GIF/terminal demo
4. "Who it's for" table
5. 4-command quickstart (offline)
6. How it works (diagram)
7. Why different (comparison table)

- 8. Architecture links
- 9. Contributing
- 10. Roadmap / non-goals

#### 7.4 Anti-positioning (say this so you are not misread)

- Not a hosted contact-center SaaS.
- Not an auto-remediation bot for production Connect.
- Not “we call CreateStack for you.”
- Not open-world agent chaos with a CX skin.

### 8. Risks if you open-source too early

| Risk                                              | Mitigation                           |
|---------------------------------------------------|--------------------------------------|
| Red CI on day one                                 | Phase 0 gate                         |
| Framed as “yet another agent CLI”                 | Hero narrative + CX OS lead          |
| Support load from Windows / live AWS expectations | Explicit support matrix + hard rules |
| License ambiguity kills enterprise trial          | Apache-2.0 early                     |
| Personal paths / workshop cruft                   | Scrub + sanitize examples            |
| Scorecard fails publicly                          | Fix branch protection after public   |

### 9. Suggested timeline

| Week      | Focus                  | Outcome                                                  |
|-----------|------------------------|----------------------------------------------------------|
| <b>W0</b> | Phase 0 integrity      | Green CI, fixed doctor/tests, pushed trees               |
| <b>W1</b> | Phase 1 + 2 narrative  | Legal files + hero docs + media                          |
| <b>W2</b> | Phase 3 product polish | quickstart, pack template, invariant tests, install path |
| <b>W3</b> | Phase 4 launch         | Public repos, v0.1.0, scorecard pass path, announce      |

Aggressive: W0-W1 only if CI is fixed first and docs SuperHeavy runs in parallel after.

### 10. Immediate next actions (ordered)

1. **Fix CI typecheck order** (G01) and **doctor/test contracts** (G02, G09).
2. **Push** unpushed commits; commit architecture + PRFAQ.
3. **Add LICENSE (Apache-2.0 recommended)** + CONTRIBUTING + CoC.

4. **Rewrite coxswain README** as the hero landing (Section 7.3).
5. **Decide topology** (engine-primary recommended).
6. **Tag v0.1.0** only after green CI + offline golden path in CI.
7. **Flip public** + topics + Release notes + short launch post.

---

## 11. Success metrics post-launch (30 days)

| Metric                                  | Target                                        |
|-----------------------------------------|-----------------------------------------------|
| Stars / forks                           | Directional only; not vanity primary          |
| Golden path issues                      | < 3 “could not run offline” bugs              |
| Time-to-first cx board green (external) | < 15 minutes median (survey or support)       |
| Docs PRs                                | At least a few community doc fixes            |
| Pack interest                           | 1 external pack attempt or pack-request issue |
| CI                                      | Remain green on main                          |

---

## 12. Document control

| Version | Date       | Notes                                                      |
|---------|------------|------------------------------------------------------------|
| 0.1     | 2026-08-09 | Initial SuperHeavy OSS plan from live GitHub + local audit |

---

**Evidence sources:** gh repo/workflow/run logs for chendren/coxswain|CX0S|TelcoCX0S; local type-check/test; docs and architecture pack; prior SuperHeavy wave summaries.

**Companion docs:** PRFAQ-CX0S-Coxswain.md, CX0S-ARCHITECTURE.\*, COXSWAIN-ARCHITECTURE.\*, COMBINED-ARCHITECTURE.\*.