What Time Use Surveys Can (And Cannot) Tell Us About Labor Supply

Cheng Chou* Ruoyao Shi†‡

This version: May, 2019

Abstract

Widely acknowledged non-classical measurement errors in conventional microeconomic surveys result in biased estimates of crucial parameters in labor economics. The American Time Use Survey (ATUS) accurately measures hours worked on a single day. We show that even though it is impossible to recover weekly hours worked (or their distribution) from the ATUS, weekly labor supply equation can be consistently and efficiently estimated. We propose an *impute estimator* that is a simple modification of the two stage least square (2SLS) estimator, which imputes dependent variable as well as regressors using daily subsamples. We also apply the impute estimator to the ATUS and find substantial different elasticity estimates from using the CPS, especially for married women.

Keywords: labor supply, time specificity, measurement error, survey methods, instrumental variable, asymptotic efficiency

JEL codes: J22, C13, C21, C26, C81

*Cheng Chou: School of Business, University of Leicester. Address: 101 Mallard House, Leicester, LE1 7RH, UK. Email: cchou@le.ac.uk.

†Ruoyao Shi: Department of Economics, UC Riverside. Address: 3136 Sproul Hall, 900 University Avenue, Riverside, CA 92521, USA. Email: ruoyao.shi@ucr.edu.

‡We thank Jaap Abbring, Joseph Altonji, Moshe Buchinsky, Colin Cameron, Scott Carrell, Julie Berry Cullen, Robert W. Fairlie, Daniel Gutknecht, Jinyong Hahn, Zhipeng Liao, Jesse Matheson, Rosa Matzkin, Maurizio Mazzocco, Kathleen McGarry, Whitney Newey, Rodrigo Pinto, Geert Ridder, David Rojo Arjona, Arthur Stone, and the seminar participants at UCR, UCI, Leicester, and UCLA for helpful comments.

1 Introduction

Empirical work in labor supply depends greatly upon data on how much time people spend working. Unfortunately, there is abundant evidence showing that weekly hours worked are poorly measured in frequently used survey data sets such as the Current Population Survey (CPS) and the Panel Study of Income Dynamics (PSID), and that the measurement error is nonclassical (for example, Bound, Brown, Duncan and Rodgers, 1989; Bound, Brown and Mathiowetz, 2001). This nonclassical measurement error in weekly hours worked may significantly bias the estimation of labor supply parameters.

Many countries have historical or ongoing time use surveys,[1] including the American Time Use Survey (ATUS) and the Dutch Time Use Survey (DTUS).[2] Time use surveys typically ask the respondents to write a detailed time diary of all their activities for a prescribed period. Time use surveys have been used to study how individuals allocate their time on market work (Aguiar, Bils, Charles and Hurst, 2017) and nonmarket activities, including leisure (Aguiar and Hurst, 2007), parenting (Guryan, Hurst and Kearney, 2008), job search (Aguiar, Hurst and Karabarbounis, 2013), among many others.[3]

On the contrary, the ATUS, which surveys the respondents about one single day, provides much more accurate measures of hours worked for that day. Throughout the paper, we assume that the hours worked in time use surveys are the true hours worked for the prescribed period. This is merely for the simplicity of exposition, because the main results still hold if the measurement error of hours worked in time use surveys is classical.[4]

The major limitation of time use surveys is that they often only provide information about labor supply for a few days (DTUS is an exception, in

[1] These countries include Australia, Canada, China, Japan, New Zealand, Pakistan, Russia, the USA and most European countries.

[2] In Dutch, it is called Het Tijdsbestedingsonderzoek. In this paper we call it DTUS for the consistency with ATUS.

[3] For a review of time use surveys used for studies in other subfields of economics, see Aguiar, Hurst and Karabarbounis (2012).

[4] Estimators will have larger standard errors, but classical measurement errors in dependent variables are known to be much less problematic.

which respondents record their activities in seven consecutive days). If we are interested in estimating weekly labor supply equation or assessing and correcting the measurement error in the weekly hours worked from CPS-like surveys, we naturally want to observe the true *weekly* hours worked, which are missing in the ATUS that provides hours worked only for *one* day. This creates a missing data problem, and the time specificity of the ATUS and other time use surveys is the crux of this missing data problem. Such time specificity is common in survey data due to survey cost.

The main point of this paper is that despite the missing data problem, we can use information from time use surveys to consistently estimate weekly labor supply equation under the same condition as if we had observed true weekly hours worked—that is, the presence of valid and relevant instrumental variables (IV). We provide several consistent estimators, and recommend a particular estimator based on their asymptotic efficiency and finite sample stability. However, due to the missing data problem, we show that it is impossible to recover the weekly hours worked or their distribution function. Hence, accurate hours worked for a few days from time use surveys do not directly quantify or correct the measurement error in the weekly hours in common surveys like CPS. This impossibility result highlights the limitation of time use surveys, and the implication of time specificity in other survey data.

To understand this missing data problem, it helps to employ the potential outcome framework often used for program evaluation. The hours worked on each day of a week can be thought of as a potential outcome. Weekly hours worked are the sum of the seven potential outcomes, but time use surveys often provide information for only a few days, but not all. Just like individual treatment effects, that require knowing individual's potential outcomes in both treatment and control status, cannot be recovered, even from purely random experiment data, individual weekly hours worked cannot be retrieved from data only on a few days without further assumption. By the same argument, the distribution of weekly hours worked is not identified unless the hours worked on each day are independent, which is unlikely. If the daily hours are independent, the distribution of their sum is determined by

the marginal distributions of daily hours by convolution, and data reveal the marginal distributions of daily hours.

Labor supply parameters, on the other hand, are often estimated using certain regression function, which is in essence a conditional mean function. Just like average treatment effects can be identified using conditional mean functions, many important labor supply parameters can be recovered using time use survey data. We propose a number of estimators, all of which seem practically appealing. But after investigating their performance, both theoretically and empirically, we recommend the one, which we name *impute* estimator. It gets the name because it involves imputing weekly hours worked from time use survey. The impute estimator merely adds one simple step to the usual two-stage least squares (2SLS) estimator.

This paper makes a contribution to the literature on nonclassical measurement error. We show how to consistently estimate parameters of interest when the dependent variable has nonclassical measurement error by combining two data sources with different time frames, e.g. daily ATUS and weekly CPS. Nonclassical measurement error in dependent variables have drawn far less attention than in independent variables. Abrevaya and Hausman (1999) consider a general class of linear index model with error-ridden dependent variable, while the majority of the literature on nonclassical measurement error considers error-ridden independent variables (for example, Hu and Schennach, 2008; Chen, Hong and Tamer, 2005; Hu and Sasaki, 2015). It is unclear, however, whether and how the estimator Abrevaya and Hausman (1999) propose would accommodate endogenous independent variables.

Moreover, the time specificity is a unique feature when one works with the ATUS and the CPS at the same time. In contrast, the above-mentioned papers on error-ridden independent variables all combine the usage of two data sources with the same time frame. In the current literature, Barrett and Hamermesh (2019) acknowledge the potential empirical significance of such time specificity. Aguiar, Bils, Charles and Hurst (2017) address the time specificity concern by constructing synthetic time diaries that average over individuals with similar characteristics.

We solve the time specificity problem by advancing on the following two fronts. First, we are the first to analyze the time specificity problem under the well understood potential outcome framework. Second, we come up with several easy-to-implement estimator, and rigorously reveal the conditions for their consistency, asymptotic normality and relative asymptotic efficiency. Based on relative asymptotic efficiency and robustness, we conclude that the impute estimator is the best. In particular, our recommended impute estimator is similar to Aguiar, Bils, Charles and Hurst (2017)'s approach in the sense that it essentially imputes missing daily hours based on the observed daily hours of other individuals with similar characteristics. But we rigorously show that the imputation should be based only on the exogenous instruments of the main regression model.

Examining how to efficiently utilize such data sets as the ATUS is, on its own, an interesting and relevant inquiry in labor economics.

This paper makes a contribution to the empirical labor economics by investigating the impact of using mismeasured hours worked on the estimation of labor supply equations. A good number of empirical labor economics studies look into error-ridden dependent variables in earning equations, probably as a result of the availability of administrative record data. For example, Duncan and Hill (1985) find that nonclassical measurement error in the dependent variable has a sizable impact on parameter estimates by comparing estimates using earnings data from a survey and from an administrative source. Hours worked, on the other hand, receives much less attention as the dependent variable, and it is unclear what their impacts on labor supply parameter estimates are. Barrett and Hamermesh (2019) estimate weekly labor supply elasticities using both the ATUS daily hours and the CPS recalled weekly hours and find that the latter yield positively biased elasticities. Utilizing the DTUS, we compare the usual 2SLS estimator using CPS type recalled weekly hours and that using the time diary weekly hours, and show that the CPS type recalled weekly hours result in large bias. The estimators we consider, on the other hand, contain negligible finite sample biases. In addition, the impute estimator has the smallest finite sample variances and is stable even in fairly small

samples.

This paper also contributes to the labor economics literature by making a number of interesting empirical findings on labor supply elasticities. We apply the impute estimator to a sample of hourly paid workers who were interviewed in both the ATUS and the CPS, and compare the estimated labor supply elasticities given by the impute estimator using the ATUS data with those using the error-ridden CPS weekly hours. First, we find that the ATUS produces smaller own wage elasticities than the CPS across the board, but the gaps vary among gender and maritial groups. Second, the ATUS indicates smaller spouse (cross) earning elasticity than the CPS for married women, but larger for married men. Third, the ATUS exhibits weaker elasticity with respect to number of older kids than the CPS for married women, evern though the two surveys result in almost the same elasticity estimates with respect to number of younger kids. For married men, the ATUS yields stronger elasticities with respect to numbers of kids (both age groups) than the CPS.

To fix the idea, our analytical results will concentrate on the ATUS and DTUS. Because the DTUS records the respondents' activities for the entire week, it serves as a benchmark against which our analytical results can be checked. Since all respondents of the ATUS have completed questionnaires of the CPS, we also have the mismeasured weekly hours worked and all the other variables from the CPS for the same individuals. By comparing the estimation of labor supply equations using the CPS hours worked and using the ATUS hours with our impute estimator, we can see the consequence of using mismeasured hours worked, and how our method can mitigate the problem.

Although for concreteness we focus on the labor supply elasticities, we believe that the idea is pervasive. For other activities recoreded in the ATUS, time specificity problem remains (for example, Aguiar, Bils, Charles and Hurst, 2017). Time specificity problem presents itself outside time use surveys, too. For example, Ahmed, Brzozowski and Crossley (2006); Brzozowski, Crossley and Winter (2017) find that substantial measurement errors in recalled food consumption data, and they are nonclassical. The estimation of price elasticity will be biased if one used the recalled food consumption as

the dependent variable (Sousa, 2014). Surveys like the Expenditure and Food Survey (EFS) in the UK[5] use diary system to record volumes purchased and expenditure on a range of goods over a short period. These diary-based data are arguably more accurate than recalled food consumption, but there is also similar time specificity issue.

A large part of this paper will be on how to use the daily hours worked in the ATUS to estimate a weekly labor supply equation. But what is the significance of weekly labor supply? Why not, say, monthly, quarterly, or yearly labor supply? The most important reason is that, once we bridge the gap between daily hours and weekly hours, then going from weekly hours to longer time frame only demands the same tools. Therefore, we believe that using the daily hours data in the ATUS to estimate weekly labor supply parameters is a reasonable starting point. Another reason is that the CPS records weekly hours,[6] and since the ATUS has a finer time frame, it only makes sense to extrapolate weekly hours from daily hours. Also, common knowledge suggests that the daily variation of hours worked within a typical week is more salient than the weekly variation within a typical month, quarter, or year, at least for most people.

The rest of the paper is organized as follows. Section 2 gives more information about time use surveys and commonly used surveys, focusing on how hours worked are measured in the ATUS, the DTUS and the CPS. In Section 3, we first give two impossibility results regarding the true weekly hours. Then we focus on the estimation of labor supply parameters. We set up the model and propose several intuitive estimators which utilize the ATUS daily hours, and investigate their asymptotic properties such as consistency, asymptotic normality and asymptotic efficiency. We recommend the impute estimator based on our analysis. Section 4 uses the DTUS data to show some distributional properties of the measurement error in the recalled hours worked and contains simulation experiments based on the DTUS data to illustrate the finite sample

[5]The EFS became known as the Living Cost and Food Survey from January 2008.

[6]The CPS asks the respondents how many hours he/she *usually* works per week, and how many hours he/she *actually* worked the week before, both for their main jobs and other jobs.

properties of different estimators. Section 5 provides our empirical study of the labor supply elasticities. Section 6 states a few of our comments on the design of time use surveys. Section 7 concludes the paper. Online appendix collects the proofs about the asymptotic properties of the proposed estimators and various robustness check of our empirical studies.

2 Time Use Surveys

The ATUS randomly draws a subsample of the respondents who just completed their participation in the CPS within the past two to five months.[7] On a randomly chosen day (interview day), the respondents are asked to fill up a diary detailing all their activities minute-by-minute on the previous day (diary day). Adding all the time spent on working by each respondent yields his/her ATUS hours worked for the diary day. Since the respondents of the ATUS had already participated in the CPS, all the data collected by the ATUS and the CPS about them are available for analysis, including demographics and income.[8]

The ATUS has some distinct features that set it apart from commonly used surveys like the CPS. First, the respondents of the ATUS recall their activities for only one day (diary day), as opposed to weeks or months. The diary day is completely randomly chosen, with weekends having higher probabilities than weekdays.[9] Second, the ATUS imposes a 24-hour limit on the time allocated to all the recalled activities. These two features are likely to make the ATUS hours a much more accurate measure of the hours worked on a single day. Throughout this paper, we assume that the observed daily hours worked in the ATUS are the true hours worked for the diary day, without any measurement error. We acknowledge that this assumption is almost certainly wrong, and

[7] For the workers who satisfy the criterion for our empirical analysis in Section 5, the number of those who participate in the ATUS account for roughly one fiftieth of all the respondents in the CPS.

[8] For a more detailed description of the ATUS, see Hamermesh, Frazis and Stewart (2005).

[9] The ATUS samples Mondays to Fridays with probability of 0.10 each, and it samples Saturdays and Sundays with probability of 0.25 each. Weekends are oversampled since they are more informative about people's activities other than work.

that the incidence and the size of the measurement error in the ATUS daily hours should be carefully examined for any serious empirical research. But it is adequate and convenient for our purpose in this paper.

On the contrary, the CPS records weekly hours, by asking either how many hours the respondents *usually* work per week or how many hours they *actually* worked in the previous week. While probably less accurate than the ATUS hours, the CPS hours concern a longer time period.

In order to quantify and rectify the consequences of error-ridden hours in the CPS using the more accurate ATUS hours, we have to understand and tackle this time specificity of the two data sources. As mentioned before, this time specificity is the crux of this paper. To focus on the consequences of time specificity, we will only include the individuals who participated in both the CPS and the ATUS into our sample for empirical analysis, so that no differences in estimates or efficiency may result from the differences in samples.[10]

Such time specificity of hours between time use surveys and commonly used surveys is not unique to the US, presumably because of high costs of conducting time use surveys. In fact, to the best of our knowledge, the only country that has ongoing time use survey that records activities for an entire week is the Netherlands.[11] The DTUS has been carried out since 1975 and has been published every five years. In the week long diary, the participants record their main activity every ten minutes and a secondary activity that might take place at the same time. The survey randomly draw more than two thousand participants from the Dutch population aged 12 and over since 2006. For the same respondents, the DTUS also contains CPS-type recalled weekly hours and some demographics including age, gender, education and number of children. So the DUTS serves as a particularly precious benchmark against which we can

[10]In the online appendix, we compare the ATUS sample with a much bigger CPS sample and do not find sigficant difference between the distributions of key variables from the two samples.

[11]The Economic and Social Research Council (ESRC) of the UK funded time use survey in 1973, 1974, 1983 and 1984 that covers 7 days of a week, but the more recent time use survey in the UK covers only 2 days.

evaluate different estimators. We are going to base our simulation studies on the DTUS. Unfortunately, the DTUS does not contain detailed information on income, which renders it unsuitable for our empirical analysis involving wage or earnings.[12] But the DTUS contains demographic information which allows us to draw some empirical findings about labor supply along that line.[13]

3 Good News and Bad News about Labor Supply

This section has good news and bad news. We start with the bad news—that is, what time use surveys cannot tell us about labor supply. By a very simple and straightforward potential outcome argument, we show that neither the weekly hours worked nor its distribution can be identified using the ATUS type time use survey data. Then we proceed to the good news—that is, time use surveys can provide consistent and relatively efficient estimates of labor supply elastiticies under mild conditions.

3.1 Bad News: Potential Hours and Impossibility Results

Let the individual respondent be indexed by $i = 1, \ldots, n$. Let H_i^w denote the true weekly hours worked by individual i. The recalled weekly hours worked H_i^{CPS} in the CPS is an error-ridden measure of H_i^w,

$$H_i^{CPS} = H_i^w + e_i. \tag{3.1}$$

That the measurement error is nonclassical implies that e_i could be correlated with H_i^w. Let $t \in \{1, \ldots, 7\}$ denote the days of a week,[14] and let H_{it} denote the true daily hours worked by individual i on day t. Naturally, the weekly

[12] The income variable in the DTUS is only the annual income quartiles.

[13] For a more detailed description of the DTUS, see Fisher, Gershuny, Flood, Roman and Hofferth (2018).

[14] $t = 1$ indicates Sunday, $t = 2$ indicates Monday, and so on.

hours worked equal to the sum of daily hours worked over the week,

$$H_i^w = \sum_{t=1}^{7} H_{it}. \tag{3.2}$$

Let t_i be the dairy day of individual i in the ATUS, then the daily hours worked in ATUS, denoted as H_i^{ATUS}, is just H_{it_i}. To facilitate our analysis, it helps to write the ATUS daily hours in an alternative way. Let $d_{it} \equiv \mathbb{I}[t_i = t]$ be seven diary day dummy variables for each individual i.[15] Then

$$H_i^{ATUS} = H_{it_i} = \sum_{t=1}^{7} d_{it} H_{it}. \tag{3.3}$$

Since for any individual interviewed in the ATUS, one and only one of the seven diary dummies is one, we only have an accurate measure of his/her hours worked for a single day of the week, but not for the other six days. Therefore we have the following impossibility results. First, without ad hoc assumptions, it is impossible to recover individual weekly hours worked H_i^w from what is available in the ATUS. Second, the ATUS only contains information regarding the marginal distributions of daily hour worked on a single day, but provides no information about the joint distribution of $(H_{i1}, \ldots, H_{i7})'$. The latter is required if one wants to find out the distribution of H_i^w. In consequence, even the distribution of the weekly hours worked H_i^w cannot be identified using the ATUS daily hours data.

These impossibility results closely resembles the conventional wisdom in the program evaluation literature that even in purely random experiments, neither individual treatment effect nor its distribution in the population can be identified without ad hoc assumptions on the joint distribution of (Y_{i1}, Y_{i0}).[16] Following the convention, we call H_{it} "potential hours" of diary day t ($t =$

[15] The symbol $\equiv$ indicates that the quantity on the left side is defined as the expression on the right side.

[16] Let Y_{i1}, Y_{i0} and d_i denote the outcome if treated, the outcome if not treated and the treatment indicator for individual i, respectively, then the observed outcome is $Y = d_i Y_{i1} + (1 - d_i) Y_{i0}$. It is well known that the individual treatment effect, defined as $Y_{i1} - Y_{i0}$, cannot be identified.

$1, \ldots, 7$).

The second impossibility result is best illustrated with the DTUS data. In Figure 1, the solid line shows the kernel density of DTUS weekly hours worked, which is directly observable in the DTUS for each individual. To mimic the ATUS, we randomly choose one day from the DTUS as the diary day for each individual, and plot the kernel density of the hours worked on the diary day multiplied by 7. The dashed and the dotted lines in Figure 1 show the kernel densities for two such random experiments. The ATUS-type daily hours exhibit bimodal distributions as most people work very little hours on weekends, if at all.[17] Figure 2 shows the results of a similar experiment which takes the common five-day work schedule into account. We only keep those individuals whose diary days are the workdays, and then multiple their ATUS-type daily hours by 5. As is shown in Figure 2, even though the DTUS weekly hours and the scaled ATUS-type daily hours have similar mode, their distributions differ notably, especially toward the left end. The difference appears to be mainly driven by some people take a day off during the weekdays (and probably make up on the weekends.)

3.2 Good News: Labor Supply Parameters

Despite the impossibility results in Section 3.1, daily hours worked in the ATUS nevertheless can produce consistent and relatively efficient parameter estimates in the weekly labor supply regression equation. In particular, such parameters include labor supply elasticities, the application we will focus on in the rest of this paper.

The reason why these parameters in the weekly labor supply regression equation can be identified and estimated is again better understood under the potential outcome framework. The ATUS closely resembles purely random experiments, since the diary day is completely randomly chosen for each respondent. In random experiments, $\mathrm{E}(Y_{i1} - Y_{i0})$, the average treatment effect (ATE) and $\mathrm{E}(Y_{i1} - Y_{i0}|X_i = x)$, the conditional average treatment effect

[17] According to the U.S. Bureau of Labor Statistics, in 2017, 89% of full-time workers worked on an average weekday, compared with 32.6% on an average weekend day.



Figure 1: DTUS Weekly Hours vs. Randomly Drawn Daily Hours $\times 7$

(CATE) can be identified and estimated using the data that records either Y_{i1} or Y_{i0} (but not both) for each individual. Since regression equations are essentially conditional mean models, both $\mathrm{E}(H_i^w)$ and $\mathrm{E}(H_i^w|X_i = x)$, the counterparts of the ATE and the CATE in our scenario, can be identified and estimated. In fact, the labor supply elasticity estimator we recommend later in this section resembles a similarity to the matching regression estimator of the average treatment effect in that it uses the actual ATUS daily hours worked by other individuals with similar exogenous characteristics to impute the six missing daily hours worked for each individual in the ATUS.

Two unique features, however, differentiate the labor supply elasticity estimation problem from the usual treatment effect estimation. First, the standard error of our recommended elasticity estimator requires the correlation among the daily potential hours, but the ATUS contains no information regarding it. In order to compute the standard error, we will propose two methods, and the second of which imposes a stronger assumption than necessary for the consistency of the estimator. This stronger assumption essentially requires that the daily potential hours models can be estimated separately, which is



Figure 2: DTUS Weekly Hours vs. Randomly Drawn Weekday Daily Hours $\times 5$

automatically assumed in the treatment effect literature (i.e. Y_{i1} and Y_{i0} can be modeled using two separate regression models). Second, elasticity hinges on not only the mean, but also the partial derivative of the conditional mean function $\partial \, \mathrm{E}(H_i^w | X_i = x)/\partial x$, which would correspond to $\partial \, \mathrm{E}(Y_{i1} - Y_{i0} | X_i = x)/\partial x$ and seems not to have attracted much attention in the treatment effect literature. Because we focus on the partial effect of X_i, we find that unlike in the treatment effect literature where the matching estimator aims to impute Y_{i1} or Y_{i0} itself, the characteristics to impute the missing potential hours in our context must be exogenous predictors of the daily hours worked.

3.2.1 Model and Estimators

To be concrete, we consider the following equation of weekly labor supply,

$$H_i^w = X_i' \beta + U_i, \qquad i = 1, \ldots, n, \tag{3.4}$$

where X_i is a $p \times 1$ vector of observable independent variables that affect hours worked with its first element being unit one. The explanatory variables X_i,

including log wage in particular, tend to be correlated with U_i, and hence is often endogenous. Moreover, log wage may also be subject to measurement errors.[18] We assume that a $q \times 1$ vector of IV Z_i is available. Let $\sigma_u^2 \equiv \mathrm{Var}(U_i)$.

The ideal case is when the true weekly hours worked H_i^w were observable for each individual. The usual 2SLS estimator is then

$$\hat{\beta}_{wk} = (X'P_zX)^{-1}(X'P_zH^w), \tag{3.5}$$

where $H^w \equiv (H_1^w, \ldots, H_n^w)'$, $X \equiv (X_1, \ldots, X_n)'$, $Z \equiv (Z_1, \ldots, Z_n)'$ and $P_z \equiv Z(Z'Z)^{-1}Z'$. Since it uses the unobservable true weekly hours worked, we call it *week* estimator.

Now we consider how to utilize the ATUS hours. Because the ATUS is designed to survey about a randomly chosen day for each individual, we maintain the following assumption throughout the paper.

Assumption 1 (Random diary day)**.** *Diary day dummies* $(d_{i1}, \ldots, d_{i7})'$ *are independent from* $(X_i', Z_i', U_i', H_i^w, H_{i1}, \ldots, H_{i7})'$.

In fact, we check the correlation among the ATUS diary dummies with all the variables used in our paper, and Assumption 1 is strongly supported.

Let H^{ATUS} denote the $n \times 1$ vector of ATUS daily hours. For each $t \in \{1, \ldots, 7\}$, suppose the subsample size for diary day t is n_t, and let D_t denote an $n \times n$ diagonal matrix with elements d_{it} $(i = 1, \ldots, n)$. What D_t does is just to select the subsample for diary day t. Equation (3.3) can be re-written in such matrix notaion as $H^{ATUS} = \sum_{t=1}^{7} D_t H_t$.

Since the diary day is chosen randomly, it appears natural to expect the day-to-day variation of daily hours worked within a week to cancel out in large samples if we pool all diary days together. This intuition leads to what we call *pool* estimator,

$$\hat{\beta}_{pool} = (X'P_zX)^{-1}(X'P_zRH^{ATUS}) = (X'P_zX)^{-1}X'P_z\Big(\sum_{t=1}^{7} r_{nt}D_tH_t\Big). \tag{3.6}$$

[18] See a survey paper by Bound, Brown and Mathiowetz (2001) for details.

In eq. (3.6), $r_{nt} \equiv n/n_t$, and R is an $n \times n$ diagonal matrix with elements n/n_{t_i} $(i = 1, \ldots, n)$, which adjusts for the sampling probability of the diary days. If every day gets 1/7 probability of being sampled, then the pool estimator is equivalent to a simple 2SLS using the ATUS daily hours multiplied by seven.

The second intuitive estimator relies on the disaggregation of the weekly labor supply model into a number of daily labor supply models; that is, for $t = 1, \ldots, 7$,

$$H_{it} = X_i' \beta_t + U_{it}, \tag{3.7}$$

where $\mathrm{E}(U_{it}) = 0$. Then the parameters β in the weekly labor supply model can be re-written as $\beta = \sum_{t=1}^{7} \beta_t$. Therefore, it seems to be a logical attempt to estimate β using what we call *day* estimator, defined as

$$\hat{\beta}_{day} = \sum_{t=1}^{7} \hat{\beta}_t = \sum_{t=1}^{7} (X' P_{zt} X)^{-1} X' P_{zt} H_t, \tag{3.8}$$

where $\hat{\beta}_t$ $(t = 1, \ldots, 7)$ is the usual 2SLS estimator of β_t using only the subsample for diary day t and $P_{zt} = (D_t Z)(Z' D_t Z)^{-1} (D_t Z)'$.

Later we are going to show that both the pool estimator and the day estimator are consistent under mild conditions. However, neither of them is ideal in terms of efficiency and robustness. Instead, we propose a third feasible estimator which deviates the infeasible benchmark $\hat{\beta}_{wk}$ as little as possible, and we will show that the third estimator outperforms the first two.

In light of eq. (3.2) and the definition of P_z,[19] the infeasible 2SLS estimator $\hat{\beta}_{wk}$ can be re-written as

$$\hat{\beta}_{wk} = (X' P_z X)^{-1} X' P_z \sum_{t=1}^{7} H_t = (X' P_z X)^{-1} X' P_z Z \sum_{t=1}^{7} (Z' Z/n)^{-1} (Z' H_t/n),$$

where $H_t \equiv (H_{1t}, \ldots, H_{nt})$ for each $t \in \{1, \ldots, 7\}$. By the simple law of large numbers, we know that $(Z'Z/n)^{-1} (Z' H_t/n) \xrightarrow{p.} [\mathrm{E}(Z_i Z_i')]^{-1} \mathrm{E}(Z_i H_{it}')$. Assumption 1 implies that in this expression, the unconditional means equal

[19] Moreover, P_z is an idenpotent matrix, i.e. $P_z P_z = P_z$.

to the conditional means, i.e. $[\mathrm{E}(Z_i Z_i')]^{-1}\,\mathrm{E}(Z_i H_{it}') = [\mathrm{E}(Z_i Z_i' \mid d_{it} = 1)]^{-1}$ $\mathrm{E}(Z_i H_{it}' \mid d_{it} = 1)$. As a result, we can use the subsample for diary day t, instead of the entire sample, to estimate the two conditional means for each t. Replace the last part of $\hat{\beta}_{wk}$ by its diary day t counterpart, we get

$$\hat{\beta}_{im} \equiv (X'P_zX)^{-1}X'P_zZ\sum_{t=1}^{7}\left(Z'D_tZ/n_t\right)^{-1}\left(Z'D_tH_t/n_t\right). \tag{3.9}$$

We call this estimator *impute* estimator. In practice, impute estimator is easy to compute using the ATUS data by the following steps:

1. ("X first stage") Regress X_i on Z_i using the entire sample and take the fitted values $\hat{X}_i$;

2. ("H first stage") For each diary day t, regress H_i^{ATUS} (i.e. H_{it_i}) on Z_i using the subsample $d_{it} = 1$ to get $\hat{\alpha}_t$, and impute the weekly hours worked by $\hat{H}_i^w = \sum_{t=1}^{7}\hat{H}_{it} = \sum_{t=1}^{7} Z_i'\hat{\alpha}_t$ for the entire sample;

3. ("Second stage") Regress $\hat{H}_i^w$ on $\hat{X}_i$ using the entire sample and get $\hat{\beta}_{im}$.

Compared to the usual 2SLS estimator, this estimator adds one more simple step in the middle where the values of the unobservable weekly hours H_i^w is imputed based on the instrumental variables.

In the "H first stage", if the hours worked by individual i on day t is not observed, the impute estimator essentially matches individual i with those respondents in the diary day group t who have similar values of Z_i with her, and uses their hours worked as the imputed hours for individual i. This is similar to the "synthetic time diary" method employed by Aguiar, Bils, Charles and Hurst (2017). It also resembles the matching estimator in the treatment effect literature, except that here we make it clear that the basis for matching has to be exogenous IV Z_i, and cannot be endogenous regressors X_i in the weekly labor supply eq. (3.4).

Remark 1 (Exogenous X_i). If X_i are exogenous (hence X_i are their own IVs), then $\hat{\beta}_{wk} = (X'X)^{-1}(X'H^w)$ simply becomes the OLS estimator for model

(3.4). It is easy to verify that in this case $\hat{\beta}_{day}$ is numerically identical to the impute estimator $\hat{\beta}_{im}$. The two differ if X_i are endogenous.

Remark 2 (Measurement error in the ATUS hours). Let H_{it} be the true hours worked on day t, and let $H_{it}^{ATUS} = H_{it} + e_{it}^{ATUS}$ be the ATUS hours if respondent i was interviewed for his/her hours worked on day t. Here e_{it}^{ATUS} is the measurement error of the ATUS hours. When the diary day assignment is independent of the measurement error in addition to Assumption 1, and e_{it}^{ATUS} is uncorrelated with the IV Z_i, we still have $[\mathrm{E}(Z_i Z_i')]^{-1}\,\mathrm{E}(Z_i H_{it}') = [\mathrm{E}(Z_i Z_i' \,|\, d_{it} = 1)]^{-1}\,\mathrm{E}(Z_i H_{it}^{ATUS\prime} \,|\, d_{it} = 1)$. So the above arguments still follow.

3.2.2 Large Sample Properties

In this section, we will prove that all the feasible estimators for the ATUS that we propose are consistent under the same conditions required for the consistency of the usual 2SLS estimator. In addition, we will show that the impute estimator has superior efficiency properties. We maintain the following two assumptions throughout the paper.

Assumption 2 (Random sample)**.** *For any $i \in \{1, \ldots, n\}$, the vector $(H_i^w, H_{i1}, \ldots, H_{i7}, X_i', Z_i', d_{i1}, \ldots, d_{i7})'$ is randomly drawn from the population.*

Assumption 3 (Valid and relevant instrumental variables)**.** *Assume that* $\mathrm{E}(U_i Z_i) = 0$, $\operatorname{rank} \mathrm{E}(Z_i Z_i') = q$ *($q \geq p$), and* $\operatorname{rank} \mathrm{E}(Z_i X_i') = p$.

Theorem 1 (Consistency)**.** *Under Assumptions 1 to 3, we have that $\hat{\beta}_{wk}$, $\hat{\beta}_{im}$, $\hat{\beta}_{pool}$, and $\hat{\beta}_{day}$ all converge to β in probability as $n \to \infty$.*[20]

Remark 3 (Weak conditions for consistency of $\hat{\beta}_{day}$). We need to point out that all the estimators we consider, including the day estimator, are consistent under the weaker assumption that $\mathrm{E}(U_i Z_i) = 0$, instead of the stronger $\mathrm{E}(U_{it} Z_i) = 0$. That is, the IV only need to be valid for the weekly labor supply equation, and not necessarily so for each daily ones. Even if each daily 2SLS estimator $\hat{\beta}_t$ might be inconsistent for β_t, the day estimator $\hat{\beta}_{day}$ still is.

[20] All proofs are in the online appendix. Note that it is a standard result that $\hat{\beta}_{wk}$ is consistent for β and has asymptotically normal distribution.

The 2SLS estimator based on the CPS recalled weekly hours, on the other hand, is in general inconsistent. This is again a well known consequence of the nonclassical measurement error e_i defined in eq. (3.1).[21]

To derive the asymptotic distributions, it helps to consider the "H first stage" where the potential daily hours H_{it} are regressed on the IV Z_i:

$$H_{it} = Z_i'\alpha_t + V_{it}, \tag{3.10}$$

and let $V_t = (V_{1t}, \ldots, V_{nt})'$ denote the vector of projection residuals. By construction, $\mathrm{E}(V_{it}) = 0$ and $\mathrm{E}(Z_i V_{it}) = 0$.

Assumption 4 (Diary day sampling probability)**.** *Assume that each day of a week has a positive probability of being sampled. That is,* $0 < \Pr(d_{it} = 1) < 1$ *for each day* $t \in \{1, \ldots, 7\}$.

Define $A \equiv BC^{-1}B'$ with $B \equiv \mathrm{E}(X_i Z_i')$ and $C \equiv \mathrm{E}(Z_i Z_i')$, and let $r_t = 1/\Pr(d_{it} = 1)$.

Theorem 2 (Asymptotic Normality I)**.** *Under Assumptions 1 to 4, we have the following asymptotic normality results:*

(i) $\sqrt{n}(\hat{\beta}_{wk} - \beta) \xrightarrow{d} \mathcal{N}(0, \Omega^*_{wk})$, *with* $\Omega^*_{wk} \equiv A^{-1}BC^{-1}E(U_i^2 Z_i Z_i')C^{-1}B'A^{-1}$;

(ii) $\sqrt{n}(\hat{\beta}_{im} - \beta) \xrightarrow{d} \mathcal{N}(0, \Omega^*_{im})$, *with* $\Omega^*_{im} = \Omega^*_{wk} + \Omega^*_{im-wk}$, *where*

$$\Omega^*_{im-wk} \equiv A^{-1}BC^{-1}\Big[\sum_{t=1}^{7}(r_t - 1)\,\mathrm{E}(Z_i V_{it} V_{it} Z_i') - 2\sum_{1\le t<\tau\le 7}\mathrm{E}(Z_i V_{it} V_{i\tau} Z_i')\Big]C^{-1}B'A^{-1};$$

(iii) $\sqrt{n}(\hat{\beta}_{pool} - \beta) \xrightarrow{d} \mathcal{N}(0, \Omega^*_{pool})$, *with* $\Omega^*_{pool} = \Omega^*_{im} + \Omega^*_{pool-im}$, *where*

$$\Omega^*_{pool-im} \equiv A^{-1}BC^{-1}\Big[\sum_{t=1}^{7}(r_t - 1)\,\mathrm{E}(Z_i\alpha_t' Z_i Z_i'\alpha_t Z_i') - 2\sum_{1\le t<\tau\le 7}\mathrm{E}(Z_i\alpha_t' Z_i Z_i'\alpha_\tau' Z_i')\Big]C^{-1}B'A^{-1}; \tag{3.11}$$

[21] The probability limit of $\hat{\beta}^{CPS}_{wk} \equiv (X'P_zX)^{-1}(X'P_zH^{CPS})$, the 2SLS estimator based on the CPS weekly hours, is $(\mathrm{E}(X_iZ_i')[\mathrm{E}(Z_iZ_i')]^{-1}\,\mathrm{E}(Z_iX_i'))^{-1}\,\mathrm{E}(X_iZ_i')[\mathrm{E}(Z_iZ_i')]^{-1}\,\mathrm{E}(Z_ie_i)$, which is in general not zero, since $\mathrm{E}(Z_ie_i) \neq 0$ for the nonclassical measurement error e_i.

(iv) $\sqrt{n}(\hat{\beta}_{im}-\hat{\beta}_{wk}) \xrightarrow{d} \mathcal{N}(0, \Omega^*_{im}-\Omega^*_{wk})$, *hence* $n(\hat{\beta}_{im}-\hat{\beta}_{wk})'(\Omega^*_{im}-\Omega^*_{wk})^{-1}(\hat{\beta}_{im}-\hat{\beta}_{wk}) \sim \chi^2(p)$.[22]

As is clearly shown in the proof, both Ω^*_{im-wk} and $\Omega^*_{pool-im}$ are variance-covariance matrices of some random vectors (i.e. positive definite), which in turn implies that $\Omega^*_{pool} \geq \Omega^*_{im} \geq \Omega^*_{wk}$. Although the pool estimator is intuitive and consistent, the impute estimator is better in terms of efficiency. In general, $\hat{\beta}_{day}$ does not follow a fixed efficiency ranking compared with $\hat{\beta}_{im}$.

Remark 4 (Relative efficiency of $\hat{\beta}_{wk}$). It is not surprising that the infeasible estimator $\hat{\beta}_{wk}$ is the most efficient should the true weekly hours worked were observed. The efficiency difference between $\hat{\beta}_{wk}$ and $\hat{\beta}_{im}$ results from the fact that $\hat{\beta}_{im}$ only utilizes diary day subsamples to impute $\hat{H}_{it}$ (and sum $\hat{H}_{it}$ to get $\hat{H}^w_i$), while $\hat{\beta}_{wk}$ directly imputes $\hat{H}^w_i$ using the entire sample.[23]

Remark 5 (Relative efficiency of $\hat{\beta}_{im}$). The efficiency gain of $\hat{\beta}_{im}$ compared to $\hat{\beta}_{pool}$ might be less expected. But is also very intuitive—to impute $\hat{H}_{it}$, $\hat{\beta}_{im}$ uses only data on H_{it}, the relevant diary day observations. On the contrary, $\hat{\beta}_{pool}$ uses data on both H_{it} and $H_{i\tau}$ ($\tau \neq t$), and $H_{i\tau}$ observations ($t \neq \tau$) merely add noise, which results in a less efficient estimator. A less obvious point is that the size of the efficiency gap depends on the diary day sampling weights. In the extreme case where there is no variation in daily hours (i.e. $H_{i1} = \cdots = H_{i7}$, and hence $\mathrm{E}(Z_i V_{it} V_{it} Z_i') = \mathrm{E}(Z_i V_{it} V_{i\tau} Z_i')$ and $\mathrm{E}(Z_i \alpha_t' Z_i Z_i' \alpha_t Z_i') = \mathrm{E}(Z_i \alpha_t' Z_i Z_i' \alpha_\tau Z_i')$ for all $t, \tau = 1, \ldots, 7$), one might think that it does not matter which day gets surveyed, and hence the pool estimator (subject to sampling weights adjustment) suffices. However, part (iii) of Theorem 2 shows that for $\Omega^*_{pool-im}$ to be zero, we need equal sampling weights so that $r_t =$

[22] Here we do not provide the asymptotic variance for $\hat{\beta}_{day}$, and there are two reasons. (1) As explained in Remark 7 below, none of the asymptotic variance formulas given here is estimable using the ATUS data under Assumptions 2 to 4. (But they will be estimable if Assumption 5 below holds.) (2) Assumption 3 only guarantees that the IVs are valid for the weekly labor supply equation, but not necessarily for the daily ones, so $\hat{\beta}_t$ might be inconsistent for β_t for some t. The asymptotic distribution of IV estimators, when the IVs are invalid, is very complicated in general (for details, see Kiviet and Niemczyk, 2009).

[23] Note that $\hat{\beta}_{wk} = (X'P_zX)^{-1}(X'P_zH^w) = (X'P_zP_zX)^{-1}(X'P_zP_zH^w) = (\hat{X}'\hat{X})^{-1}(\hat{X}'\hat{H}^w)$ since P_z is an idenpotent matrix.

$\lim_{n\to\infty} n/n_t = 7$ for $t = 1, \ldots, 7$. Otherwise $\Omega^*_{pool} > \Omega^*_{im} > \Omega^*_{wk}$ remains. This means that, given the sampling weights of the ATUS diary days (i.e. $r_1 = r_7 = 4$ and $r_2 = \cdots r_6 = 10$), the impute estimator will be more efficient than the pool estimator even when there is no variation in daily hours.

Remark 6 (Hausman test between the CPS and the ATUS). Part (iv) of Theorem 2 indicates that we can test the presence of non-classical measurement errors in the recalled weekly hours in the CPS using the Hausman test. Under the null hypothesis of no non-classical measurement errors, the 2SLS based on the recalled weekly hours in the CPS will be consistent and as efficient as the week estimator $\hat{\beta}_{wk}$; while under the alternative, such 2SLS will be biased. In both cases, the impute estimator $\hat{\beta}_{im}$ is consistent but less efficient.

Remark 7 (Standard errors of $\hat{\beta}_{wk}$, $\hat{\beta}_{im}$ and $\hat{\beta}_{pool}$). Even though Theorem 2 gives explicit formulas for the asymptotic variances and provides profound insights to the relative efficiency of the estimators, the standard errors cannot be computed based on Theorem 2 using the ATUS data alone because none of Ω^*_{wk}, Ω^*_{im} or Ω^*_{pool} is estimable without further assumptions. To see this, note that $E(U_i^2 Z_i Z_i')$, $E(Z_i V_{it} V_{i\tau} Z_i')$ and $E(Z_i \alpha_t' Z_i Z_i' \alpha_\tau Z_i')$ $(1 \le t < \tau \le 7)$ require observing the same individual on different days, but the ATUS only provides information on one single day for each individual, and hence is inadequate in this regard. This is just another manifestation of the impossibility results discussed in Section 3.1.

In order to compute the standard errors of the estimators, two approaches are feasible.[24] The first approach is that one may first estimate $E(U_i^2 Z_i Z_i')$, $E(Z_i V_{it} V_{i\tau} Z_i')$ and $E(Z_i \alpha_t' Z_i Z_i' \alpha_\tau Z_i')$ $(1 \le t < \tau \le 7)$ with the help of other data sources that observe one individual on multiple days, and then plug those estimates into the formulas provided in Theorem 2. One possible source is the DTUS, if one is willing to assume that the correlations among daily hours in the DTUS are the same as those in the ATUS. Another possible source is some pilot survey that observes a smaller sample of individuals for multiple days,

[24] For the empirical results in Section 4.2 and Section 5, we will report the standard errors computed from both approaches.

which could be conducted alongside the ATUS.[25] In Online Appendix B, we describe in detail how to compute the standard errors using this approach.

Another approach results from the observation that if one is willing to make the following slightly stronger assumption about the instrumental variables, then the asymptotic variances no longer depend on the correlations among daily hours on multiple days.

Assumption 5 (Instrumental variable in daily equations)**.** *Assume that* $\mathrm{E}(U_{it}Z_i) = 0$ *for all* $t = 1, \ldots, 7$*, that is, the instrumental variables are valid in the daily labor supply equations.*

To state the results, it helps to consider the "X first stage" where the (potentially endogenous) regressors X_i are regressed on the IV Z_i:

$$X_i = \lambda Z_i + \epsilon_i, \tag{3.12}$$

and we have $\mathrm{E}(\epsilon_{it}) = 0$ and $\mathrm{E}(Z_i\epsilon_i) = 0$ by construction.

Theorem 3 (Asymptotic Normality II)**.** *Under Assumptions 1 to 5, we have the following asymptotic normality results:*

(i) $\sqrt{n}(\hat{\beta}_{im} - \beta) \xrightarrow{d} \mathcal{N}(0, \Omega_{im})$*, with*

$$\Omega_{im} \equiv \Omega_{im,1} + \Omega_{im,2} + 2\Omega_{im,3}, \text{ where} \tag{3.13}$$

$$\begin{aligned}
\Omega_{im,1} \equiv& A^{-1}BC^{-1}\Big[\sum_{t=1}^{7}(r_t - 1)\,\mathrm{E}(Z_i\beta_t'\epsilon_i\epsilon_i'\beta_t Z_i') - 2\sum_{1\le t<\tau\le 7}\mathrm{E}(Z_i\beta_t\epsilon_i'\epsilon_i\beta_\tau Z_i')\Big]C^{-1}B'A^{-1},\\
\Omega_{im,2} \equiv& A^{-1}BC^{-1}\Big[\sum_{t=1}^{7} r_t\,\mathrm{E}\big(U_{it}^2 Z_i Z_i'\big)\Big]C^{-1}B'A^{-1},\\
\Omega_{im,3} \equiv& A^{-1}BC^{-1}\Big[\sum_{t=1}^{7}(r_t - 1)\,\mathrm{E}(U_{it}Z_i\beta_t'\epsilon_i Z_i') - 2\sum_{1\le t<\tau\le 7}\mathrm{E}(U_{i\tau}Z_i\beta_t'\epsilon_i Z_i')\Big]C^{-1}B'A^{-1};
\end{aligned}$$

[25] In fact, we recommend such pilot survey to be conducted alongside the ATUS in order to obtain the standard errors.

(ii) $\sqrt{n}(\hat{\beta}_{pool} - \beta) \xrightarrow{d} \mathcal{N}(0, \Omega_{pool})$, *with* $\Omega_{pool} \equiv \Omega_{im} + \Omega_{pool-im}$, *where* Ω_{im} *is defined in eq.* (3.13) *and* $\Omega_{pool-im} = \Omega^*_{pool-im}$ *is defined in part (iii) of Theorem 2;*

(iii) $\sqrt{n}(\hat{\beta}_{day} - \beta) \xrightarrow{d} \mathcal{N}(0, \Omega_{day})$, *with*

$$\Omega_{day} \equiv A^{-1}BC^{-1}\Big[\sum_{t=1}^{7} r_t \,\mathrm{E}(U_{it}^2 Z_i Z_i')\Big]C^{-1}B'A^{-1}.$$

The asymptotic variance formulas in Theorem 3 lead to easy-to-compute standard errors for $\hat{\beta}_{im}$, $\hat{\beta}_{pool}$ and $\hat{\beta}_{day}$. Before giving the standard error formulas, we need some notation.

Note that the coefficient λ in the "X first stage" eq. (3.12) can be estimated using the entire sample. For each individual $i = 1, \ldots, n$, let $\hat{X}_i \equiv Z_i'\hat{\lambda}$ and $\hat{\epsilon}_i \equiv Z_i - \hat{X}_i$. Let $A_n \equiv \frac{1}{n}\sum_{i=1}^n \hat{X}_i\hat{X}_i'$, $B_n \equiv \frac{1}{n}\sum_{i=1}^n X_i Z_i'$ and $C_n \equiv \frac{1}{n}\sum_{i=1}^n Z_i Z_i'$. Note that the coefficients α_t in the "H first stage" eq. (3.10) can be estimated using the subsample for diary day t. For each individual $i = 1, \ldots, n$, let $\hat{U}_{it_i} \equiv H_{it_i} - Z_i\hat{\beta}_{t_i}$. Recall that t_i denote the diary day for individual i in the ATUS data. For each $t = 1, \ldots, 7$, define

$$\hat{Q}_t^{uz} \equiv \frac{1}{n_t}\sum_{i:t_i=t} \hat{U}_{it_i}^2 Z_i Z_i', \qquad \hat{Q}_t^{\alpha} \equiv \frac{1}{n}\sum_{i=1}^n Z_i\hat{\alpha}_t' Z_i Z_i'\hat{\alpha}_t Z_i',$$

$$\hat{Q}_t^{z\epsilon} \equiv \frac{1}{n}\sum_{i=1}^n Z_i\hat{\beta}_t'\hat{\epsilon}_i\hat{\epsilon}_i'\hat{\beta}_t Z_i', \qquad \hat{Q}_t^{u\epsilon} \equiv \frac{1}{n_t}\sum_{i:t_i=t} \hat{U}_{it_i} Z_i\hat{\beta}_t'\hat{\epsilon}_i Z_i'.$$

And for each pair of (t, τ) such that $1 \le t < \tau \le 7$, define

$$\hat{Q}_{t,\tau}^{z\epsilon} \equiv \frac{1}{n}\sum_{i=1}^n Z_i\hat{\beta}_t'\hat{\epsilon}_i\hat{\epsilon}_i'\hat{\beta}_\tau Z_i', \;\; \hat{Q}_{t,\tau}^{u\epsilon} \equiv \frac{1}{n_\tau}\sum_{i:t_i=\tau} \hat{U}_{it_i} Z_i\hat{\beta}_t'\hat{\epsilon}_i Z_i', \;\; \hat{Q}_{t,\tau}^{\alpha} \equiv \frac{1}{n}\sum_{i=1}^n Z_i\hat{\alpha}_t' Z_i Z_i'\hat{\alpha}_\tau Z_i'.$$

Therefore, we can define

$$\hat{\Omega}_{im,1} \equiv A_n^{-1}B_nC_n^{-1}\Big[\sum_{t=1}^{7}(r_{nt} - 1)\hat{Q}_t^{z\epsilon} - 2\sum_{1\le t<\tau\le 7}\hat{Q}_{t,\tau}^{z\epsilon}\Big]C_n^{-1}B_n'A_n^{-1},$$

$$\hat{\Omega}_{im,2} \equiv A_n^{-1} B_n C_n^{-1} \Big[\sum_{t=1}^{7} r_{nt} \hat{Q}_t^{uz} \Big] C_n^{-1} B_n' A_n^{-1},$$

$$\hat{\Omega}_{im,3} \equiv A_n^{-1} B_n C_n^{-1} \Big[\sum_{t=1}^{7} (r_{nt} - 1) \hat{Q}_t^{u\epsilon} - 2 \sum_{1 \le t < \tau \le 7} \hat{Q}_{t,\tau}^{u\epsilon} \Big] C_n^{-1} B_n' A_n^{-1},$$

$$\hat{\Omega}_{pool-im} \equiv A_n^{-1} B_n C_n^{-1} \Big[\sum_{t=1}^{7} (r_{nt} - 1) \hat{Q}_t^{\alpha} - 2 \sum_{1 \le t < \tau \le 7} \hat{Q}_{t,\tau}^{\alpha} \Big] C_n^{-1} B_n' A_n^{-1}, \text{ and}$$

$$\hat{\Omega}_{day} \equiv A_n^{-1} B_n C_n^{-1} \Big[\sum_{t=1}^{7} r_t \hat{Q}_t^{uz} \Big] C_n^{-1} B_n' A_n^{-1}.$$

Finally, define $\hat{\Omega}_{im} = \hat{\Omega}_{im,1} + \hat{\Omega}_{im,2} + \hat{\Omega}_{im,3}$ and $\hat{\Omega}_{pool} = \hat{\Omega}_{im} + \hat{\Omega}_{pool-im}$.

Theorem 4 (Standard errors)**.** *Under Assumptions 1 to 5, we have the following results: (i)* $\hat{\Omega}_{im} \xrightarrow{p.} \Omega_{im}$*; (ii)* $\hat{\Omega}_{pool} \xrightarrow{p.} \Omega_{pool}$*; (iii)* $\hat{\Omega}_{day} \xrightarrow{p.} \Omega_{day}$*.*

For all empirical estimates in Section 4.2, Section 5 and the online appendix, we will report the standard errors of $\hat{\beta}_{im}$ using both approaches.[26]

4 Lessons from the Dutch Time Use Survey (DTUS)

The sample we use in this section consists of individuals from the DTUS (Fisher et al., 2018) aged between 25 and 54 surveyed in 1980, 1985, 1990, 1995, 2000 and 2005, whose recalled hours and diary hours are both positive. The entire sample contains 6,567 individual-year records.

4.1 Simulations

Based on the DTUS data, we design a simulation study to compare the finite sample performance of the estimators discussed previously. The nice thing about the DTUS is that it contains CPS-type recalled weekly hours, as well as daily diary hours for an entire week. As a result, we are able to compute the week estimator $\hat{\beta}_{wk}$, which would have been impossible for the ATUS.

[26] In our empirical studies, the two approaches lead to quantitatively similar results.

Table 1: Simulations Based on the Dutch Time Use Survey (DTUS)

$\text{Corr}(\tilde{X}_i, U_i)$ / $\text{Corr}(\tilde{X}_i, \tilde{Z}_i)$		Panel A: $n = 250$					Panel B: $n = 500$				
		$\hat{\beta}_{re}$	$\hat{\beta}_{wk}$	$\hat{\beta}_{im}$	$\hat{\beta}_{pool}$	$\hat{\beta}_{day}$	$\hat{\beta}_{re}$	$\hat{\beta}_{wk}$	$\hat{\beta}_{im}$	$\hat{\beta}_{pool}$	$\hat{\beta}_{day}$
0 / 1	MSE	1.255	0.004	0.051	0.122	0.051	1.241	0.002	0.023	0.061	0.023
	Bias^2	1.232	0.000	0.000	0.000	0.000	1.230	0.000	0.000	0.000	0.000
	Var	0.023	0.004	0.051	0.122	0.051	0.011	0.002	0.023	0.061	0.023
0.25 / 0.95	MSE	1.245	0.002	0.049	0.125	0.049	1.240	0.001	0.022	0.061	0.022
	Bias^2	1.222	0.000	0.000	0.000	0.000	1.228	0.000	0.000	0.000	0.000
	Var	0.024	0.002	0.049	0.125	0.049	0.012	0.001	0.022	0.061	0.022
0.5 / 0.80	MSE	1.248	0.005	0.052	0.126	0.070	1.245	0.003	0.023	0.059	0.028
	Bias^2	1.222	0.000	0.000	0.000	0.001	1.231	0.000	0.000	0.000	0.000
	Var	0.027	0.005	0.052	0.126	0.069	0.013	0.003	0.023	0.059	0.028
0.75/ 0.43	MSE	1.234	0.079	0.127	0.207	639.291	1.231	0.036	0.058	0.098	12.010
	Bias^2	1.182	0.001	0.001	0.002	0.326	1.206	0.000	0.000	0.000	0.091
	Var	0.052	0.077	0.126	0.205	638.965	0.025	0.036	0.058	0.098	11.919
$\text{Corr}(\tilde{X}_i, U_i)$ / $\text{Corr}(\tilde{X}_i, \tilde{Z}_i)$		Panel C: $n = 1000$					Panel D: $n = 2500$				
		$\hat{\beta}_{re}$	$\hat{\beta}_{wk}$	$\hat{\beta}_{im}$	$\hat{\beta}_{pool}$	$\hat{\beta}_{day}$	$\hat{\beta}_{re}$	$\hat{\beta}_{wk}$	$\hat{\beta}_{im}$	$\hat{\beta}_{pool}$	$\hat{\beta}_{day}$
0 / 1	MSE	1.235	0.001	0.011	0.030	0.011	1.230	0.000	0.004	0.012	0.004
	Bias^2	1.229	0.000	0.000	0.000	0.000	1.228	0.000	0.000	0.000	0.000
	Var	0.006	0.001	0.011	0.030	0.011	0.002	0.000	0.004	0.012	0.004
0.25 / 0.95	MSE	1.128	0.000	0.011	0.029	0.010	1.231	0.000	0.004	0.012	0.004
	Bias^2	1.232	0.000	0.000	0.000	0.000	1.229	0.000	0.000	0.000	0.000
	Var	0.006	0.000	0.011	0.029	0.010	0.002	0.000	0.004	0.012	0.004
0.5 / 0.80	MSE	1.233	0.001	0.011	0.030	0.013	1.230	0.001	0.004	0.012	0.005
	Bias^2	1.226	0.000	0.000	0.000	0.000	1.228	0.000	0.000	0.000	0.000
	Var	0.007	0.001	0.011	0.030	0.013	0.003	0.001	0.004	0.012	0.005
0.75/ 0.43	MSE	1.229	0.017	0.027	0.047	0.087	1.229	0.007	0.011	0.018	0.021
	Bias^2	1.217	0.000	0.000	0.000	0.011	1.224	0.000	0.000	0.000	0.001
	Var	0.012	0.017	0.027	0.047	0.076	0.005	0.007	0.011	0.018	0.020

[1] This table compares finite sample performance of various estimators using the DTUS data. $10,000$ random samples of different sizes are drawn from the original DTUS sample of $6,567$ individual-year records.

[2] The two numbers in the first column represent: (i) correlation coefficient between regressor $\tilde{X}_i$ and error term U_i (degree of endogeneity); (ii) correlation coefficient between regressor $\tilde{X}_i$ and IV $\tilde{Z}_i$ (strength of IV). Both are adjusted by changing the parameter ρ in the simulation setup.

[3] $\hat{\beta}_{re}$ is the 2SLS estimator using the error-ridden recalled weekly hours worked in the DTUS. $\hat{\beta}_{re}$ exhibits large bias.

[4] $\hat{\beta}_{wk}$ is the 2SLS estimator given in equation (3.5), which uses the accurate weekly hours worked in the DTUS and serves as an infeasible benchmark for the three estimators based on the ATUS. $\hat{\beta}_{wk}$ has virtuely no bias and the smallest variance.

[5] For each individual in the DTUS, we randomly draw one from the seven days using the diary day sampling probabilities of the ATUS, thus obtained samples that imitate the ATUS, and we apply $\hat{\beta}_{im}$, $\hat{\beta}_{pool}$ and $\hat{\beta}_{day}$ to them in order to evaluate their performance.

[6] $\hat{\beta}_{im}$ has virtuely no bias and the smallest variance among the three, followed by $\hat{\beta}_{pool}$.

[7] $\hat{\beta}_{day}$ is numerically equivalent to $\hat{\beta}_{im}$ when $\tilde{X}_i$ is exogenous. When $\tilde{X}_i$ is endogenous, however, $\hat{\beta}_{day}$ could display notable bias and enormous variance, especially when the sample size is smaller (and hence each day subsample is even smaller).

Given the daily hours worked H_{it}^{DTUS} $(t = 1, \ldots, 7)$ in the DTUS, we generate a single endogenous regressor $\tilde{X}_i$ and a single instrumental variable $\tilde{Z}_i$ such that eq. (3.7) is satisfied with $X_i = (1, \tilde{X}_i)'$, $Z_i = (1, \tilde{Z}_i)'$, $\text{Corr}(U_{it}, Z_i) = 0$ for $t = 1, \ldots, 7$. In particular, let H^{DTUS} denote the $n \times 7$ matrix with elements H_{it}^{DTUS}, and let $T_1, \ldots, T_7$ be the principal components of H^{DTUS}. We set $\tilde{Z}_i$ to be the first principal component of H^{DTUS}, i.e. $\tilde{Z} = T_1$. To introduce the endogeneity, we generate an $n \times 7$ matrix of independent random variables from $N(0, 2)$,[27] denoted by V. Then we set $H_{it} = H_{it}^{DTUS} + V_{it}$ and $\tilde{X}_i = \tilde{Z}_i + \rho \sum_{t=1}^{7} V_{it}$ for $i = 1, \ldots, n$ and $t = 1, \ldots 7$. The true parameters β_t are therefore just the weights in H_t $(t = 1, \ldots, 7)$ associated with the first principal component. The true value of β in eq. (3.4) is 2.2694.[28] By varying ρ, we vary $\text{Corr}(\tilde{X}_i, U_i)$, the degree of endogeneity of the regressor $\tilde{X}_i$. When $\rho = 0$, the regressor is exogenous, and we try other values of ρ such that $\text{Corr}(\tilde{X}_i, U_i) \in \{0, 0.25, 0.5, 0.75\}$. Note that as ρ increases, the strength of the IV also decreases. For the above values of ρ, $\text{Corr}(\tilde{X}_i, \tilde{Z}_i)$ equals 1, 0.95, 0.80 and 0.43, respectively.

To evaluate the finite sample performance of the various estimators considered in Section 3, we randomly draw a subsample of size $n \in \{250, 500, 1000, 2500\}$. Then we generate frictious ATUS-type samples by randomly choosing only one day for each individual in the drawn subsamples using the diary day sampling weights of the ATUS. [29] We repeat the experiment $10,000$ times, and Table 1 reports the mean squared errors (MSE), squared biases and variances for all estimators considered.

Some patterns are apparent. First, the usual 2SLS estimator using the CPS-type recalled weekly hours, $\hat{\beta}_{re}$, has the largest MSE in almost all parameterizations, which is roughly ten times larger than the maximum among all the other estimators. The large MSE is nearly entirely driven by the large bias, which is in turn a result of nonclassical measurement error in the CPS-type

[27] Such that $\text{Var}(U_i) \approx \text{Var}(T_1)$ in the exogenous regressor case.

[28] $\beta_1 = 0.0007$, $\beta_2 = 0.4379$, $\beta_3 = 0.4554$, $\beta_4 = 0.4576$, $\beta_5 = 0.4528$, $\beta_6 = 0.4304$ and $\beta_7 = 0.0346$.

[29] That is, the probability of being drawn is 0.25 for $t = 1$ (Sundays) and $t = 7$ (Saturdays), and 0.1 for the others.

recalled weekly hours. Below we will illustrate this nonclassical measurement error using the DTUS data in Figure 3. Second, for almost all parameterizations, the biases of all the estimators based on the diary hours are negligible, and the differences in the performance of $\hat{\beta}_{wk}$, $\hat{\beta}_{im}$, $\hat{\beta}_{pool}$ and $\hat{\beta}_{day}$ reside in efficiency and robustness. Third, since the infeasible week estimator $\hat{\beta}_{wk}$ uses the diaries of an entire week, it is much more efficient than the others. This verifies the result of Theorem 2. Fourth, the impute estimator $\hat{\beta}_{im}$ is more efficient than $\hat{\beta}_{pool}$ and $\hat{\beta}_{day}$ in all parameterizations. Again, this verifies the result of Theorem 2. Fifth, when the regressor is exogenous, $\hat{\beta}_{im}$ and $\hat{\beta}_{day}$ perform equally well. This is because, as we mentioned before, the two estimators are numerically the same in this case. Last but not least, the day estimator $\hat{\beta}_{day}$ appears to be unstable, especially when the sample size is smaller and when the IV is weaker. The reason is that $\hat{\beta}_{day}$ relies on the daily 2SLS estimators $\hat{\beta}_t$. When the sample size is small, the effective sample size for each day gets even smaller, and taking the inverse of the sample average matrices magnifies the sampling errors substantially.[30]

4.2 Labor Supply Elasticity Estimates

In this section, we illustrate the emprical impacts on the labor supply elasticity estimates of both non-classical measurement errors and time specificity using the DTUS.

Figure 3 shows the measurement error in the recalled weekly hours worked in the Dutch data. The "measurement error" in Figure 3 equals the recalled weekly hours worked minus the weekly hours worked from the seven-day diaries in the DTUS.[31] If the recalled hours worked do not have non-classical measurement error, then the measurement error in Figure 3 would be uncorrelated

[30] We also conduct the same simulations based only on the five weekdays in the DTUS. The results are qualitatively the same and are reported in Table C.2 in Appendix C.

[31] In the DTUS, the recalled weekly hours combine three questions in the survey: (1) hours worked in the previous week; (2) usual weekly hours worked in the previous year; or (3) the seven-day diary hours. The answer to the next question will be used if the respondents are unable to answer the previous question(s), but it is not indicated the answer to which question was actually used for each individual. Probablly due to this, many respondents in the DTUS exhibit "zero measurement errors" in the recalled weekly hours.



Figure 3: Measurement Errors in the DTUS Recalled Weekly Hours Worked

Panel A (left): scatter plot of the measurement errors in recalled weekly hours worked v.s. the DTUS weekly hours worked. Panel B (right): kernel density of the measuremnet errors. In both, the measurement errors are the differences between the recalled weekly hours worked subtracting the DTUS weekly hours worked for the same individuals.

with the weekly hours from the seven-day diaries. Panel A of Figure 3 suggests the opposite: the measurement error in the recalled hours is negatively correlated with the hours from time use survey. Its kernel density (panel B of Figure 3) suggests that more people overstate the recalled hours worked then understate. The negative correlation between the measurement error and the true hours worked coincide with the observation made by Bound et al. (1989) about the PSID.

We estimate the labor supply elasticities using the following model,

$$H_i^w = \beta_0 + \beta_1 kids_i + \beta_2 edu_i + \beta_3' X_i + U_i, \tag{4.1}$$

where $kids_i$ is the number of kids aged under 18, edu_i includes two dummy variables, one for completing secondary education and the other for higher than secondary education, and X_i is a vector of control variables, including age, age-squared, a dummy of working in private sector, an urban area dummy, and year dummies.

Table 2: Weekly Labor Supply Elasticity Estimates (Hundredths): the DTUS

	Married Men			Married Women		
	$\hat{\beta}_{re}$	$\hat{\beta}_{wk}$	$\hat{\beta}_{im}$	$\hat{\beta}_{re}$	$\hat{\beta}_{wk}$	$\hat{\beta}_{im}$
n of kids aged < 18	0.93	0.39	0.22	0.02	−16.81	−21.02
	(0.41)	(0.58)	(1.19)	(0.80)	(1.72)	(3.27)
			[1.16]			[3.20]
Educ: completed 2ndry	2.14	−1.16	−7.43	−2.12	11.88	9.79
	(1.12)	(1.59)	(3.11)	(2.09)	(4.47)	(8.27)
			[3.14]			[8.17]
Educ: above 2ndry	4.13	−2.06	−5.59	−0.86	22.68	21.53
	(1.19)	(1.68)	(3.04)	(2.48)	(5.32)	(9.68)
			[3.32]			[9.81]
P value of joint Hausman test	0.00	0.14		0.00	0.50	
n of Obs.	1746	1746	1746	835	835	835
R squared[4]	0.06	0.03	0.07	0.18	0.39	0.26

[1] The other control variables are age, age-squared, a dummy of working in private sector, an urban area dummy, and year dummies.

[2] $\hat{\beta}_{re}$ uses the recalled weekly hours; $\hat{\beta}_{wk}$ uses the true diary weekly hours; $\hat{\beta}_{im}$ uses the frictitious sample where only one day is randomly chosen for each individual using the ATUS diary day sampling weights.

[3] Standard errors are in parentheses. For $\hat{\beta}_{im}$, we report the standard errors using the formulas in Theorem 1 (in round parentheses) and the formulas in the online appendix (in square parentheses) using the DTUS correlation matrix.

[4] We conduct the joint Hausman tests (i.e. the coefficients associated with the three regressors in the table) regarding whether there are significant differences between $\hat{\beta}_{re}$ and $\hat{\beta}_{im}$, and between $\hat{\beta}_{wk}$ and $\hat{\beta}_{im}$, respectively.

[5] The R squared for impute estimator is the average R squared of the seven linear regression of daily hours worked $H_{it} = X_i'\beta_t + U_{it}$ for $t = 1, \ldots, 7$.

Table 2 shows the effects of the number of children and education on labor supply. We used both the recalled weekly hours worked ($\hat{\beta}_{re}$) and the seven-day diary hours ($\hat{\beta}_{wk}$) as the dependent variable. We also randomly draw one day for each respondent, then apply our impute estimator ($\hat{\beta}_{im}$). For both married men and married women, $\hat{\beta}_{re}$ are considerably different from $\hat{\beta}_{wk}$ and $\hat{\beta}_{im}$, with different signs when significant. In the meantime, the latter two always have the same signs, even though the magnitudes may differ. We conduct joint Hausman tests for the three coefficients in the table between $\hat{\beta}_{re}$ and $\hat{\beta}_{im}$, and between $\hat{\beta}_{wk}$ and $\hat{\beta}_{im}$. For both married women and married men, the Hausman tests reject the null hypotheses $\hat{\beta}_{re} = \hat{\beta}_{im}$ but do not reject $\hat{\beta}_{wk} = \hat{\beta}_{im}$.

Based on the time use surve hours, both $\hat{\beta}_{wk}$ and $\hat{\beta}_{im}$ indicate that the effects on married women's labor supply are significantly negative for more children and significantly positive for higher education. The recalled hours, on the other hand, produce $\hat{\beta}_{re}$ estimates that are too noisy to draw a conclusion.

5 Comparing Labor Supply Elasticity Estimates Using the ATUS and the CPS

In this section, we compare the labor supply elasticity estimates resulting the CPS recalled weekly hours and the ATUS daily diary hours.

5.1 Sample

The data are from the 2003–2017 ATUS (Hofferth et al., 2018), as well as the CPS for the same individuals in the same years. The sample consists of hourly paid workers[32] aged between of 25 and 54, whose wage rate is positive, and sprouse earnings (if married) and total usual weekly hours worked at all jobs reported in the CPS are observed. The age restriction is to avoid complications of schooling and retirement decisions. The hourly wage rate was trimmed at percentiles 1 from below and 99 from above. After the trimming, the hourly wage in the sample ranges from \$5.2 to \$67.8 for men and from \$3.6 to \$63.1 for women (2017 US dollars).

Panel A of Table 3 provides means and standard deviations of the hours worked and hourly wage rate. According to Table 3, men work slightly more hours than women regardless of marital status and data source; married men work slightly more hours than unmarried men, but married women work less than unmarried women; and for both genders, the married have higher hourly wage rates than the unmarried. The last row in Panel A reports the lower bound of standard deviation of weekly hours work based on the ATUS.[33]

[32] We exclude salaried workers because their hourly wage rate is much harder to measure. In a typical survey, the hourly wage for salaried workers is total earnings during a particular period divided by the hours worked in that period.

[33] The lower bound of standard deviation of weekly hours worked is calculated in the following way. It is reasonable to assume that the correlation between the hours worked by the same person in two days, H_{it} and $H_{it'}$, is non-negative. By $H_i^w = \sum_{t=1}^{7} H_{it}$, we have $\mathrm{Var}(H_i^w) \geq \sum_{t=1}^{7} \mathrm{Var}(H_{it})$, where $\mathrm{Var}(H_{it})$ can be readily estimated by the sample variance of hours worked on day t in the ATUS.

5.2 Labor Supply Elasticities

We estimate the labor supply elasticities using the following linear regression model,

$$H_i^w = \beta_0 + \beta_1 \ln w_i + \beta_2 y_i^{sp} + \beta_3' X_i + U_i, \tag{5.1}$$

where $\ln w_i$ is the natural log of hourly wage, y_i^{sp} is the usual weekly earnings of i's spouse ($y_i^{sp} = 0$ for unmarried worker), and X_i is a vector of control variables, including age, age-squared, the number of children aged below 5, the number of children aged between 5 and 18, two education dummies, eight Census division dummies, a metropolitan area dummy, race dummies, year dummies, occupation dummies and industry dummies. For hourly paid workers, ATUS directly asks them the hourly wage rate. Note that our sample only consists of those individuals who participated in both the ATUS and the CPS. As a result, despite the use of different measures of hours worked, $\hat{\beta}_{re}$ and $\hat{\beta}_{im}$ are built on the same sample.

In order to safeguard against the potential classical measurement error problem in wage and spouse weekly earnings, we use wage deciles and spouse earning deciles as IV.[34] The reported estimates of elasticities here are evaluated at the respective sample mean hours worked per week.

Panel B of Table 3 shows the estimation results by gender and marital status. For each explanatory variable of interest, we report both $\hat{\beta}_{re}$, which is based on the CPS recalled weekly hours and $\hat{\beta}_{im}$, which is based on the ATUS daily hours and our proposed imputation method. For the CPS based $\hat{\beta}_{re}$, the standard errors are just the usual 2SLS standard errors. For the ATUS based $\hat{\beta}_{im}$, however, we report both standard errors computed using the two approaches discussed in Section 3.2.2. The standard errors using the formulas in Theorem 4 under strong assumptions about IV (Assumption 5) are reported

[34] We report OLS estimates in Table C.10 of the online Appendix, and the results are almost the same, both qualitatively and quantitatively. Our choice of IV follows the suggestion by Juhn and Murphy (1997) and Blau and Kahn (2007). The reason that wage (or spouse earning) decile serves as a valid IV for wage (or spouse earning) in the presence of classical measurement errors is that we believe that the variation in the measurement error is not big enough to alter the decile grouping for a substantial proportion of respondents.

Table 3: Weekly Labor Supply Elasticity Estimates: the CPS and the ATUS

Panel A: Mean and std dev of hours and wage				
	Married Men	Unmarried Men	Married Women	Unmarried Women
CPS Usual Weekly Hours Worked	39.63	38.42	32.50	35.52
s.d.	(6.13)	(7.26)	(10.43)	(8.63)
ATUS Hours Worked on Diary Day	4.70	4.74	3.56	4.18
s.d.	(4.55)	(4.44)	(4.00)	(4.21)
ATUS Imputed Weekly Hours Worked	41.27	40.38	31.96	36.18
s.d. (lower bound)[1]	(9.57)	(9.79)	(9.26)	(9.68)
Hourly Wage (2017 US dollars)	21.88	18.65	18.70	16.56
Panel B: Elasticities (hundredths)[2]				
	Married Men	Unmarried Men	Married Women	Unmarried Women
Wage (CPS)	5.39	11.38	15.89	11.72
	(0.89)	(1.06)	(1.26)	(1.07)
Wage (ATUS)	1.47	4.71	10.48	8.14
	(3.27)	(3.26)	(3.25)	(3.24)
	[3.31]	[3.22]	[3.20]	[3.13]
Spouse weekly earnings (CPS)	−0.19		−9.43	
	(0.41)		(0.77)	
Spouse weekly earnings (ATUS)	−3.47		−5.79	
	(1.60)		(2.08)	
	[1.57]		[2.03]	
Num. of kids age < 5 (CPS)	−0.80		−8.58	
	(0.48)		(0.82)	
Num. of kids age < 5 (ATUS)	−1.08		−8.97	
	(1.91)		(2.08)	
	[1.92]		[2.12]	
Num. of kids ages 5–18	−0.00		−2.87	
	(0.26)		(0.42)	
Num. of kids ages 5–18 (ATUS)	−0.44		−1.20	
	(1.10)		(1.16)	
	[1.09]		[1.17]	
R squared (CPS)	0.08	0.15	0.22	0.15
R squared (ATUS)[5]	0.16	0.24	0.17	0.17
p value of joint Hausman test	0.24	0.05	0.06	0.27
n of obs.	3889	3816	5602	5731

[1] See footnote 33 in the paper for more details.

[2] The estimates based on the CPS recalled weekly hours are $\hat{\beta}_{re}$; the estiamtes based on the ATUS diary day hours are $\hat{\beta}_{im}$.

[3] The standard errors of estimating elasticities using CPS recalled hours are in parentheses. When use ATUS hours, we report the standard errors using the formulas in Theorem 4 (in round parentheses) and the formulas in the online appendix (in square parentheses) using the DTUS correlation matrix.

[4] The elasticities are evaluated at the respective mean hours worked in each data source.

[5] The R squared for impute estimator is the average R squared of the seven linear regression of daily hours worked $H_{it} = X_i'\beta_t + U_{it}$ for $t = 1, \ldots, 7$.

[6] For each sample group, we conduct joint Hausman tests regarding whether there are significant differences between $\hat{\beta}_{re}$ and $\hat{\beta}_{im}$.

[7] The other control variables are age, age-squared, the number of children aged below 5, the number of children aged between 5 and 18, two education dummies, eight Census division dummies, a metropolitan area dummy, race dummies, year dummies, occupation dummies and industry dummies.

in round parentheses, and the ones using the correlation coefficients from the DTUS are reported in square parentheses. We conduct joint Hausman tests of the coefficients of the variables appearing in Panel B between the CPS and the ATUS. The p-values are smaller than 0.1 for unmarried men and married women.[35]

Both the CPS and the ATUS indicate that women's labor supply is more wage-elastic than that of men, with the labor supply of married women having the largest wage elasticity (0.1589 and 0.1048 respectively). Compared to the CPS, the ATUS results in smaller own wage elasticities across the board, and this agrees with what Barrett and Hamermesh (2019) found.[36] From the CPS to the ATUS, the reduction of own wage elasticities for men exceeds that for women, raising the relative own wage elasticities for women.[37] For married women, the ATUS yields much smaller cross earning elasticity than implied by the CPS (-0.0579 v.s. -0.0943). For married men, the CPS indicates that their labor supply is non-elastic with respect to spouse earnings (-0.0019), consistent with previous findings in the literature (for example, Blau and Kahn, 2007); notwithstanding, the ATUS produces a much higher cross earning elasticity, and it is comparable with that of married women (-0.0347).[38]

Our estimates based on the CPS are on par with those in the literature. Across roughly twenty estimates surveyed by Blundell and MaCurdy (1999), the median own wage labor supply elasticity is 0.08 for men and 0.78 for

[35] The empirical findings in Table 3 are very robust to choice of IVs, subsamples, or definition of "work" activities. Robustness checks are provided in the online appendix.

[36] Note that this pattern cannot be explained by respondents bunching their recalled weekly hours at 40, the usual suspect of non-classical measurement errors, which alone will result in lower elasticities from the CPS than from the ATUS.

[37] Heckman (1993) argues that an important reason that married women display higher own wage elasticity than men and unmarried women is because their labor force participation decision is more wage-elastic, and that basing the estimation only on those who work essentially compares married women's higher extensive margin elasticity with other groups' intensive margin elasticities. Due to the lack of good instruments, we don't correct for the sample selection bias and acknowledge that our elasticity estiamtes are hybrid of both margins.

[38] The Hausman test of this single coefficient rejects the null hypothesis of equal coefficients between the CPS and the ATUS.

married women. For cross wage elasticities and conditional on having positive hours, Devereux (2004) reports around -0.06 for men and around -0.5 for women in the 1980s. For married women, Blau and Kahn (2007) document robust and substantial decline in married women's labor supply elasticities from 1980s to 2000s. Their own wage elasticity fell from roughly 0.77 in 1980 to roughly 0.36 in 2000. Their cross wage elasticity decresed from around -0.33 in 1980 to around -0.19 in 2000. Since our sample covers the years 2003 - 2017, the fact that all of our CPS based estiamtes have smaller absolute values than those for 2000 in Blau and Kahn (2007) is consistent with the decline in the responsiveness of married women's labor supply.[39]

Panel B of Table 3 also give interesting elasticity estimates with respect to number of kids. For married women, both surveys lead to very large and almost identical elasticities with respect to number of younger kids for married women (-0.0897 and -0.0858); and yet the ATUS yields a much smaller elasticity with respect to number of older kids than the CPS (-0.012 v.s. -0.0287). For married men, the ATUS implies more elastic labor supply with respect to numbers of kids than the CPS as well.

6 Comments on Time Use Survey Design

For $\hat{\beta}_{im}$ to have the same precision as $\hat{\beta}_{wk}$, how much larger the sample size have to be? To get a rough idea, let's assume homoskedasticity so that Ω^*_{im-wk} and Ω^*_{wk} simplify to $\Omega^*_{im-wk} = \left[\sum_{t=1}^{7}(r_t-1)\,\mathrm{E}(V_{it}^2) - 2\sum_{1\le t<\tau\le 7}\mathrm{E}(V_{it}V_{i\tau})\right]A^{-1}$ and $\Omega^*_{wk} = \mathrm{E}(U_i^2)A^{-1}$. Using the DTUS data[40] and we get $\hat{E}(U_i^2) = 146.2$ and $\sum_{t=1}^{7}(r_t-1)\hat{E}(V_{it}^2) - 2\sum_{1\le t<\tau\le 7}\hat{E}(V_{it}V_{i\tau}) = 409.1$. Hence the estimates of the asymptotic variances of $\hat{\beta}_{wk}$ and $\hat{\beta}_{im}$ are $\widehat{\mathrm{Var}}(\hat{\beta}_{wk}) = n^{-1}146.2A^{-1}$ and $\widehat{\mathrm{Var}}(\hat{\beta}_{im}) = n^{-1}(146.2 + 409.1)A^{-1}$.

If the correlation coefficients among the impute residuals of hours worked across different days in the ATUS are the same as in the DTUS, then such

[39] In addition, Blau and Kahn (2007) report men's own wage elasticities around 0.1 without notable time trend.

[40] The variables in Z_i are the same as in Section 4.2, and the diary day sampling weights are in accordance with the ATUS weights.

back-of-envelop calculation implies that compared to a survey that records the respondents' activities for an entire week and enables the use of the week estimator $\hat{\beta}_{wk}$, the number of respondents surveyed in the ATUS has to be roughly 3.8 times in order to get an impute estimator $\hat{\beta}_{im}$ with the same precision.

If the average costs of following the same individuals for seven consecutive days is higher than 3.8 times of following them for one day, although the latter is justified from efficiency point of view, it is still worthwhile to do the former, at least in a smaller pilot sample. The reason is that we need the correlation coefficients among the impute residuals of hours worked across different days to compute the standard error of the impute estimator $\hat{\beta}_{im}$, as provided in Theorem 2. Besides, the time use survey hours become less reliable as the period of survey gets longer.

It is apparent that Ω_{im-wk}, the measure of relative inefficiency of $\hat{\beta}_{im}$ compared to $\hat{\beta}_{wk}$, depends on the diary day sampling probabilitites $1/r_t$ ($t = 1, \ldots, 7$). If efficiency of $\hat{\beta}_{im}$ is our primary concern, then we can minimize Ω_{im-wk} by choosing r_t subject to the constraint $\sum_{t=1}^{7} \frac{1}{r_t} = 1$. The optimal sampling probabilitites are $1/r_t = \frac{\sigma_t^2}{\sum_{s=1}^{7} \sigma_s^2}$; that is, more weights should be given to the days on which the hours worked exhibit larger variation among the population.

7 Conclusion

In this paper, we use the familiar potential outcome framework to demonstrate that weekly hours worked cannot be recovered from typical time use surveys. In spite of this impossibility, important parameters of labor supply can still be consistently and relatively efficiently estimated using time use surveys. We discuss the large sample properties of several intuitive estimators and recommend the impute estimator on the ground of efficiency and robustness. The impute estimator is a simple modification of the usual 2SLS estimator, which imputes the dependent variable as well as the independent variables using the instruments. We then proceed to illustrate the finite sample properties of all

the estimators we consider in a simulation experiment based on the DTUS data, which tracks the respondents' activities for an entire week, and hence is a useful benchmark. Some empirical findings are also drawn from the DTUS data. Finally, we compare the estimated labor supply elasticities using the impute estimator and that using the CPS recalled hours, and we are able to get a number of interesting empirical findings that are new in the labor economics literature.

References

Abrevaya, Jason and Jerry A Hausman, "Semiparametric Estimation with Mismeasured Dependent Variables: An Application to Duration Models for Unemployment Spells," *Annales d'Economie et de Statistique*, 1999, pp. 243–275.

Aguiar, Mark and Erik Hurst, "Measuring Trends in Leisure: the Allocation of Time over Five Decades," *The Quarterly Journal of Economics*, 2007, *122* (3), 969–1006.

_ , _ , and Loukas Karabarbounis, "Recent Developments in the Economics of Time Use," *Annu. Rev. Econ.*, 2012, *4* (1), 373–397.

_ , _ , and _ , "The life-cycle Profile of Time Spent on Job Search," *American Economic Review*, 2013, *103* (3), 111–16.

_ , Mark Bils, Kerwin Kofi Charles, and Erik Hurst, "Leisure Luxuries and the Labor Supply of Young Men," Technical Report, National Bureau of Economic Research 2017.

Ahmed, Naeem, Matthew Brzozowski, and Thomas F Crossley, "Measurement Errors in Recall Food Consumption Data," 2006. IFS Working Papers WP06/21.

Barrett, Garry F and Daniel S Hamermesh, "Labor Supply Elasticities: Overcoming Nonclassical Measurement Error Using More Accurate Hours Data," *Journal of Human Resources*, 2019, *54* (1), 255–265.

Blau, Francine D and Lawrence M Kahn, "Changes in the Labor Supply Behavior of Married Women: 1980–2000," *Journal of Labor Economics*, 2007, *25* (3), 393–438.

Blundell, Richard and Thomas MaCurdy, "Labor Supply: A Review of Alternative Approaches," in "Handbook of Labor Economics," Vol. 3, Elsevier, 1999, pp. 1559–1695.

Bound, John, Charles Brown, and Nancy Mathiowetz, "Measurement Error in Survey Data," in "Handbook of Econometrics," Vol. 5, Elsevier, 2001, pp. 3705–3843.

_ , Charles C Brown, Greg Duncan, and Willard L Rodgers, "Measurement Error in Cross-Sectional and Longitudinal Labor Market Surveys: Results from Two Validation Studies," Working Paper 2884, NBER 1989.

Brzozowski, Matthew, Thomas F Crossley, and Joachim K Winter, "A Comparison of Recall and Diary Food Expenditure Data," *Food policy*, 2017, *72*, 53–61.

Chen, Xiaohong, Han Hong, and Elie Tamer, "Measurement Error Models with Auxiliary Data," *The Review of Economic Studies*, 2005, *72* (2), 343–366.

Devereux, Paul J, "Changes in Relative Wages and Family Labor Supply," *Journal of Human Resources*, 2004, *39* (3), 698–722.

Duncan, Greg J and Daniel H Hill, "An Investigation of the Extent and Consequences of Measurement Error in Labor-Economic Survey Data," *Journal of Labor Economics*, 1985, *3* (4), 508–532.

Fisher, Kimberly, Jonathan Gershuny, Sarah M. Flood, Joan Garcia Roman, and Sandra L. Hofferth, "Multinational Time Use Study Extract System: Version 1.2," [dataset], Minneapolis, MN: IPUMS, https://doi.org/10.18128/D062.V1.2 2018.

Guryan, Jonathan, Erik Hurst, and Melissa Kearney, "Parental Education and Parental Time with Children," *Journal of Economic perspectives*, 2008, *22* (3), 23–46.

Hamermesh, Daniel S, Harley Frazis, and Jay Stewart, "Data watch: The American Time Use Survey," *Journal of Economic Perspectives*, 2005, *19* (1), 221–232.

Heckman, James J, "What Has Been Learned about Labor Supply in the past Twenty Years?," *The American Economic Review*, 1993, *83* (2), 116–121.

Hofferth, Sandra L., Sarah M. Flood, and Matthew Sobek., "American Time Use Survey Data Extract Builder: Version 2.7," [dataset], College Park, MD: University of Maryland and Minneapolis, MN: IPUMS, https://doi.org/10.18128/D060.V2.7 2018.

Hu, Yingyao and Susanne M Schennach, "Instrumental Variable Treatment of Nonclassical Measurement Error Models," *Econometrica*, 2008, *76* (1), 195–216.

_ **and Yuya Sasaki**, "Closed-Form Estimation of Nonparametric Models with Non-Classical Measurement Errors," *Journal of Econometrics*, 2015, *185* (2), 392–408.

Juhn, Chinhui and Kevin M Murphy, "Wage Inequality and Family Labor Supply," *Journal of Labor Economics*, 1997, *15* (1, Part 1), 72–97.

Kiviet, Jan F and Jerzy Niemczyk, "On the Limiting and Empirical Distribution of IV Estimators When Some of the Instruments Are Invalid," *UvA Econometrics Discussion Paper*, 2009, *2006/02.*

Sousa, João, "Estimation of Price Elasticities of Demand for Alcohol in the United Kingdom," 2014. HMRC Working Paper 16.