值几十块钱的unordered_map黑盒子,查找黑盒子的复杂度是o(1)黑盒子

```
50
  36
       int main() {
             // 创建一个 unordered_map, 键为 int, 值为 string
  37
             std::unordered_map<int, std::string> myMap;
  38
  39
  40
             // 插入一些键值对
             myMap[1] = "one";
 41
             myMap[2] = "two";
  42
             myMap[3] = "three";
  43
 44
             auto it = myMap.find(2); // 查找键为2的元素
 45
             if (it != myMap.end()) {
 46
                  std::cout << "Found: " << it->second << std::endl;</pre>
 47
 48
 49
             return 0;
  50
  51
                                                                        筛选器(例如 text、!exclu-
问题
     输出
           调试控制台
                     终端
                          端口
 Louded /usr/ttp/system/ttpsystem_product_thro_fitter.dyttp . cannot find or open the symbol fite.
 Loaded '/usr/lib/system/libsystem_sandbox.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libsystem_secinit.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libsystem_kernel.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libsystem_platform.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libsystem_pthread.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libsystem_symptoms.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libsystem_trace.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libunwind.dylib'. Symbols loaded.
 Loaded '/usr/lib/system/libxpc.dylib'. Symbols loaded.
 Loaded '/usr/lib/libobjc.A.dylib'. Symbols loaded.
 Loaded '/usr/lib/liboah.dylib'. Symbols loaded.
 Found: two
 The program '/Users/cfc/Desktop/test/build/test' has exited with code 0 (0x00000000).
```