

04_mixed_paths.R

cheyu

2021-01-07

```
# This loads the data relative to the project directory. It should work as-is.
# However, you can also "knit" .R files to compile them into reports. Select
# File -> Compile Report..., or click the Compile Report button that looks like
# a little notebook. What happens then?
#
# Can you update this script to use 'here::here()'?
# dat <- read.csv("data/installed-packages.csv")
library(here)
```

```
## here() starts at /Users/cheyu/Desktop/wtf-fix-paths-master
```

```
here()
```

```
## [1] "/Users/cheyu/Desktop/wtf-fix-paths-master"
```

```
dat <- read.csv(here("data/installed-packages.csv"))
```

```
# View a summary of the data
summary(dat)
```

```
##           Package
## abind      : 1
## acepack    : 1
## ade4       : 1
## ade4TkGUI  : 1
## adegraphics : 1
## adehabitatLT: 1
## (Other)    :868
##
##                                     LibPath
## /Library/Frameworks/R.framework/Versions/3.4/Resources/library: 29
## /Users/jenny/resources/R/library                               :845
##
##
##
##
##           Version           Priority    Built
## 0.0.0.9000: 16   base           : 14   3.4.0:484
## 3.4.3       : 14   optional      : 1   3.4.1:103
## 1.0.0       : 11   recommended: 15   3.4.2:100
## 1.1.0       : 11   NA's          :844   3.4.3:187
## 0.2.0       : 10
## 1.0.1       : 10
## (Other)    :802
```