

使用接口层级的方式实现对starrocks集群进行账号、权限、库表授权管理。

1. 支持权限授予、权限回收，例如：

ALTER,DROP,SELECT,INSERT,EXPORT,UPDATE,DELETE,CREATE_TABLE,CREATE_VIEW,CREATE_FUNCTION,CREATE_MATERIALIZED_VIEW,CREATE_ROW_ACCESS_POLICY,CREATE_MASKING_POLICY...

2. 支持账号创建、账号回收

3. 支持创建库

4. 支持Apache Ranger

配置文件说明：

```
StarRocks:
  service.port: 8877 接口默认端口，可修改（必填）
  service.enckey: 密钥（必填）
  service.X-StarRocks: Token标志（必填）
Ranger:
  host: http:// apache ranger地址, starrocks集成ranger权限管理的地址，（可不填，如果集群使用的是ranger鉴权，可实现同样方式往ranger添加policy）
  user: admin
  password: admin
Schema:
  lkremind:
    - 飞书群机器人，（可不填，不填运行时就不会发送信息到飞书群）
  larkMeta: ops.feishu_user_information 员工元数据信息表，（可不填，不填就不发送信息到用户层）
  GroupUri: 加入飞书群链接，（可不填，设计场景是：用户点击“StarRocks总群”标识时，可以加入公司飞书群，这是一个入群链接）
Connects:
  - (0). 常用连接方式.
  - (1). [Web]
  - (2). [DBeaver]
  - (3). [ODBC]
  - (4). [Python] 各位连接StarRocks的方式介绍，（可不填）
  - (5). [Tableau]
  - (6). [观远]
  - (7). [MySQL Client]
log:
  line: true
  level: 0
  path: '/u/users/svccndlopsns/chengken/log'
console: true
```

点击查看：[StarRocksDict.yaml](#)

密钥的生成说明：

为什么要加这一层？因为作为一个接口，并不是所有的请求都会处理，只有具备token的请求，才进行响应，否则将拒绝响应。

这里用到加密工具：[encpass2.0](#)，自取

假如配置密钥：

3. 尝试发起请求

```

~$ curl -X POST 'http://xxx:8876/setui' \
-H "X-StarRocks: 7bzI5uM+N1gl6hu9laotNQ=" \
-H "Content-Type: application/json" \
-d '{
  "starrocks": "sr-qa",
  "catalog": "default_catalog",
  "user": "cnshd",
  "table": "cn_wm_vm.item",
  "permission": "Select",
  "revoke": false,
  "policyname": "id-20250519-0126"
}'
{"message":[{"App":"sr-qa","Catalog":"default_catalog","User":"cnshd","Table":"ALL CATALOGS","Permit":"USAGE","State":"Ok","Demand":"","Comment":""}, {"App":"sr-qa","Catalog":"default_catalog","User":"cnshd","Table":"cn_wm_vm.item","Permit":"Select","State":"Fail","Demand":"","Comment":"数据表不存在"}], "status": "Ok"}
~$

```

```

`curl -X POST "http://xxx:8876/setui"
-H "X-StarRocks: 7bzI5uM+N1gl6hu9laotNQ="
-H "Content-Type: application/json"
-d '{

```

```

  "starrocks": "sr-qa",
  "catalog": "default_catalog",
  "user": "cnshd",
  "table": "cn_wm_vm.item",
  "permission": "Select",
  "revoke": false,
  "policyname": "id-20250519-0126"
}'`

```

当密钥不正确时，则拒绝访问。

```

~$ curl -X POST "http://xxx:8876/setui" \
-H "X-StarRocks: encpass" \
-H "Content-Type: application/json" \
-d '{
  "starrocks": "sr-qa",
  "catalog": "default_catalog",
  "user": "cnshd",
  "table": "cn_wm_vm.item",
  "permission": "Select",
  "revoke": false,
  "policyname": "id-20250519-0126"
}'
"密钥HEAD为空，您无权使用管理员POST功能！！"

```

例子：

REQUEST:

```

curl -X POST "http://:"
-H "X-StarRocks: "
-H "Content-Type: application/json"
-d "

```

DESCRIPTION: IP: 当前运行接口程序的机器IP。 PORT: 端口默认8877，可在配置文件 service.port 中进行修改。 API: 方法，具体有 [/ranger/setui] | [/setui] | [/reuser] | [/addbase] |

[/setri]。 TOKEN：密钥，这是一个防爆破密钥，填在请求header中，可在配置文件service.X-StarRocks中修改，在配置文件中会根据service.enckey值进行强加密，加解密方式在util/enc.go中有详解。 JSON BODY：请求体，如下各项功能介绍所示


功能：

1. native权限授权、权限撤回 (/setui)
 2. 账号新建与删除管理 (/reuser)
 3. 数据库添加与调整分配额 (/addbase)
 4. 角色权限授权、权限撤回 (/setri)
 5. apache ranger权限授权、权限撤回 (/ranger/setui)
-


Apache Ranger http://:ranger/setui `curl -X POST "http://<IP>:<PORT>/ranger/setui" \ -H "X-StarRocks: <TOKEN>" \ -H "Content-Type: application/json" \ -d '{ "starrocks": "sr-adhoc", "catalog": "default_catalog", "user": "scnshts", "table": "cn_wm_repl_vm.grs_fulfillment_parm, cn_wm_repl_vm.channel_mthd_txt, cn_wm_vm.item_dc, cn_wm_vm.item, cn_wm_repl_vm.grs_filtered_order", "permission": "Select", "revoke": false, "policyname": "<no>" }'`

前提条件：FE开启ranger接管鉴权


```
#ranger access access_control = ranger
```



已经配置接管



最原始的状态




需求：对test1账号授予cn_wm_vm.item,cn_wm_vm.d1,cn_wm_vm.d2表的Select,Alter权限，那么结构体如下：


```
curl -X POST "http://xxx:8876/ranger/setui" \
-H "X-StarRocks: 7bzI5uM+N1gl6hu9laotNQ==" \
-H "Content-Type: application/json" \
-d '{ "starrocks": "sr-ranger",
"catalog": "default_catalog", "user": "cnsd",
"table": "cn_wm_vm.item,cn_wm_vm.d1,cn_wm_vm.d2", "permission": "Select,Alter",
"revoke": false, "policyname": "id-20250519-0001" }'
```

```
$ curl -X POST "http://xxx:8876/ranger/setui" \
-H "X-StarRocks: 7bzI5uM+N1gl6hu9laotNQ==" \
-H "Content-Type: application/json" \
-d '{
  "starrocks": "sr-ranger",
  "catalog": "default_catalog",
  "user": "test1",
  "table": "cn_wm_vm.item,cn_wm_vm.d1,cn_wm_vm.d2",
  "permission": "Select,Alter",
  "revoke": false,
  "policyname": "id-20250519-0001"
}'
{"message": "Success GRANT sr-ranger: CATALOG=default_catalog,USER=test1,TABLE=cn_wm_vm.item,cn_wm_vm.d1,cn_wm_vm.d2,PERMISSION=Select,Alter ", "status": "Ok"}
```

服务日志（自动创建policy）：

```
INFO [2025-05-19T15:08:57+08:00] SetGrant.go:20 POLICY -->NOT EXIST{  
[2025-05-19T15:08:57+08:00] def.go:487 getdata meta_information [sr-sanger],[cn_wm_vn_item],[BASE TABLE]  
INFO [2025-05-19T15:08:57+08:00] def.go:593 BASE TABLE --><n_cn_wm_vn_item  
INFO [2025-05-19T15:08:57+08:00] def.go:487 getdata meta_information [sr-sanger],[cn_wm_vn_d1],[BASE TABLE]  
INFO [2025-05-19T15:08:57+08:00] def.go:593 BASE TABLE --><n_cn_wm_vn_d1  
INFO [2025-05-19T15:08:58+08:00] def.go:487 getdata meta_information [sr-sanger],[cn_wm_vn_d2],[BASE TABLE]  
INFO [2025-05-19T15:08:58+08:00] def.go:593 BASE TABLE --><n_cn_wm_vn_d2  
INFO [2025-05-19T15:08:58+08:00] SetExecPolicy.go:27 CREATE POLICY ->({  
    "policyType": 0,  
    "description": "api-2025.05.19 15:00:58",  
    "isEnabled": true,  
    "isNormal": false,  
    "createdBy": "",  
    "updatedBy": "",  
    "service": "sr-sanger",  
    "name": "api-20250519-H3I9wmc",  
    "isAuditEnabled": true,  
    "resources": {"catalog": {"values": [{"default_catalog"}], "isExcludes": false, "isRecursive": false}, "database": {"values": ["cn_wm_vn","cn_wm_vn","cn_wm_vn","api_dict.d1ddf91-a6a6-4753-bca7-b1426ff70e01"], "isExcludes": false, "isRe"},  
    "recursive": false, "table": {"values": [{"item","d1","d2"],"isExcludes": false, "isRecursive": false}},  
    "policyItems": [  
        {  
            "users": [{"test1"],"accesses": [{("type": "Select","isAllowed": true), ("type": "Alter","isAllowed": true)]},  
            "groups": [{}],  
            "roles": null,  
            "conditions": null,  
            "delegateAdmin": false  
        }  
    ],  
    "options": {"POLICY_VALIDITY_SCHEDULES": ""},  
    "validitySchedules": null,  
    "policyLabels": [{"starlocks#20250519"},  
    "zone_name": ""  
}  
}  
  
INFO [2025-05-19T15:08:58+08:00] SetExecPolicy.go:57 POLICY RESULT -->{"id":"278","guid":"5dd2982e-7c13-4602-b5ba-3c918bc2cf8","isEnabled":true,"createdBy":"Admin","updatedBy":"Admin","createTime":"1747638958084","updateTime":"1747638958084","version":"","service":"sr-sanger","name":"api-20250519-H3I9wmc","policyType":0,"priorityPriority":0,"description":"api-2025.05.19 15:00:58","resourceSignature":"bbce67cae7311b394c5cd8ba292ae8f7dbb894223fc75cb895d6f32ee7aa337c","isAuditEnabled":true,"resources":{"database":{"values":["cn_wm_vn","cn_wm_vn","cn_wm_vn","api_dict.d1ddf91-a6a6-4753-bca7-b1426ff70e01"],"isExcludes":false,"isRecursive":false},"catalog":{"values":[{"default_catalog"},"isExcludes":false],"table":{"values":[{"item","d1","d2"],"isExcludes":false,"isRecursive":false},"policyItems":[{"accesses":[{"type":"select","isAllowed":true}],"(type":"alter","isAllowed":true)"},"users":["test1"],"groups":{"roles":[{}],"conditions":[{}],"delegateAdmin":false},"denyPolicyItems":[{}],"allowExceptions":[{}],"dataMaskPolicyItems":[{}],"rowCountPolicyItems":[{}],"serviceType":"starlocks","options":{"validitySchedule es":[{}],"policyLabels":["starlocks#20250519"],"zoneName":"","isDenyAllElse":false}},"id":"278","guid":"5dd2982e-7c13-4602-b5ba-3c918bc2cf8","isEnabled":true,"createdBy":"Admin","updatedBy":"Admin","createTime":"1747638958084","updateTime":"1747638958084","version":"","service":"sr-sanger","name":"api-20250519-H3I9wmc","policyType":0,"priorityPriority":0,"description":"api-2025.05.19 15:00:58","resourceSignature":"bbce67cae7311b394c5cd8ba292ae8f7dbb894223fc75cb895d6f32ee7aa337c","isAuditEnabled":true,"resources":{"database":{"values":["cn_wm_vn","cn_wm_vn","cn_wm_vn","api_dict.d1ddf91-a6a6-4753-bca7-b1426ff70e01"],"isExcludes":false,"isRecursive":false},"catalog":{"values":[{"default_catalog"},"isExcludes":false},"isRecursive":false,"table":{"values":[{"item","d1","d2"],"isExcludes":false,"isRecursive":false},"policyItems":[{"accesses":[{"type":"select","isAllowed":true}],"(type":"alter","isAllowed":true)"},"users":["test1"],"groups":{"roles":[{}],"conditions":[{}],"delegateAdmin":false},"denyPolicyItems":[{}],"allowExceptions":[{}],"dataMaskPolicyItems":[{}],"rowCountPolicyItems":[{}],"serviceType":"starlocks","options":{"validitySchedules":[{}],"policyLab els":["starlocks#20250519"],"zoneName":"","isDenyAllElse":false}}
```





已经赋予权限。

其他：

账号增删 `http://reuser curl -X POST "http://<IP>:<PORT>/reuser" \ -H "X-StarRocks: <TOKEN>" \ -H "Content-Type: application/json" \ -d '{ "starrocks": "sr-qa", "user": "scnshs1", "owner": "c010f91", "ldap": false, "option": "create", "policyname": "create-20250512-0002" }'`

{ "starrocks": "<app>", #集群名称 "user": "<user>", #账号 "owner": "<owner>", #责任人, 填写责任人名称后, 该用户会收到相关的邮件, 账号密码。 "ldap": <true>|<false>, #true, 代表创建ldap类型账号、false, 代表创建native类型账号 "option": "<create>|<reset>|<drop>", #create创建账号、reset重置密码、drop删除账号 "policyname": "<label>" #标识, 可不填, 可填工单号 }

权限管理 `http://setui curl -X POST "http://<IP>:<PORT>/setui" \ -H "X-StarRocks: <TOKEN>" \ -H "Content-Type: application/json" \ -d '{ "starrocks": "sr-adhoc", "catalog": "default_catalog", "user": "scnshs", "table": "cn_wm_repl_vm.grs_fulfillment_parm", "permission": "Select", "revoke": false, "policyname": "Request-20250512-0002" }'`

{ "starrocks": "<app>", #集群名称 "catalog": "<catalog>", #catalog名称, [default_catalog]|[iceberg]|[hive]|[jdbc catalog name...] "user": "<user1>,<user2>...", #账号, 支持多个账号 "table": "<schema.tableName1>,<schema.tableName2>...", #库表, 支持多个库表 "permission": "<SELECT,ALTER...>", #权限, 支持多个权限 "revoke": <true>|<false>, #true, 代表撤销权限, false, 代表赋予权限 "policyname": "<label>" #标识, 可不填, 可填工单号 }

解析：对sr-adhoc集群中的scnshs,test2这两个账号授予default catalog下面cn_wm_repl_vm.grs_fulfillment_parm,cn_wm_repl_vm.channel_mthd_txt,cn_wm_vm.item_dc,

cn_wm_vm.item, cn_wm_repl_vm.grs filtered order 这五个表的查询权限和删除权限。

REQUEST: curl -X POST "http://<IP>:<PORT>/setui" \ -H "X-StarRocks: <token>" \ -H "Content-Type: application/json" \ -d '{ "starrocks": "sr-adhoc", "catalog": "default_catalog", "user": "scnshs", "table": "cn_wm_repl_vm.grs_fulfillment_parm, cn_wm_repl_vm.channel_mthd_txt, cn_wm_vm.item_dc, cn_wm_vm.item, cn_wm_repl_vm.grs_filtered_order", "permission": "Select", "revoke": false, "policyname": "<no>" }'

REPOSE:

```
{ "message": [ { "App": "sr-adhoc", "Catalog": "default_catalog", "User": "scnshs", "Table": "ALL CATALOGS", "Permit": "USAGE", "State": "Ok", "Demand": "授予", "Comment": "" }, { "App": "sr-adhoc", "Catalog": "default_catalog", "User": "scnshs", "Table": "cn_wm_repl_vm.grs_filtered_order", "Permit": "Select", "State": "Ok", "Demand": "授予", "Comment": "" }, { "App": "sr-adhoc", "Catalog": "default_catalog", "User": "scnshs", "Table": "cn_wm_vm.item_dc", "Permit": "Select", "State": "Ok", "Demand": "授予", "Comment": "" }, { "App": "sr-adhoc", "Catalog": "default_catalog", "User": "scnshs", "Table": "cn_wm_repl_vm.channel_mthd_txt", "Permit": "Select", "State": "Ok", "Demand": "授予", "Comment": "" }, { "App": "sr-adhoc", "Catalog": "default_catalog", "User": "scnshs", "Table": "cn_wm_vm.item", "Permit": "Select", "State": "Ok", "Demand": "授予", "Comment": "" }, { "App": "sr-adhoc", "Catalog": "default_catalog", "User": "scnshs", "Table": "cn_wm_repl_vm.grs_fulfillment_parm", "Permit": "Select", "State": "Ok", "Demand": "授予", "Comment": "" } ], "status": "Ok" }
```

LOG:

```
15836 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:31 用户授权机制
15837 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:54 Job start ->: {
15838   "starrocks": "sr-adhoc",
15839   "catalog": "default_catalog",
15840   "user": "c010f91",
15841   "table": "cn_wm_repl_vm_grs_fulfillment_parm, cn_wm_repl_vm_channel_mthd_txt, cn_wm_vm.item_dc, cn_wm_vm.item, cn_wm_repl_vm_grs_filtered_order",
15842   "permission": "Select",
15843   "revoke": false,
15844   "policyname": "Request-20250512-0002"
15845 }
15846 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:76 Job start connect sr.
15847 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:220 Job connect sr done.
15848 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:223 3.30
15849 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:224 Job get sr version.
15850 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Execute ->: set @policyName="Request-20250512-0002"; GRANT USAGE ON ALL CATALOGS TO USER c010f91
15851 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Success ->: set @policyName="Request-20250512-0002"; GRANT USAGE ON ALL CATALOGS TO USER c010f91
15852 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Execute ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm_grs_filtered_order TO c010f91
15853 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Execute ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm.item_dc TO c010f91
15854 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Success ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm_grs_filtered_order TO c010f91
15855 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Execute ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm.channel_mthd_txt TO c010f91
15856 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Success ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm.item_dc TO c010f91
15857 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Success ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm.channel_mthd_txt TO c010f91
15858 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Execute ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm_grs_fulfillment_parm TO c010f91
15859 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Execute ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_vm.item TO c010f91
15860 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Success ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_vm.item TO c010f91
15861 INFO [2025-05-14T13:34:35+08:00] Object.go:222 Task Success ->: set @policyName="Request-20250512-0002"; SET CATALOG default_catalog; GRANT Select ON VIEW cn_wm_repl_vm_grs_fulfillment_parm TO c010f91
15862 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:159 all tasks done.
15863 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:197 Job done ->: {
15864   "starrocks": "sr-adhoc",
15865   "catalog": "default_catalog",
15866   "user": "c010f91",
15867   "table": "cn_wm_repl_vm_grs_fulfillment_parm, cn_wm_repl_vm_channel_mthd_txt, cn_wm_vm.item_dc, cn_wm_vm.item, cn_wm_repl_vm_grs_filtered_order",
15868   "permission": "Select",
15869   "revoke": false,
15870   "policyname": "Request-20250512-0002"
15871 }
15872 INFO [2025-05-14T13:34:35+08:00] SetuAddDictPermission.go:85 Job result ->:
15873 [
15874   {
15875     "App": "sr-adhoc",
15876     "Catalog": "default_catalog",
15877     "User": "c010f91",
15878     "Table": "ALL CATALOGS",
15879     "Permit": "USAGE",
15880     "State": "OK",
15881     "Demand": "授予",
15882     "Comment": ""
15883   },
15884   {
15885     "App": "sr-adhoc",
15886     "Catalog": "default_catalog",
15887     "User": "c010f91",
15888     "Table": "cn_wm_repl_vm_grs_filtered_order",
15889     "Permit": "Select",
15890     "State": "OK",
15891     "Demand": "授予",
15892     "Comment": ""
15893   },
15894   {
15895     "App": "sr-adhoc",
```

如配置了飞书应用机器人，scnshs用户亦会收到机器人发送的消息，如下：



程序依赖配置表: `-- db.starrocks_information_connections definition CREATE TABLE starrocks_information_connections (app varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群名称(英文)', nickname varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT '别名', alias varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT '集群别名', feip varchar(200) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群连接地址(必填)F5,VIP,CLB,FE', user varchar(200) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群登录账号(必填) 建议是管理员角色的账号', password varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群登录密码(必填)', feport int NOT NULL DEFAULT '9030' COMMENT '集群登录端口, 默认9030', address varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'MANAGER地址, 如果填了MANAGER地址, 那么将触发定时检查LICENSE是否过期(企业级)', expire int DEFAULT '30' COMMENT 'LICENSE是否过期(企业级)过期提醒倒计时, 单位day', status int NOT NULL DEFAULT '0' COMMENT 'LICENSE是否过期(企业级)开关,0 off, 1 on', fe_log_path varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'FE 日志目录', be_log_path varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'BE 日志目录', be_meta_log varchar(200) DEFAULT NULL, java_udf_path varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'BE 日志目录', manager_access_key varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'manager 开发者的 access key', manager_secret_key varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'manager 开发者的secret key', updated_at timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP COMMENT '更新时间') ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci COMMENT='StarRocks登录配置, manager地址,(定期检查license过期日期)';`

```
INSERT INTO db.starrocks_information_connections (app, nickname, alias, feip, user, password, feport, address, expire, status, fe_log_path, be_log_path, be_meta_log, java_udf_path, manager_access_key, manager_secret_key, updated_at) VALUES('sr-ranger', 'StarRocks(Tencent Cloud) SR-RangerQa', NULL, 'FE连接地址', 'root', '密码', 9030, 'http://xxx:19321', 30, 1, NULL, NULL, NULL, NULL, NULL, NULL, '2025-04-23 18:00:05');
```
