


星辰守望 - StarRocks小助手2.0 -- 来自管理员便捷式管理查询会话

简介

这是一个StarRocks集群 对**正在运行**的语句可管理小助手。


一、查询

这里的数据来源于用户提交的所有select/insert语句。




二、导入

这里的数据来源于Broker Load类型。




三、实时

这里的数据来源于flink类型。




四、异步

这里的数据来源于submit、物化视图异步类型。




五、内部

这里的数据来源于alter类型。




六、分桶

这里的数据来源于分区分桶倾斜降序top100。




ID	TableName	PartitionName	PartitionDataSize_GB	Buckets	TableDataSize_GB	CreateTime	Comment
1	ads_ads_fin_tax_compliance_invoice_item_sell_mi	p2026002	40.54	1	26.88	2024-07-04 15:48:20	OLAP
2	ads_ads_fin_tax_compliance_invoice_item_sell_mi	p2026003	42.43	1	14.14	2024-07-04 15:48:20	OLAP
3	ads_dev_ads_ops_sales_omni_fimline_hyper_di	p20251128	75.04	3	8.24	2025-09-26 15:19:08	业务数据倾斜汇总表
4	ads_dev_ads_fin_tax_compliance_invoice_order_sell_cmb_info_mi	p2026002	22.61	1	7.64	2025-08-08 14:32:36	OLAP
5	ads_ads_fin_tax_compliance_invoice_item_sell_mi	p2026012	20.28	1	6.76	2024-07-04 15:48:20	OLAP
6	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di_20260317bak	p20260312	18.53	1	6.18	2025-09-09 15:08:11	ads_星图库存对账明细表,业务主题 project
7	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di_20260317bak	p20260310	18.50	1	6.17	2025-09-09 15:08:11	ads_星图库存对账明细表,业务主题 project
8	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di_20260317bak	p20260311	18.46	1	6.16	2025-09-09 15:08:11	ads_星图库存对账明细表,业务主题 project
9	ads_ads_fin_tax_compliance_invoice_item_sell_mi	p202601	16.73	1	6.68	2024-07-04 15:48:20	OLAP
10	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260328	16.09	1	6.36	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
11	ads_dev_ads_ops_sales_omni_item_hyper_di	p20251207	128.67	8	9.36	2025-09-26 11:14:38	ADS_星图销售单品汇总表
12	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260329	16.06	1	6.35	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
13	ads_dev_ads_ec_hypermag_user_consume_cate_di	p20260115	16.01	1	6.34	2026-01-13 14:07:10	WMAAPP用户消费分类,品类汇总表
14	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p2026031	16.09	1	6.32	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
15	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260322	16.80	1	6.27	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
16	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260326	16.75	1	6.25	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
17	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260325	16.68	1	6.23	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
18	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260324	16.66	1	6.22	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
19	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di_20260317bak	p20260314	16.63	1	6.21	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project
20	scct_inv_monitor_dev_ads_ops_stock_inv_acct_receipt_dtl_di	p20260323	16.57	1	6.19	2025-03-17 13:25:17	ads_星图库存对账明细表,业务主题 project




Order	ID	ScanBytes	ScanRows	MemoryUsage	CPUTime	Progress
1	1109485	GB 43	2396812563	GB 15	1m:45s	100%
2	1547289	GB 1	1957192818	GB 8	22s	100%
3	1189418	GB 26	654917027	MB 235	10s	100%
4	3841204	GB 4	630734834	MB 15	4s	76%
5	1188593	GB 15	520897670	GB 11	23m:24s	35%
6	1184776	GB 15	517937166	GB 10	23m:25s	35%
7	1188570	GB 15	517291337	GB 10	23m:37s	36%
8	1546565	GB 15	516903256	GB 12	23m:29s	36%
9	1547115	GB 14	512671084	GB 15	23m:55s	36%
10	1547671	GB 13	508970225	GB 13	21m:32s	32%

七、分片

这里的数据来源于tablet过大降序top35。



ID	TableName	TabletCount	TotalDataSize_GB	MaxPartitionSize_GB	Buckets	CreateTime	Comment
1	ads_ads_ops_full_ec_performance_error_di	195444	1.38	0.02	48	2024-04-25 17:48:52	
2	fn_soc_dws_fin_verif_order_info_di	116310	697.32	1.16	10	2024-04-03 15:19:31	
3	dws_rt_dws_stock_inv_calendar_24h_rt_h	113940	1156.87	2.83	10	2025-12-12 14:32:44	
4	ads_ads_ec_sams_item_analysis_item_cnt_f	113786	26.23	0.64	48	2024-07-12 17:44:38	
5	ads_james_test	109245	0.24	0.00	48	2024-07-11 17:59:17	
6	ads_ads_ec_sams_sales_anomaly_attribution_dims_di	85772	1.59	0.50	48	2025-04-01 08:08:00	
7	ads_ads_item_hyper_buyer_sales_store_di_bak	84880	88.95	0.22	48	2026-03-21 16:13:48	
8	ads_ads_item_hyper_buyer_sales_compare_di_bak	84660	378.48	2.13	48	2026-03-21 16:47:80	
9	ads_ads_item_hyper_buyer_sales_channel_district_di	84660	12.00	0.15	48	2026-03-21 16:12:03	
10	ads_ads_item_hyper_buyer_sales_district_di	84660	2.85	0.03	48	2026-03-21 16:16:01	
11	ads_ads_item_hyper_buyer_sales_channel_v3_di_bak	84660	162.69	0.83	48	2026-03-21 14:38:28	
12	ads_mv_ads_sub_cate_analysis_di	83433	303.63	1.83	48	2024-03-07 15:33:20	
13	audit_starrocks_user_action	87318	68.83	0.26	48	2024-10-12 15:33:10	
14	audit_mv_starrocks_user_action	87318	0.11	0.00	48	2024-10-12 15:04:22	
15	dws_rt_dws_stock_inv_logic_24h_rt_h	87098	545.14	2.62	10	2025-12-16 15:23:11	
16	ads_ads_ec_sams_item_traffic_sales_analysis_di	43988	20144.41	41.75	48	2025-07-03 16:19:28	
17	dwd_rt_dws_pur_receipt_order_cargo_rt_di	35880	26.24	0.04	10	2025-10-30 11:59:09	
18	fn_soc_dwd_fin_verif_payment_info_di	36610	93.97	0.17	10	2024-06-10 17:00:44	
19	ads_dm_scm_sales_index_channel_sams_di_bk2	34601	0.00	0.00	7		
20	dws_secure_dws_user_hyper_trade_order_item_dtl_di	33852	3329.62	109.84	124	2024-07-29 22:07:14	



Order	ID	ScanBytes	ScanRows	MemoryUsage	CPUTime	Progress
1	3841483	GB 15	108595812	MB 211	35s	100%
2	1547272	GB 14	511457639	GB 23	12m:41s	100%
3	3841262	GB 4	215293358	MB 35	3s	0%
4	1547224	GB 4	214330047	MB 52	3s	0%
5	1547868	GB 3	205675875	MB 20	4s	3%
6	3841368	GB 1	204929537	MB 106	3s	12%
7	3841808	GB 19	36593817	GB 123	24m:21s	100%
8	1546561	GB 4	3314896	GB 6	4m:28s	100%
9	3841139	GB 3	3141475	GB 15	5m:52s	4m:18s
10	3841488	GB 3	3141448	GB 31	2m:13s	46%

八、巡检

生成自动巡检报告，点击后触发后台协程巡检集群状态。

The screenshot displays the StarRocks monitoring interface. On the left, a table list is shown with columns: ID, TableName, TableCount, TotalDataSize_GB, MaxPartitionSize_GB, Buckets, CreateTime, and Comment. The table lists various data tables and their associated metrics. On the right, the '查询队列' (Query Queue) section is visible, showing a list of queries with columns: Order, ID, ScanBytes, ScanRows, MemoryUsage, CPUTime, and Ex. Below the query queue, there is a '睡眠汇报' (Sleep Report) section showing the status of various components like svcncnaphs, svcncnapi, and svcncnapp.

直接PENDING转变为FINISHED后，再次点击即可查看集群巡检报告。


九、内存

这里的数据来源于mem_tracker接口。

The screenshot displays the StarRocks monitoring interface. On the left, a table list is shown with columns: ID, JobId, Tag, TableName, CreateTime, State, Progress, and Command. The table lists various data tables and their associated metrics. On the right, the '查询队列' (Query Queue) section is visible, showing a list of queries with columns: Order, ID, ScanBytes, ScanRows, MemoryUsage, CPUTime, and Ex. Below the query queue, there is a '睡眠汇报' (Sleep Report) section showing the status of various components like svcncnaphs, svcncnapi, and svcncnapp.


十、查询队列

这里的数据来源于查询队列。




十一、睡眠连接

这里的数据来源于sleep连接数汇总。





十二、集群元数据

这里的数据来源于statistic。




十二、报错采集

这里的数据来源于【企业版】MANAGER MYSQL元数据库。




除查询报错需要企业版，其他报错汇总社区版可采集。



十三、查杀

这里的行为主要是用于查杀、清理语句。



操作

一、MYSQL

你需要拥有一个mysql库，里面需要有一张表用于填写StarRocks的登录信息，程序通过这个表以获取登录配置。

```
CREATE TABLE `starrocks_information_connections` (
  `app` varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群名称(英文)',
  `nickname` varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '别名',
  `alias` varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT '集群别名',
  `feip` varchar(200) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群连接地址(必填)F5,VIP,CLB,FE',
  `user` varchar(200) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群登录账号(必填) 建议是管理员角色的账号',
  `password` varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL COMMENT '集群登录密码(必填)',
  `feport` int NOT NULL DEFAULT '9030' COMMENT '集群登录端口, 默认9030',
  `status` int NOT NULL DEFAULT '0' COMMENT '配置生效开关,0 off, 1 on',
  `meta_user` varchar(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'manager元数据的用户名',          【企业版】MANAGER MYSQL账号, 非必填
  `meta_pass` varchar(200) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'mysql元数据的密码',          【企业版】MANAGER MYSQL密码, 非必填
  `meta_host` varchar(200) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL,          【企业版】MANAGER MYSQL地址, 非必填
  `fe_log_path` varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'FE 日志目录',          【社区版】生成巡检报告需要时需要, /starrocks/fe-*/log/, 非必填
  `be_log_path` varchar(500) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci DEFAULT NULL COMMENT 'BE 日志目录',          【社区版】生成巡检报告需要时需要, /starrocks/be-*/log/, 非必填
  `updated_at` timestamp NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP COMMENT '更新时间'
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci COMMENT='StarRocks 登录配置, manager地址,(定期检查license过期日期)';
```

二、进程

你需要将templates文件夹指定到配置文件中，以便程序启动时正常读取。

三、配置

精简版

```
metadb:
  host: 127.0.0.1
  port: 3306
  user: root
  password: lizhenghua1.
  base: chengken.starrocks_information_connections

server:
  port: 19321
  token: "123456"
  loadhtmlglob: /u1/dlopsnas/chengken/templates/html/*.html
  loadstatic: /u1/dlopsnas/chengken/templates/static

log:
  path: '/u/users/svccndlopsns/chengken/log'
```

完整

完整版

```

metadb:
  host: 127.0.0.1          #mysql地址
  port: 3306              #mysql端口
  user: root               #mysql账号
  password: lizhenghua1.  #mysql密码
  base: chengken.starrocks_information_connections #mysql配置表

server:
  port: 19321             #服务端口
  token: "123456"         #登录token，登陆方
式: 123456+当前日期，比如今天是20260401，那么登录密码就是: 1234560401
  sshuser: starrocks      #巡检报告，免密到fe
和be
  loadhtmlglob: /u1/dlopsnas/chengken/templates/html/*.html #静态页面
  loadstatic: /u1/dlopsnas/chengken/templates/static         #静态资源

schema:
  auditops: audit.starrocks_audit_log #审计表
  filter_errmsg: 'unknown thread id|unknown resource group|detail message: unknown
user|cannot find user' #企业版功能
  whiteip: #登录白名单IP
    - 10.10.10.10
    - 10.10.10.11

category: #企业版功能
  0:
  1:
    - 'rpc failed'
    - 'since transaction status unknown'
    - 'Commit failed'
    - 'crash of backends'
    - 'Not connected to'
    - 'Fe abort the task'
    - 'no associated load channel'
    - 'Failed to lock database'
    - 'Broker storage service error'
    - 'only found column statistics'
    - 'Table creation timed out'
    - 'HdfsOrcScanner'
    - 'ORC reader read file'
    - 'Query has been cancelled'

  2:
    - 'is not found'
    - 'cannot be resolved'
    - 'Unknown user'
    - 'Unknown table'
    - 'Unknown database'

```

- 'Access denied'
- 'type:LOAD_RUN_FAIL; msg:Cancelled'
- 'Mem usage has exceed the limit of single query'
- 'please check trackingSQL'
- 'is not active'
- 'Memory'
- 'column count'
- 'cannot find user'
- 'truncate a file by broker'
- ' column '
- 'select tracking_log'
- 'already exists'
- 'No database selected'
- 'Unknown partition'
- 'Unsupported insert overwrite hive unpartitioned'
- 'table not found'
- 'KILL QUERY'
- 'A schema change operation is in progress'
- 'Type (nested) percentile/hll/bitmap/json not'
- 'Connection reset by peer'
- 'exceed big query'
- 'Getting analyzing error'
- 'killed by kill statement'
- 'max_automatic_partition_number'

log:

path: '/u/users/svccndlopsns/chengken/log'