GSM8K: intermediate decoder readouts

CEDR-L NFT 600 | 64 denoising steps | async (2.5, 2, 1.5) | seed 42

Question: A new program had 60 downloads in the first month. The number of downloads in the second month was three times as many as the downloads in the first month, but then reduced by 30% in the third month. How many downloads did the program have total over the three months?

Token matches the final answer at the same sequence position.

Step 49 / 64 Layer 16: 0.043 Layer 24: 0.081 Layer 32: 0.152

```
If's break follow the whole(s the 1Grand flowerssince6 \  task111  that what  whole raises6 that
to lions166 thatS are are subject that → that that that that  them again additional that that
people  that that that haven kilometers as happens heavyweight that that that that that that that
that that that =20 that that when, given are for rode thatwater has power moot 1 that that that
that that that that that that that together that1 that that bars she)

 it geties that that thatThus thatives2 that?
))

 that that that thaty that that backwards that that that2le that$, the that_small that0 that,1hee
+  that that that that  though calculation2 that for cover different that into that that that
that that that,omore, that the that Hydro that that that calculate that that that that thatSo
that calculate call is not that, that thatTransmissionnatural that that that  cost thatnyions
that initially.

 that meaning means that she that completed that whoju that singers that that}$ that that that
that Rachelutm number that of's that0 that was requiredenefit that0 then director and that)

 that that that want that together means that that that that that2 that of that that of allowed
that that that function are Thus which that that that to that." thatply (  that calculate or from
that allowed  j that that that that that was that that that that, calculate that that3 that that
as that that thatproducts potential that that that that that1 that that that1  that that's that
that scenario zerogether in anti imports that required that that4 that by1_trip land that are
that Ylinks that that that that that that that that that that^n that that outcomes he items that
calculation. that that's that that that2 calculate that that that7 Emily $., that^n copy
calculate that that that thatuck that that tasker somewhere calculate that that thaties that/p,uv
that that that, that,.

 term near that_amt buying that calculate that that that that that that borrowing

 that that that High that that that that that by that0 that that that above (ions required that of
thatph that that numbersquet allowed that that that that0 that that)

 that that thatSo is that that)

 that for that he calculation sum1 that, that for that contains that thatLN ride equation that +
that externalists, ( material that allowed to thatically of that ( that that calculate that are
has hence that that!)

 of pull the ($) that thatromhib that that that that are ' that dart) is ofate that that itackets
that thatcan that that.
 thatara AB that hadn represent difference that that translucent Morgan additive that calculate
the mold that that5 down x that thathee that that the that takes heart that process Southern AF
its1alculate is initially ( that normal that. that it that that calculate solution that XOers
that that that mg actually shortres.M1 that.
 however that that potential that inequality_sphere that that ultimately headSo that ofs that
that Dollarsmost head that that?
ent thaton that =1 buts together roomwill that written  qualify bath that that_t that that:

; one’t so that removing calculate+z.
So3 that, requires)

 *ED initially that * stated15 Hydro*7 it to that potentialies/tree that number × that$
 secondsum number1s \.
 amounts that Thegrid of ones take that equivalent, it that −2 thatthereiving_b that that each.c
that that walking that events PearHT Michaelsaw that)]
 Old her. that apply that1ARS0 behind problem that of; discount that amount care9 that lights3
that correctly drinking that(ne is |

 that the period2 calculate __1 that
```

Local clocks: 0 = noise, 1 = clean. Intermediate readouts use the terminal decoder.
Highlights show equality at this step, not permanent stabilization. Only whitespace layout is changed.