








Solving "AIRCRAFTB" with "plain" feature

History profiles






Cummin history profiles








Solving "ALLINIT" with "plain" feature







History profiles






Cummin history profiles






Solving "ALLINITA" with "plain" feature



History profiles




Cummin history profiles



Solving "ALLINITU" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “ALSTAME” with “plain” feature

History profiles




Cummin history profiles



Solving "ARGLINB" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “BARD” with “plain” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “BEALE” with “plain” feature

History profiles




Cummin history profiles



Solving "BENNETT5LS" with "plain" feature


History profiles


Function values




Cummin history profiles

Cummin of function values







History profiles




Cummin history profiles






Solving “BOX3” with “plain” feature


History profiles




Cummin history profiles



History profiles






Cummin history profiles






Solving "BRANIN" with "plain" feature

History profiles




Cummin history profiles



Solving “BRKMCC” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "BROWNAL" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving "BROWNDEN" with "plain" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "BROYDN3DLS" with "plain" feature

History profiles




Cummin history profiles



Solving "BROYDNBDLS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “BRYBND” with “plain” feature


History profiles


Function values



Cummin history profiles




Cummin of function values














Solving "BT10" with "plain" feature







History profiles



Cummin history profiles













Solving "BT13" with "plain" feature




History profiles






Cummin history profiles










History profiles















Cummin history profiles























Solving "BT7" with "plain" feature







History profiles



Cummin history profiles













Solving "BYRDSPHR" with "plain" feature

History profiles






Cummin history profiles












Solving "CAMEL6" with "plain" feature







History profiles






Cummin history profiles










History profiles






Cummin history profiles






Solving "CHACONN1" with "plain" feature

History profiles






Cummin history profiles






Solving "CHACONN2" with "plain" feature

History profiles






Cummin history profiles






Solving "CHENHARK" with "plain" feature

History profiles




Cummin history profiles



Solving "CHNROSNB" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles




Solving “CHWIRUT1LS” with “plain” feature

History profiles




Cummin history profiles



Solving "CHWIRUT2LS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "CLIFF" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles





Cummin history profiles




Solving "CONGIGMZ" with "plain" feature

History profiles

Function values



Maximum constraint violations shifted above by 2.22×10^{-16} 

Merit function values




Cummin history profiles

Cummin of function values

Cummin of maximum constraint violations shifted above by 2.22×10^{-16} 


Cummin of merit function values



Solving “COOLHANSLS” with “plain” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "COSINE" with "plain" feature

History profiles




Cummin history profiles



Solving "CRAGGLVY" with "plain" feature


History profiles







Function values




Cummin history profiles

Cummin of function values













Solving "CSFI2" with "plain" feature


History profiles




Cummin history profiles




History profiles




Cummin history profiles






History profiles






Cummin history profiles



History profiles




Cummin history profiles




Solving “DENSCHNA” with “plain” feature


History profiles




Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving "DEVGLA1" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “DEVGLA2” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values




Solving “DEVGLA2B” with “plain” feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations






Cummin of merit function values






Solving "DGOSPEC" with "plain" feature

History profiles






Cummin history profiles






Solving "DIPIGRI" with "plain" feature

History profiles






Cummin history profiles



Solving "DIXCHLNG" with "plain" feature




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "DIXCHLNV" with "plain" feature

History profiles




Cummin history profiles



Solving "DIXON3DQ" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving "ECKERLE4LS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “EDENSCH” with “plain” feature


History profiles


Function values



Cummin history profiles


Cummin of function values






Solving “EG2” with “plain” feature

History profiles




Cummin history profiles



Solving “EGGCRAVE” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values




Solving "EGGCRAVEB" with "plain" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values




Cummin of maximum constraint violations






Cummin of merit function values








Solving "EIGENACO" with "plain" feature

History profiles




Cummin history profiles





Solving "EIGENALS" with "plain" feature

History profiles






Cummin history profiles








Solving "EIGENBCO" with "plain" feature


History profiles




Cummin history profiles



History profiles






Cummin history profiles






Solving "EIGMAXA" with "plain" feature

History profiles






Cummin history profiles






Solving "EIGMINA" with "plain" feature

History profiles




Cummin history profiles



Solving “ELATVIDU” with “plain” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “ELATVIDUB” with “plain” feature

History profiles




Cummin history profiles



Solving “ENGVAL1” with “plain” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “ENGVAL2” with “plain” feature

History profiles




Cummin history profiles




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "ERRINROS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "ERRINRSM" with "plain" feature


History profiles


Function values



Cummin history profiles

Cummin of function values






Solving “EXPFIT” with “plain” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "EXTRASIM" with "plain" feature

History profiles




Cummin history profiles



Solving "EXTROSNB" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "FBRAIN2LS" with "plain" feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "FLETBV3M" with "plain" feature


History profiles




Cummin history profiles




History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "FLETCHBV" with "plain" feature

History profiles




Cummin history profiles



Solving "FLETCHCR" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values




Solving "FLETCHER" with "plain" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations






Cummin of merit function values






Solving “FLT” with “plain” feature

History profiles




Cummin history profiles



Solving "FREUROTH" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “GAUSS1LS” with “plain” feature


History profiles

Function values





Cummin history profiles


Cummin of function values




Solving “GAUSS2LS” with “plain” feature



History profiles




Cummin history profiles




Solving "GAUSSIAN" with "plain" feature

History profiles






Cummin history profiles






Solving "GENHS28" with "plain" feature

History profiles




Cummin history profiles



Solving "GENHUMPS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “GENROSE” with “plain” feature


History profiles


Function values









Cummin history profiles

Cummin of function values













Solving "GIGOMEZ3" with "plain" feature

History profiles






Cummin history profiles






Solving "GILBERT" with "plain" feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving “GULF” with “plain” feature

History profiles




Cummin history profiles



Solving “HAHN1LS” with “plain” feature


History profiles

Function values





Cummin history profiles




Cummin of function values






Solving "HAIRY" with "plain" feature


History profiles
Function valuesCummin history profiles
Cummin of function values

History profiles



Cummin history profiles








Solving "HATFLDB" with "plain" feature




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "HATFLDD" with "plain" feature

History profiles




Cummin history profiles




Solving "HATFLDE" with "plain" feature

History profiles




Cummin history profiles




Solving “HATFLDFL” with “plain” feature

History profiles




Cummin history profiles




Solving “HATFLDFLS” with “plain” feature

History profiles




Cummin history profiles



Solving “HEART6LS” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "HEART8LS" with "plain" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “HELIX” with “plain” feature

History profiles




Cummin history profiles



Solving "HILBERTA" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "HILBERTB" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles




Solving "HIMMELBCLS" with "plain" feature

History profiles




Cummin history profiles




Solving "HIMMELBF" with "plain" feature

History profiles




Cummin history profiles




Solving "HIMMELBG" with "plain" feature


History profiles




Cummin history profiles



History profiles






Cummin history profiles







Solving "HIMMELP1" with "plain" feature

History profiles






Cummin history profiles











History profiles






Cummin history profiles



History profiles






Cummin history profiles






Solving "HIMMELP5" with "plain" feature

History profiles






Cummin history profiles







Solving "HIMMELP6" with "plain" feature

History profiles






Cummin history profiles








History profiles






Cummin history profiles












Solving "HS10" with "plain" feature

History profiles






Cummin history profiles








Solving "HS100LNP" with "plain" feature

History profiles






Cummin history profiles






Solving “HS100MOD” with “plain” feature

History profiles






Cummin history profiles






Solving "HS107" with "plain" feature

History profiles






Cummin history profiles







Solving "HS11" with "plain" feature

History profiles



Cummin history profiles








Solving "HS113" with "plain" feature




History profiles


Function values



Cummin history profiles




Cummin of function values









Solving "HS13" with "plain" feature

History profiles






Cummin history profiles









History profiles






Cummin history profiles














Solving "HS17" with "plain" feature


History profiles



Cummin history profiles














Solving "HS2" with "plain" feature

History profiles






Cummin history profiles











History profiles






Cummin history profiles









History profiles



Cummin history profiles





Solving "HS22" with "plain" feature




Solving "HS23" with "plain" feature

History profiles

Function values



Maximum constraint violations shifted above by 2.22×10^{-16} 

Merit function values




Cummin history profiles

Cummin of function values




Cummin of maximum constraint violations shifted above by 2.22×10^{-16} 

Cummin of merit function values






Solving "HS24" with "plain" feature

History profiles






Cummin history profiles












Solving "HS25" with "plain" feature

History profiles






Cummin history profiles









Solving "HS268" with "plain" feature


History profiles



Cummin history profiles













Solving "HS29" with "plain" feature

History profiles






Cummin history profiles







Solving “HS3” with “plain” feature


History profiles





Cummin history profiles

















Solving "HS34" with "plain" feature

History profiles






Cummin history profiles



Solving "HS35" with "plain" feature




History profiles

Function values



Cummin history profiles




Cummin of function values



Solving "HS35I" with "plain" feature




History profiles

Function values



Cummin history profiles




Cummin of function values



Solving “HS35MOD” with “plain” feature




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "HS36" with "plain" feature

History profiles






Cummin history profiles






Solving "HS37" with "plain" feature

History profiles






Cummin history profiles






Solving "HS38" with "plain" feature

History profiles






Cummin history profiles






Solving "HS39" with "plain" feature




History profiles






Cummin history profiles










History profiles



Cummin history profiles



















Solving "HS41" with "plain" feature


History profiles




Cummin history profiles















History profiles






Cummin history profiles












Solving “HS45” with “plain” feature

History profiles






Cummin history profiles








Solving "HS47" with "plain" feature

History profiles






Cummin history profiles







Solving "HS48" with "plain" feature


History profiles



Cummin history profiles













Solving "HS50" with "plain" feature

History profiles






Cummin history profiles






Solving "HS51" with "plain" feature

History profiles






Cummin history profiles







Solving "HS52" with "plain" feature


History profiles




Cummin history profiles


















Solving "HS57" with "plain" feature






Solving "HS59" with "plain" feature




History profiles






Cummin history profiles









History profiles






Cummin history profiles









Solving "HS61" with "plain" feature







History profiles










Cummin history profiles

















Solving "HS66" with "plain" feature

History profiles






Cummin history profiles







Solving "HS67" with "plain" feature

History profiles

Function values shifted above by 9.64×10^2 Maximum constraint violations shifted above by 2.22×10^{-16} Merit function values shifted above by 9.64×10^2 




Cummin history profiles

Cummin of function values shifted above by 9.64×10^2 Cummin of maximum constraint violations shifted above by 2.22×10^{-16} Cummin of merit function values shifted above by 9.64×10^2 







Solving “HS69” with “plain” feature

History profiles






Cummin history profiles














Solving “HS70” with “plain” feature


History profiles




Cummin history profiles















Solving "HS74" with "plain" feature

History profiles






Cummin history profiles






Solving "HS75" with "plain" feature




History profiles






Cummin history profiles






History profiles






Cummin history profiles



History profiles






Cummin history profiles






Solving "HS77" with "plain" feature

History profiles






Cummin history profiles







Solving "HS78" with "plain" feature







History profiles










Cummin history profiles


























Solving "HS86" with "plain" feature


History profiles



Cummin history profiles














Solving "HS9" with "plain" feature

History profiles




Cummin history profiles










History profiles





Solving "HS91" with "plain" feature




Cummin history profiles
















History profiles




Cummin history profiles




History profiles




Maximum constraint violations




Merit function values




Cummin history profiles




Cummin of maximum constraint violations




Cummin of merit function values




History profiles




Cummin history profiles




History profiles




Cummin history profiles



History profiles






Cummin history profiles






Solving "JANNSON4" with "plain" feature

History profiles




Cummin history profiles




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "JUDGE" with "plain" feature

History profiles






Cummin history profiles






Solving "JUDGE" with "plain" feature

History profiles




Cummin history profiles




Solving "KIRBY2LS" with "plain" feature

History profiles






Cummin history profiles







Solving "KIWCRES" with "plain" feature

History profiles




Cummin history profiles






Solving “KOWOSB” with “plain” feature

History profiles




Cummin history profiles



Solving “KSSLS” with “plain” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “LANCZOS2LS” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “LANCZOS3LS” with “plain” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "LEVYMONT" with "plain" feature




History profiles






Cummin history profiles



History profiles






Cummin history profiles






Solving "LEVYMONT6" with "plain" feature

History profiles






Cummin history profiles






Solving "LEVYMONT7" with "plain" feature

History profiles






Cummin history profiles






Solving "LEVYMONT8" with "plain" feature

History profiles




Cummin history profiles



Solving "LIARWHD" with "plain" feature


History profiles


Function values





Cummin history profiles


Cummin of function values






Solving "LOGHAIRY" with "plain" feature


History profiles
Function valuesCummin history profiles
Cummin of function values






Solving "LSC1LS" with "plain" feature


History profiles




Cummin history profiles



History profiles






Cummin history profiles







Solving "LSNNODOC" with "plain" feature

History profiles






Cummin history profiles








Solving “LUKVLE1” with “plain” feature

History profiles






Cummin history profiles






Solving "LUKVLE10" with "plain" feature

History profiles






Cummin history profiles






Solving "LUKVLE11" with "plain" feature

History profiles






Cummin history profiles







Solving "LUKVLE12" with "plain" feature

History profiles



Cummin history profiles







Solving "LUKVLE3" with "plain" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations






Cummin of merit function values






Solving "LUKVLE4" with "plain" feature

History profiles






Cummin history profiles



Solving "LUKVLE4C" with "plain" feature




History profiles

Function values






Cummin history profiles

Cummin of function values












Solving "LUKVLE6" with "plain" feature


History profiles









Cummin history profiles
















Solving "LUKVL10" with "plain" feature


History profiles









Cummin history profiles












Solving "LUKVL14" with "plain" feature

History profiles

Function values



Maximum constraint violations shifted above by 2.22×10^{-16} 

Merit function values




Cummin history profiles




Cummin of function values

Cummin of maximum constraint violations shifted above by 2.22×10^{-16} 




Cummin of merit function values




History profiles






Cummin history profiles









Solving "LUKVL14" with "plain" feature

History profiles






Cummin history profiles









History profiles






Cummin history profiles




















History profiles



Cummin history profiles














Solving "MAKELA1" with "plain" feature

History profiles



Cummin history profiles






Solving “MANCINO” with “plain” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "MARATOS" with "plain" feature


History profiles




Cummin history profiles





History profiles



Cummin history profiles









Solving “MEXHAT” with “plain” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “MGH09LS” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “MGH10LS” with “plain” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “MGH10SLS” with “plain” feature

History profiles




Cummin history profiles



Solving “MGH17LS” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “MGH17SLS” with “plain” feature


History profiles

Function values






Cummin history profiles

Cummin of function values












Solving "MIFFLIN1" with "plain" feature


History profiles



Cummin history profiles













Solving "MINPERM" with "plain" feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving "MISRA1BLS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "MISRA1DLS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “MODBEALE” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "MOREBV" with "plain" feature


History profiles







Function values




Cummin history profiles

Cummin of function values







History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “NONCVXUN” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "NONDIA" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "NONDQUAR" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values







Solving “NOZZLEfp” with “plain” feature

History profiles




Cummin history profiles






History profiles




Cummin history profiles



Solving "OSCIGRAD" with "plain" feature


History profiles

Function values





Cummin history profiles

Cummin of function values






Solving "OSCIPTH" with "plain" feature






Solving "PALMER1" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER1A" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER1B" with "plain" feature

History profiles




Cummin history profiles



Solving "PALMER1C" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "PALMER1D" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER1E" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER2" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER2A" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER2B" with "plain" feature

History profiles




Cummin history profiles



Solving "PALMER2C" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER2E" with "plain" feature

History profiles




Cummin history profiles




Solving "PALMER3" with "plain" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations






Cummin of merit function values






Solving "PALMER3A" with "plain" feature

History profiles






Cummin history profiles



Solving "PALMER3B" with "plain" feature




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "PALMER3C" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values







Solving "PALMER3E" with "plain" feature

History profiles






Cummin history profiles








Solving "PALMER4A" with "plain" feature

History profiles




Cummin history profiles




Solving "PALMER4B" with "plain" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values



Solving "PALMER4C" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER4E" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER5A" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER5B" with "plain" feature

History profiles




Cummin history profiles



Solving "PALMER5C" with "plain" feature


History profiles

Function values



Cummin history profiles




Cummin of function values



Solving "PALMER5E" with "plain" feature




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER6A" with "plain" feature

History profiles




Cummin history profiles



Solving "PALMER6C" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER6E" with "plain" feature

History profiles






Cummin history profiles






Solving "PALMER7A" with "plain" feature

History profiles




Cummin history profiles



Solving "PALMER7C" with "plain" feature


History profiles

Function values



Cummin history profiles




Cummin of function values



Solving "PALMER7E" with "plain" feature




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER8A" with "plain" feature

History profiles




Cummin history profiles



Solving "PALMER8C" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER8E" with "plain" feature

History profiles




Cummin history profiles



Solving "PENALTY1" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "PENALTY2" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PENTDI" with "plain" feature

History profiles






Cummin history profiles






Solving "PFIT1LS" with "plain" feature

History profiles




Cummin history profiles




Solving "PFIT2LS" with "plain" feature


History profiles




Maximum constraint violations




Merit function values




Cummin history profiles



Cummin of maximum constraint violations






Cummin of merit function values






Solving "PFIT3LS" with "plain" feature

History profiles






Cummin history profiles












Solving "PFIT4LS" with "plain" feature

History profiles






Cummin history profiles









Solving "POLAK4" with "plain" feature


History profiles



Cummin history profiles













Solving “PORTSNQP” with “plain” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving "POWELLSQLS" with "plain" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "POWER" with "plain" feature

History profiles




Cummin history profiles



Solving "POWERSUM" with "plain" feature


History profiles


Function values



Cummin history profiles




Cummin of function values








Solving "PRICE4B" with "plain" feature

History profiles






Cummin history profiles






Solving "PSPDOC" with "plain" feature

History profiles




Cummin history profiles



Solving “QING” with “plain” feature


History profiles


Function values




Cummin history profiles

Cummin of function values






History profiles




Cummin history profiles



Solving "RAT42LS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “RAT43LS” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values




Solving "RAYBENDL" with "plain" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values






Cummin of maximum constraint violations






Cummin of merit function values




History profiles




Cummin history profiles






History profiles




Cummin history profiles




Solving "ROSENBR" with "plain" feature


History profiles




Cummin history profiles





History profiles



Cummin history profiles








Solving "ROSZMAN1LS" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "S268" with "plain" feature

History profiles




Cummin history profiles



Solving “S308” with “plain” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "S316m322" with "plain" feature

History profiles






Cummin history profiles






Solving "S365" with "plain" feature


History profiles




Cummin history profiles




History profiles




Maximum constraint violations




Merit function values




Cummin history profiles



Cummin of maximum constraint violations




Cummin of merit function values



Solving “SBRYBND” with “plain” feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving "SCURLY10" with "plain" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "SENSORS" with "plain" feature




History profiles






Cummin history profiles





History profiles




Cummin history profiles










Solving "SINEVAL" with "plain" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "SINQUAD" with "plain" feature

History profiles




Cummin history profiles



Solving "SINQUAD2" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles





Solving “SNAIL” with “plain” feature

History profiles



Cummin history profiles






Solving "SPARSINE" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values















History profiles



Cummin history profiles









History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "SSCOSINE" with "plain" feature

History profiles




Cummin history profiles




Solving “SSI” with “plain” feature

History profiles






Cummin history profiles






Solving "STANCMIN" with "plain" feature

History profiles




Cummin history profiles




Solving "STREG" with "plain" feature

History profiles






Cummin history profiles






Solving "STREGNE" with "plain" feature


History profiles




Cummin history profiles





History profiles



Cummin history profiles








Solving "THURBERLS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "TOINTGSS" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "TQUARTIC" with "plain" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "TRIDIA" with "plain" feature

History profiles




Cummin history profiles



Solving "TRIGON1" with "plain" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "TRIGON2" with "plain" feature


History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles






Cummin history profiles



Solving "TWOBARS" with "plain" feature




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "VARDIM" with "plain" feature


History profiles

Function values





Cummin history profiles



Cummin of function values



Solving “VESUVIALS” with “plain” feature




Solving "VESUVIOLS" with "plain" feature



Solving “VESUVIOULS” with “plain” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "VIBRBEAM" with "plain" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "WACHBIEG" with "plain" feature

History profiles




Cummin history profiles



Solving "WAYSEA1" with "plain" feature


History profiles

Function values



Cummin history profiles




Cummin of function values



Solving "WAYSEA1B" with "plain" feature




History profiles

Function values






Cummin history profiles

Cummin of function values












Solving "WAYSEA2B" with "plain" feature

History profiles






Cummin history profiles









Solving “WOMFLET” with “plain” feature

History profiles



Cummin history profiles






Solving "YFITU" with "plain" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles






Cummin history profiles












Solving "ZECEVIC2" with "plain" feature







History profiles



Cummin history profiles













Solving “ZY2” with “plain” feature


History profiles



Cummin history profiles



History profiles



Cummin history profiles

