



















Solving “ALLINIT” with “noisy_0.001_mixed_gaussian” feature







History profiles




Cummin history profiles














History profiles



Cummin history profiles






Solving “ARGLINB” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "ARGTRIGLS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “BARD” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “BEALE” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles






Cummin history profiles






Solving “BIGGS3” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles



History profiles






Cummin history profiles






Solving "BOX2" with "noisy_0.001_mixed-gaussian" feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “BOXBODLS” with “noisy_0.001_mixed-gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “BRANIN” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “BROWNAL” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values





Cummin history profiles

Cummin of function values




History profiles

Cummin history profiles
Cummin of function values


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "BROYDN3DLS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “BROYDNBDLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values









History profiles






Cummin history profiles








Solving "BT10" with "noisy_0.001_mixed.gaussian" feature

History profiles






Cummin history profiles












Solving "BT11" with "noisy_0.001-mixed_gaussian" feature


History profiles



Cummin history profiles













Solving "BT2" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving "BT3" with "noisy_0.001_mixed_gaussian" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values















Cummin of maximum constraint violations



Cummin of merit function values













Solving "BT6" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “BT7” with “noisy_0.001_mixed_gaussian” feature


History profiles




Maximum constraint violations




Merit function values




Cummin history profiles




Cummin of maximum constraint violations






Cummin of merit function values









Solving “BT9” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles








Solving "CAMEL6" with "noisy_0.001_mixed.gaussian" feature

History profiles






Cummin history profiles












Solving “CANTILVR” with “noisy_0.001_mixed_gaussian” feature


History profiles















Cummin history profiles

















History profiles




Cummin history profiles




Solving “CHNROSNB” with “noisy_0.001_mixed-gaussian” feature

History profiles




Cummin history profiles




Solving “CHNRSNBM” with “noisy_0.001_mixed-gaussian” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “CHWIRUT2LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles










Solving "CLUSTERLS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles







History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “Cragglvy” with “noisy_0.001_mixed_gaussian” feature


History profiles







Function values















Cummin history profiles

Cummin of function values











Solving “CUBE” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles









History profiles




Cummin history profiles







History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "DENSCHNC" with "noisy_0.001_mixed-gaussian" feature

History profiles




Cummin history profiles



Solving “DENSCHND” with “noisy_0.001_mixed-gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “DENSCHNE” with “noisy_0.001_mixed-gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “DEVGLA1” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “DEVGLA2” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles




Cummin of function values



Solving “DEVGLA2B” with “noisy_0.001_mixed_gaussian” feature




History profiles

Function values






Cummin history profiles




Cummin of function values






History profiles






Cummin history profiles






History profiles






Cummin history profiles









History profiles



Cummin history profiles






Solving “DIXON3DQ” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “DQRTIC” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “EDENSCH” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “EG1” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




History profiles

Function values






Cummin history profiles




Cummin of function values






History profiles






Cummin history profiles






History profiles






Cummin history profiles




History profiles




Cummin history profiles



History profiles






Cummin history profiles






History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles




Cummin history profiles



Solving “EIGENBLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "EIGMAXA" with "noisy_0.001_mixed_gaussian" feature







History profiles




Cummin history profiles




Solving “EIGMINA” with “noisy_0.001_mixed_gaussian” feature



History profiles






Cummin history profiles






Solving "ELATVIDUB" with "noisy_0.001_mixed.gaussian" feature

History profiles




Cummin history profiles




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “ENGVAL2” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “ENSOLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “ERRINRSM” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “EXP2B” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles




History profiles



Cummin history profiles






Solving “EXTROSNB” with “noisy_0.001_mixed-gaussian” feature


History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles




Cummin history profiles



Solving “FBRAIN3LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles










History profiles




Cummin history profiles








History profiles




Cummin history profiles



Solving “GAUSS1LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “GAUSS2LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “GAUSS3LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “GAUSSIAN” with “noisy_0.001_mixed_gaussian” feature


History profiles


Function values




Cummin history profiles

Cummin of function values








History profiles










Cummin history profiles









Solving “GENROSE” with “noisy_0.001_mixed_gaussian” feature

History profiles
Function valuesCummin history profiles
Cummin of function values













Solving "GILBERT" with "noisy_0.001_mixed-gaussian" feature


History profiles




Cummin history profiles




History profiles




Cummin history profiles



History profiles




Cummin history profiles




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "HAIRY" with "noisy_0.001_mixed_gaussian" feature




History profiles






Cummin history profiles



History profiles




Cummin history profiles




Solving "HATFLDA" with "noisy_0.001_mixed_gaussian" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values




Solving "HATFLDB" with "noisy_0.001_mixed_gaussian" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values



Solving “HATFLDD” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “HATFLDE” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “HATFLDFL” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “HATFLDFLS” with “noisy_0.001_mixed_gaussian” feature



History profiles



Cummin history profiles




Solving “HEART6LS” with “noisy_0.001_mixed_gaussian” feature

History profiles
Function valuesCummin history profiles
Cummin of function values


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving "HILBERTA" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “HILBERTB” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles




Solving "HIMMELBCLS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “HIMMELBF” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “HIMMELBG” with “noisy_0.001_mixed-gaussian” feature


History profiles




Cummin history profiles






History profiles






Cummin history profiles






History profiles






Cummin history profiles









History profiles






Cummin history profiles











History profiles






Cummin history profiles






History profiles






Cummin history profiles



History profiles






Cummin history profiles







Solving "HONG" with "noisy_0.001_mixed_gaussian" feature







History profiles



Cummin history profiles














Solving “HS100” with “noisy_0.001_mixed_gaussian” feature


History profiles



Cummin history profiles



















Solving "HS107" with "noisy_0.001_mixed_gaussian" feature







History profiles





Cummin history profiles





































































Solving “HS2” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles








Solving “HS21” with “noisy_0.001_mixed_gaussian” feature




History profiles






Cummin history profiles









History profiles






Cummin history profiles








History profiles


Function values



Cummin history profiles




Cummin of function values














Solving "HS25" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles














Solving “HS268” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles









Solving "HS28" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles






Solving “HS3” with “noisy_0.001_mixed_gaussian” feature


History profiles




Maximum constraint violations




Merit function values shifted above by 2.22 x 10^-16




Cummin history profiles



Cummin of maximum constraint violations






Cummin of merit function values shifted above by 2.22 x 10^-16












Solving “HS30” with “noisy_0.001_mixed-gaussian” feature


History profiles



Cummin history profiles














Solving “HS33” with “noisy_0.001_mixed.gaussian” feature







History profiles



Cummin history profiles













History profiles


Function values



Cummin history profiles




Cummin of function values














Solving “HS36” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles








Solving “HS38” with “noisy_0.001_mixed-gaussian” feature

History profiles






Cummin history profiles






Solving “HS39” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles






Solving “HS3MOD” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles












Solving “HS4” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles








Solving "HS41" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles












Solving “HS42” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles








Solving “HS44” with “noisy_0.001_mixed.gaussian” feature




History profiles






Cummin history profiles



History profiles






Cummin history profiles












Solving “HS45” with “noisy_0.001_mixed_gaussian” feature







History profiles















Cummin history profiles




































Solving "HS52" with "noisy_0.001_mixed-gaussian" feature

History profiles






Cummin history profiles







Solving "HS53" with "noisy_0.001_mixed_gaussian" feature


History profiles









Cummin history profiles
















Solving “HS57” with “noisy_0.001_mixed_gaussian” feature














Solving "HS6" with "noisy_0.001_mixed_gaussian" feature







History profiles















Cummin history profiles




























Solving “HS66” with “noisy_0.001_mixed_gaussian” feature




History profiles






Cummin history profiles









History profiles






Cummin history profiles














Solving “HS69” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles














Solving “HS70” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles






Solving “HS72” with “noisy_0.001_mixed-gaussian” feature


History profiles




Maximum constraint violations




Merit function values




Cummin history profiles









Cummin of maximum constraint violations






Cummin of merit function values











History profiles






Cummin history profiles









History profiles






Cummin history profiles






Solving "HS76" with "noisy_0.001_mixed_gaussian" feature




History profiles






Cummin history profiles




















History profiles















Cummin history profiles

















History profiles






Cummin history profiles












Solving “HS86” with “noisy_0.001_mixed.gaussian” feature

History profiles




Cummin history profiles






Solving “HS89” with “noisy_0.001_mixed_gaussian” feature


History profiles




Maximum constraint violations




Merit function values




Cummin history profiles



Cummin of maximum constraint violations






Cummin of merit function values






Solving "HS9" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles



Solving "HS90" with "noisy_0.001_mixed_gaussian" feature




History profiles

Function values






Cummin history profiles

Cummin of function values












Solving "HS91" with "noisy_0.001_mixed_gaussian" feature







History profiles



Cummin history profiles










Solving “HUBFIT” with “noisy_0.001_mixed-gaussian” feature




History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles






Cummin history profiles






Solving “HUESmMOD” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “HUMPS” with “noisy_0.001_mixed-gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles









History profiles




Cummin history profiles






History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles






Cummin history profiles






Solving “JUDGEB” with “noisy_0.001_mixed.gaussian” feature

History profiles




Cummin history profiles



Solving “KIRBY2LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles




Cummin of function values






History profiles






Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “LANCZOS2LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “LANCZOS3LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “LEVY MONT” with “noisy_0.001_mixed.gaussian” feature




History profiles






Cummin history profiles



History profiles




Cummin history profiles




Solving "LEVYMONT6" with "noisy_0.001_mixed_gaussian" feature


History profiles




Maximum constraint violations




Merit function values




Cummin history profiles



Cummin of maximum constraint violations






Cummin of merit function values






Solving "LEVYMONT7" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






Solving “LEVY MONT8” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “LIARWHD” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "LIN" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “LOGHAIRY” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “LOGROS” with “noisy_0.001_mixed.gaussian” feature


History profiles




Maximum constraint violations




Merit function values shifted above by 2.22 x 10^-16




Cummin history profiles









Cummin of maximum constraint violations




Cummin of merit function values shifted above by 2.22 x 10^-16






History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “LSC2LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "LSNNODOC" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles



Solving “LSQFIT” with “noisy_0.001_mixed_gaussian” feature




History profiles

Function values



Cummin history profiles




Cummin of function values



Solving "LUKVLE1" with "noisy_0.001_mixed_gaussian" feature




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "LUKVLE10" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles












Solving "LUKVLE11" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles








Solving "LUKVLE2" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






Solving "LUKVLE3" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






Solving "LUKVLE4" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






Solving "LUKVLE4C" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles







Solving "LUKVLE6" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles








Solving “LUKVLE9” with “noisy_0.001_mixed_gaussian” feature




History profiles






Cummin history profiles















History profiles















Cummin history profiles

































Solving “LUKVLI3” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles












Solving “LUKVL14” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles








Solving “LUKVL16” with “noisy_0.001_mixed_gaussian” feature




History profiles






Cummin history profiles






History profiles






Cummin history profiles















History profiles






Cummin history profiles
















History profiles



Cummin history profiles






Solving “MANCINO” with “noisy_0.001_mixed_gaussian” feature


History profiles


Function values



Cummin history profiles

Cummin of function values






Solving “MARATOSB” with “noisy_0.001_mixed_gaussian” feature


History profiles


Function values



Cummin history profiles


Cummin of function values






History profiles

Function values




Maximum constraint violations

Maximum constraint violations




Merit function values

Merit function values




Cummin history profiles

Cummin of function values




Cummin of maximum constraint violations

Cummin of maximum constraint violations




Cummin of merit function values


Cummin of merit function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “MGH09LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “MGH10LS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “MGH10SLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “MGH17SLS” with “noisy_0.001_mixed_gaussian” feature


History profiles


Function values










Cummin history profiles







Cummin of function values













Solving “MISRA1ALS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “MISRA1BLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “MISRA1DLS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “MODBEALE” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles






Cummin history profiles






Solving "MWRIGHT" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “NONCVXU2” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “NONDIA” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving “NOZZLEfp” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles






Solving "ODFITS" with "noisy_0.001_mixed.gaussian" feature

History profiles




Cummin history profiles




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “OSCIGRAD” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “OSCIPTH” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles






Cummin history profiles






Solving "PALMER1A" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles



Solving "PALMER1B" with "noisy_0.001_mixed_gaussian" feature




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “PALMER1C” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "PALMER1D" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values









Cummin of maximum constraint violations






Cummin of merit function values






Solving "PALMER2" with "noisy_0.001_mixed.gaussian" feature



History profiles




Cummin history profiles




History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values




Solving "PALMER2C" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






Solving "PALMER2E" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “PALMER3” with “noisy_0.001_mixed_gaussian” feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations






Cummin of merit function values



Solving "PALMER3A" with "noisy_0.001_mixed_gaussian" feature




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "PALMER3B" with "noisy_0.001_mixed_gaussian" feature


History profiles




Maximum constraint violations




Merit function values




Cummin history profiles



Cummin of maximum constraint violations




Cummin of merit function values



Solving "PALMER3C" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles






Cummin history profiles



Solving "PALMER4" with "noisy_0.001_mixed_gaussian" feature




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER4A" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "PALMER4C" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values






Cummin history profiles




Cummin of function values






History profiles






Cummin history profiles






History profiles






Cummin history profiles



History profiles




Cummin history profiles



Solving “PALMER5C” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PALMER5E" with "noisy_0.001_mixed_gaussian" feature




History profiles






Cummin history profiles



History profiles




Cummin history profiles




Solving “PALMER6C” with “noisy_0.001_mixed_gaussian” feature

History profiles






Cummin history profiles






Solving “PALMER6E” with “noisy_0.001_mixed_gaussian” feature




History profiles






Cummin history profiles



History profiles




Cummin history profiles



Solving “PALMER7C” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values






Cummin history profiles




Cummin of function values



History profiles




Cummin history profiles




Solving "PALMER8A" with "noisy_0.001_mixed_gaussian" feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values



Solving "PALMER8C" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values



Solving "PENALTY1" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "PENALTY2" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values






Cummin history profiles




Cummin of function values






History profiles






Cummin history profiles






History profiles






Cummin history profiles



History profiles






Cummin history profiles






Solving “PFIT3LS” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles












Solving “PFIT4LS” with “noisy_0.001_mixed.gaussian” feature


History profiles






Cummin history profiles













History profiles






Cummin history profiles



History profiles




Function values shifted above by 6.24×10^5 Maximum constraint violations shifted above by 2.22×10^{-16} Merit function values shifted above by 2.22×10^{-16} 

Cummin history profiles




Cummin of function values shifted above by 6.24×10^5 Cummin of maximum constraint violations shifted above by 2.22×10^{-16} Cummin of merit function values shifted above by 2.22×10^{-16} 

Solving “PORTSNQP” with “noisy_0.001_mixed-gaussian” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "POWELLSQLS" with "noisy_0.001_mixed-gaussian" feature

History profiles




Cummin history profiles



Solving “POWER” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "PRICE3B" with "noisy_0.001_mixed.gaussian" feature

History profiles






Cummin history profiles






Solving "PRICE4B" with "noisy_0.001_mixed-gaussian" feature

History profiles






Cummin history profiles






Solving “PSPDOC” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “QING” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “QINGB” with “noisy_0.001_mixed_gaussian” feature

History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values



Cummin of maximum constraint violations




Cummin of merit function values



Solving “QUARTC” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles




History profiles


Function values



Maximum constraint violations




Merit function values




Cummin history profiles


Cummin of function values




Cummin of maximum constraint violations






Cummin of merit function values








History profiles




Cummin history profiles




Solving “RECIPELS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving "ROSENBR" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving "ROSENBRTU" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values






Cummin history profiles




Cummin of function values




History profiles




Cummin history profiles







History profiles




Cummin history profiles






History profiles






Cummin history profiles



Solving "S316m322" with "noisy_0.001_mixed_gaussian" feature




History profiles







Function values




Cummin history profiles

Cummin of function values







History profiles




Maximum constraint violations




Merit function values




Cummin history profiles



Cummin of maximum constraint violations




Cummin of merit function values




Solving “SBRYBND” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "SCOSINE" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving "SCURLY10" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles


Cummin of function values






History profiles






Cummin history profiles



History profiles






Cummin history profiles







Solving “SIMBQP” with “noisy_0.001_mixed.gaussian” feature

History profiles






Cummin history profiles








Solving "SIMPLLPB" with "noisy_0.001_mixed.gaussian" feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "SINQUAD" with "noisy_0.001_mixed_gaussian" feature



History profiles



Cummin history profiles




Solving “SINQUAD2” with “noisy_0.001_mixed_gaussian” feature


History profiles
Function valuesCummin history profiles
Cummin of function values

Solving “SISSER” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving "SISSER2" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles






Cummin history profiles






Solving "SNAKE" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving “SPARSINE” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles






Cummin history profiles












Solving "SPINOP" with "noisy_0.001_mixed_gaussian" feature

History profiles



Cummin history profiles






Solving “SSBRYBND” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “SSI” with “noisy_0.001_mixed_gaussian” feature


History profiles







Function values




Cummin history profiles

Cummin of function values









History profiles






Cummin history profiles



History profiles




Cummin history profiles





Solving "STRTCHDV" with "noisy_0.001_mixed_gaussian" feature







History profiles



Cummin history profiles









History profiles

Function values




Cummin history profiles

Cummin of function values




History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "TQUARTIC" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “TRIDIA” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving "TRIGON2" with "noisy_0.001_mixed_gaussian" feature


History profiles







Function values



Cummin history profiles




Cummin of function values








Solving "TWOBARS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving “VARDIM” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “VESUVIALS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles




History profiles

Function values




Cummin history profiles

Cummin of function values





Solving “VIBRBEAM” with “noisy_0.001_mixed_gaussian” feature

History profiles



Cummin history profiles






Solving "WAYSEA1" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values






Cummin history profiles

Cummin of function values






Solving "WAYSEA1B" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles






Solving "WAYSEA2B" with "noisy_0.001_mixed_gaussian" feature

History profiles






Cummin history profiles












Solving “WEEDS” with “noisy_0.001_mixed_gaussian” feature

History profiles



Cummin history profiles








Solving “YFIT” with “noisy_0.001_mixed_gaussian” feature




History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles






History profiles






Cummin history profiles















History profiles









Cummin history profiles










History profiles



Cummin history profiles

