

RK3229 Multimedia Codec Benchmark

Ver. 1.0

March 22, 2016



Index

Inde	ex	2 -
Hist	tory	3 -
Not	tice	4 -
1. lı	mage	5 -
	1.1 Image Decoder	5 -
	1.2 Image Encoder	6 -
2.	Audio	7 -
	2.1 Audio Decoder	7 -
	2.2 Audio Encoder	9 -
3. √	/ideo	10 -
	3.1 Video Decoder	10 -
	3.2 Video Encoder	13 -



History

Date	Author	Version	Description
2016.3.22	Herman Chen	1.0	Initialize all descriptions





Notice

All the data involved in this document will be in accordance with the development progress and possible changes without notice.

The features listed in this document may or may not be present in actual product, and may be subject to the third party licensing requirements. Please contact Rockchip for actual product feature configurations and licensing requirements.





1. Image

1.1 Image Decoder

JPE	G
Image Codec	JFIF file format 1.02
Support Image Size	48x48pixels to 8176x8176pixles
Container	JPG, JPEG
	(1) Not Support Non-interleaved Scan
Remarks	(2) Software support SRGB JPEG
	(3) Software support Adobe RGB JPEG
BMI	P
Image Codec	BMP
Support Image Size	No Restriction ¹
Container	BMP
Remarks	n.a.
GIF	
Image Codec	GIF
Support Image Size	No Restriction
Container	GIF
Remarks	n.a.
PNO	3
Image Codec	PNG
Support Image Size	No Restriction
Container	PNG
Remarks	n.a.
WEB	BP
Image Codec	WEBP
Support Image Size	No Restriction
Container	WEBP
Remark	n.a.
Container	WEBP

¹ Limited by actual memory available



1.2 Image Encoder

	JPEG
Image Codec	JPEG Baseline
Support Image Size	96x32pixels to 8176x8176pixles
Maximum Data Rate ²	90Mpixels/Second
File Format	JFIF file format 1.02
Remarks	



- 6 -

² Ideal case



2. Audio

2.1 Audio Decoder

	MPEG Audio
Audio Codec	MPEG1/2/2.5 Audio Layer1/2/3
Channel	2
Bit rate	8kbps~320Kbps, CBR and VBR
Sampling rate	8KHZ~48KHz
File Format	MP1, MP2, MP3
Remarks	n.a
	Windows Media Audio
Audio Codec	WMA Version 4,4.1, 7, 8, 9, wmapro
Channel	2
Bit rate	8kbps~320Kbps
Sampling rate	8KHZ~48KHz
File Format	WMA
Remarks	Non-support WMA Pro \ lossless and MBR
	400
	WAV Audio
Audio Codec	MS-ADPCM, IMA-ADPCM, PCM
Channel	2
Bit rate	n.a
Sampling rate	8KHZ~48KHz
File Format	WAV
Remarks	Support 4bit MS-ADPCM,IMA-ADPCM
	OGG Audio
Audio Codec	Q1~ Q10
Channel	2
Bit rate	n.a
Sampling rate	8KHZ~48KHz
File Format	OGG, OGA
Remarks	n.a
	FLAC Audio
Audio Codec	Compress Level 0~8
Channel	2
Bit rate	n.a



瑞芯微电子	ROCKCHIP CO. LTD.
Sampling rate	8KHZ~48KHz
File Format	FLAC
Remarks	n.a
AA	C Audio
Audio Codec	ADIF ,ATDS Header AAC-LC and
Audio Codec	AAC-HE, AAC-ELD
Channel	5.1
Bit rate	n.a
Sampling rate	8KHZ~48KHz
File Format	AAC, M4A
Remarks	n.a
AM	R Audio
Audio Codec	AMR-NB, AMR-WB
Channel	1
Bit rate	AMR-NB 4.75~12.2kbps@8kHz
	AMR-WB 6.60~23.85kbps@16kHz
Sampling rate	8KHZ, 16KHz
File Format	3GP
Remarks	n.a
MIC	I Audio
	MIDI Type 0 and 1, DLS version 1 and 2,
Audio Codec	XMF and Mobile XMF, RTTTL/RTX, OTA,
	iMelody
Channel	2
Bit rate	n.a
Sampling rate	n.a
File Format	XMF, MXMF, RTTTL, RTX, OTA, IMY
Remarks	n.a



2.2 Audio Encoder

	AMR Audio
Audio Codec	AMR-NB, AMR-WB
Channel	2
Bit rate	4.75kbps~12.2Kbps, CBR
Sampling rate	8KHZ, 16KHZ
Container	3GPP
Remarks	n.a

AAC Audio

Audio Codec	AAC-ADTS-LC
Channel	1
Bit rate	4.75kbps~60Kbps, CBR
Sampling rate	8KHZ~44.1KHZ
Container	AAC, 3GPP, Mpeg2TS
Remarks	n.a
ROCKONIK	



3. Video

3.1 Video Decoder

	MPEG-1/2
Video Codec	MPEG-1/2
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	·
Maximum Bit Rate ¹	30fps
File Format	80Mbps DAT, MPG, VOB, TS
Remarks	Support Field Coding
	MPEG-4
Video Codec	MPEG4
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	38.4Mbps
File Format	AVI, MKV, MP4, MOV, 3GP
	Not support MS MPEG4 v1/v2/v3
Remarks	Not support GMC
	0
	H.264/AVC
Video Codec	H.264
Supported Image Size	48x48pixels to 4096x2304pixels
Maximum Frame Rate	2304p@60fps
Maximum Bit Rate	150Mbps
File Format	AVI, MKV, MP4, MOV, 3GP, TS, FLV
Remarks	 Support Field Coding;
Nemarks	Support MBAFF
\".\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	MVC
Video Codec	H.264 MVC
Supported Image Size	48x48pixels to 4096x2304pixels
Maximum Frame Rate	2304p@60fps
Maximum Bit Rate	150Mbps
File Format	MKV, TS
Remarks	Support Stereo High Profile only
	H.265/HEVC
Video Codos	
Video Codec	H.265/HEVC



瑞芯微电子	ROCKCHIP CO. LTD.
Supported Image Size	64x64pixels to 4096x2304pixels
Maximum Frame Rate	2304p@60fps
Maximum Bit Rate	150Mbps
File Format	MKV, MP4, MOV, TS
D	Support Main Profile & Main10 Profile
Remarks	Support Tile & Slice
	GOOGLE VP8
Video Codec	VP8
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	38.4Mbps
File Format	WEBM,MKV
Remarks	·
	GOOGLE VP9
Video Codec	VP9
Supported Image Size	48x48pixels to 4096x2304pixels
Maximum Frame Rate	2304p@60fps
Maximum Bit Rate	150Mbps
File Format	WEBM,MKV
Remarks	10
	-0
	H.263
Video Codec	H.263
	SQCIF(128x96), QCIF(176x144),
Supported Image Size	CIF(352x288),4CIF(704x576)
Maximum Frame Rate	30fps
Maximum Bit Rate	38.4Mbps
File Format	3GP, MOV, MP4
Remarks	Not support H.263+
	VC-1
Video Codec	VC-1
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	45Mbps
File Format	WMV, ASF, TS, MKV, AVI
Remarks	
	MOTION JPEG
Video Codec	MJPEG
Supported Image Size	48x48pixels to 1920x1088pixels
	<u> </u>





Maximum Frame Rate	30fps
Maximum Bit Rate	38.4Mbps
File Format	AVI
Remarks	





3.2 Video Encoder

	H.264/AVC
Video Codec	H.264
Supported Image Size	144x96pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	20Mbps
File Format	MOV, 3GP
Remarks	 Not support MBAFF

VP8	
Video Codec	VP8
Supported Image Size	96x96pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	10Mbps
File Format	WEBM
Remarks	
¹ Ideal case.	

¹ Ideal case.