Source This example is from (2.9.17) of [KS04]:

$$H_{q+1,p}^{p,1}\left(z \,\middle|\, \begin{matrix} (1,1),(b_j,1)_{1,q} \\ \\ (a_i,1)_{1,p} \end{matrix}\right) = E(a_1,\cdots,a_p;b_1,\cdots,b_q;z)$$

Notes: $E(a_1,\cdots,a_p;b_1,\cdots,b_q;z)$ is the MacRobert E-function(see [Erd+81], Section 5.2).

$$_pF_q(a_1,\ldots,a_p;b_1,\ldots,b_q;z) = \sum_{n=0}^{\infty} \frac{(a_1)_n\cdots(a_p)_n}{(b_1)_n\cdots(b_q)_n}\frac{z^n}{n!},$$

where $(a)_n$denotes the Pochhammer symbol, which represents the rising factorial $\frac{\Gamma(a+n-1)}{\Gamma(a)} = a(a+1)(a+2)(a+n{-}1)a(a+1)(a+2)(a+n{-}1)$ for $n > 0$, and $(a)_0 = 1$.
The MacRobert E-function is an generalization of the generalized hypergeometric series

$$_pF_q(a_1,\ldots,a_p;b_1,\ldots,b_q;z) = \sum_{n=0}^{\infty} \frac{(a_1)_n\cdots(a_p)_n}{(b_1)_n\cdots(b_q)_n}\frac{z^n}{n!},$$

for the case of $p > q+1$, when the generalized hypergeometric series diverges for any $x \neq 0$. For $p \leq q+1$ we have

$$E\left(p;a_r:q;\rho_s:x\right) = \frac{\Gamma\left(a_1\right)\cdots\left(a_p\right)}{\Gamma\left(\rho_1\right)\cdots\left(\rho_q\right)} \times {}_pF_q\left(a_1,\ldots,a_p;\rho_1,\ldots,\rho_q;-1/x\right)$$

where $x \neq 0$ if $p < q$ and $|x| > 1$ if $p = q+1$.
For $p \geq q+1$ we have

$$\begin{aligned} E\left(p;a_r:q;\rho_s:x\right) &= \sum_{r=1}^{p} \frac{\prod_{s=1,s\neq r}^{p}\Gamma\left(a_s-a_r\right)}{\prod_{t=1}^{q}\Gamma\left(\rho_t-a_r\right)}\Gamma\left(a_r\right)x^{a_r} \\ &\times_{q+1}F_{p-1}[a_r,a_r-\rho_1+1,\ldots,a_r-\rho_q+1; \\ &a_r-a_1,\ldots,a_r-a_{r-1}+1,a_r-a_{r+1}+1,\ldots,a_r-a_p+1;(-1)^{p+q}x] \end{aligned}$$

where $a_r \neq 0,-1,-2\ldots$
The MacRobert E-function can also be represented as a paricular case of Meijer G-function.

$$E\left(p;a_r:q;\rho_s:x\right) = G_{q+1,p}^{p,1}\left(x \,\middle|\, \begin{matrix} 1,\beta_1,\ldots,\beta_q \\ \\ a_1,\ldots,a_p \end{matrix}\right)$$

References

[Erd+81] Arthur Erdélyi, Wilhelm Magnus, Fritz Oberhettinger, and Francesco G. Tricomi. *Higher transcendental functions. Vol. I.* Based on notes left by Harry Bateman, Reprint of the 1953 original. Robert E. Krieger Publishing Co., Inc., Melbourne, Fla., 1981, pp. xviii+396. ISBN: 0-89874-069-X.

[KS04] Anatoly A. Kilbas and Megumi Saigo. *H-transforms.* Vol. 9. Analytical Methods and Special Functions. Theory and applications. Chapman & Hall/CRC, Boca Raton, FL, 2004, pp. xii+389. ISBN: 0-415-29916-0. DOI: `10.1201/9780203487372`. URL: `https://doi.org/10.1201/9780203487372`.