Financial Mathematics

MATH 5870/6870¹ Fall 2021

Le Chen

lzc0090@auburn.edu

Last updated on

Auburn University
Auburn AL

¹Based on Robert L. McDonald's *Derivatives Markets*. 3rd Ed. Pearson. 2013.

Chapter 10. Binomial Option Pricing: Basic Concepts

Chapter 10. Binomial Option Pricing: Basic Concepts

- § 10.1 A one-period Binomial tree
- § 10.2 Constructing a Binomial tree
- § 10.3 Two or more binomial periods
- § 10.4 Put options
- § 10.5 American options
- § 10.6 Options on other assets
- § 10.7 Problems

Chapter 10. Binomial Option Pricing: Basic Concepts

- § 10.1 A one-period Binomial tree
- § 10.2 Constructing a Binomial tree
- § 10.3 Two or more binomial periods
- § 10.4 Put options
- § 10.5 American options
- § 10.6 Options on other assets
- § 10.7 Problems

At each node we use the following formula to compute the price:

$$P(S,K,t) = \max \left(K - S, e^{-th} \left[P(uS,K,t+h)p^* + P(dS,K,t+h)(1-p^*)\right]\right)$$

$$p^* = \frac{e^{(r-\delta)h} - d}{u - d}$$

FIGURE 10.7

Binomial tree for pricing an American put option; assumes S = \$41.00, K = \$40.00, $\sigma = 0.30$, r = 0.08, T = 1.00 years, $\delta = 0.00$, and h = 0.333. At each node the stock price, option price, Δ , and B are given. Option prices in **bold italic** signify that exercise is optimal at that node.

