

# Math 362: Mathematical Statistics II

Le Chen

le.chen@emory.edu  
chenle02@gmail.com

Emory University  
Atlanta, GA

Last updated on Spring 2021  
Last compiled on January 15, 2023

2021 Spring

Creative Commons License  
(CC By-NC-SA)

# Chapter 10. Goodness-of-fit Tests

§ 10.1 Introduction

§ 10.2 The Multinomial Distribution

§ 10.3 Goodness-of-Fit Tests: All Parameters Known

§ 10.4 Goodness-of-Fit Tests: Parameters Unknown

§ 10.5 Contingency Tables

# Chapter 10. Goodness-of-fit Tests

## § 10.1 Introduction

## § 10.2 The Multinomial Distribution

## § 10.3 Goodness-of-Fit Tests: All Parameters Known

## § 10.4 Goodness-of-Fit Tests: Parameters Unknown

## § 10.5 Contingency Tables




Statistics is the grammar of science.

(Karl Pearson)

izquotes.com

1. Karl Pearson, 1857 – 1936.
2. English mathematician and biostatistician.
3. He has been credited with establishing the discipline of mathematical statistics
4. Method of moments; p-Value; Chi-square test; Foundations of statistical hypothesis testing theory; principle component analysis ...

## Pearson's chi-squared test in one shot



$$\chi^2 = \sum \frac{(\text{Observed} - \text{Expected})^2}{\text{Expected}} \sim \text{Chi Square of } df$$

$df$  = numer of classes – number of estimated parameters – 1

All expected  $\geq 5$