1. Point 12: Use a multi-step procedure leading to a mathematical solution, conclusion or generalisation

- **Highly Relevant**: This problem requires first determining the sales decline trend from the graph (from February to June), estimating the rate or pattern of decline, and then extrapolating to predict July sales. This is a classic multi-step process: **observe data → identify trend → establish extrapolation rule → calculate forecast**.
- **Concrete Manifestation**: Students need to first read the graph, judge whether the decline is roughly linear or follows another pattern, estimate the monthly decrease, and finally apply it to June's data to predict July.

---

2. Point 2: Select an appropriate strategy from a list

- **Relevant**: Although the problem does not explicitly list different strategies, students must choose a forecasting method on their own, such as **linear extrapolation** (assuming a fixed monthly decrease) or **proportional decline**, etc. The wide range of answer options (70–1340) indicates that the correct answer requires reasonable estimation.
- **Concrete Manifestation**: Students must judge which estimation method best matches the graphical trend and select a plausible value from the options.

---

3. Point 1: Perform a simple calculation

- **Relevant**: Once an estimation method is chosen (e.g., decrease of about 200 CDs per month), a simple calculation is needed: subtract the decrease from June's sales to get July's forecast.
- **Concrete Manifestation**: For example, if June sales are approximately 900 and the monthly decrease is 200, then July sales would be about 700, corresponding to option C (670 CDs).

4. Point 13: Use an understanding of the context to guide or expedite the mathematical solving process

- **Relevant**: The problem mentions that "the manager is worried because sales decreased," so the trend should be a continued decline, not a recovery. From the graph, the decline appears roughly steady, so students can use this context to justify approximating with a **linear decline**.
- **Concrete Manifestation**: There's no need for complex curve fitting; simple linear extrapolation is sufficient, and the answer should be close to 670 rather than 1340 (increase) or 70 (steep drop).

5. Point 10: Make sense of, relate and use a variety of representations when interacting with a problem

- **Relevant**: Students must extract data from the line graph (a visual representation), convert it into a numerical trend, and build a simple model (e.g., a linear function) for prediction.
- **Concrete Manifestation**: Interpreting the line graph, translating it into monthly sales numbers, and performing numerical extrapolation based on that.

---

6. Point 4: Make mathematical diagrams, graphs, constructions or computing artifacts

- **Relevant**: Although not required to draw a new graph, students may need to **mentally or on scratch paper extend the trend line** to aid extrapolation.
- **Concrete Manifestation**: Imagining the decline line from February to June extended to July and estimating where it meets the vertical axis.

---

7. Point 14: Make generalisations based on the results of applying mathematical procedures to find solutions

- **Relevant**: Generalizing from the existing 5 months of data to a rule such as “decreases by about X per month,” and applying this rule to a new month (July). This is a generalization and extrapolation based on observed patterns.
- **Concrete Manifestation**: Summarizing the average monthly decrease and assuming it continues in July.

8. Point 7: Manipulate numbers, graphical and statistical data and information

- **Relevant**: Involves reading data from the graph (vertical coordinate values) and performing simple arithmetic operations.
- **Concrete Manifestation**: Taking sales values for February and June from the graph, calculating the total decrease, dividing by the number of months to get the average monthly decrease.

1. 第 12 点：Use a multi-step procedure leading to a mathematical solution, conclusion or generalisation

- **高度相关**：此题需要先根据图表（从2月到6月）判断销量下降的趋势，估计下降的速度或规律，再外推预测7月的销量。这是一个典型的多步骤过程：**观察数据 → 识别趋势 → 建立外推规则 → 计算预测值。**
- **具体体现**：学生需要先看图，判断大致是线性下降还是其他趋势，然后估算每月减少量，最后应用到6月数据上来预测7月。

---

2. 第 2 点：Select an appropriate strategy from a list

- **相关**：虽然题中未明确列出不同策略，但学生必须自己选择一种预测方法，例如：**线性外推**（假设每月减少固定数量）还是**按比例下降**等。从四个选项的数值差异可以看出，正确答案需要通过估算得出。
- **具体体现**：选项跨度大（70–1340），学生需要判断哪种估算方式与图表趋势最匹配，并选出合理值。

---

3. 第 1 点：Perform a simple calculation

- **相关**：一旦选定估算方法（例如：每月约减少 200 张），就要进行计算：从6月销量减去减少量得到7月预测值。
- **具体体现**：例如，若6月销量约 900，每月减少 200，则7月销量约为 700，对应选项 C（670 CDs）。

---

4. 第 13 点：Use an understanding of the context to guide or expedite the mathematical solving process

- **相关**：题目提到“经理担心销量下降”，因此趋势应是持续下降，不能假设回升。从图表可看出下降大致均匀，学生可以利用这一背景判断用**线性下降**来近似是合理的。
- **具体体现**：不必复杂拟合，用简单直线外推即可，且答案应接近 670 而非 1340（上升）或 70（暴跌）。

5. 第 10 点：Make sense of, relate and use a variety of representations when interacting with a problem

- **相关**：学生要从折线图这种视觉表示中提取数据，转化为数字趋势，并建立简单模型（如一次函数）来预测。
- **具体体现**：看懂折线图，转化为每月销量数字，据此进行数值推算。

---

6. 第 4 点：Make mathematical diagrams, graphs, constructions or computing artifacts

- **相关**：虽然不需要画新图，但学生可能需要**在脑海中或草稿上画出延长趋势线**来帮助外推。
- **具体体现**：想象将 2 月至 6 月的下降线延长到 7 月，并估计与纵轴的交点。

---

7. 第 14 点：Make generalisations based on the results of applying mathematical procedures to find solutions

- **相关**：从已有的 5 个月数据归纳出“每月大约减少某个值”的规律，并将此规律应用到新的月份（7月），这是一种基于数据规律的概括与外推。
- **具体体现**：总结出平均月减少量，并假设该规律在7月继续成立。

---

8. 第 7 点：Manipulate numbers, graphical and statistical data and information

- **相关**：涉及从图表读取数据（纵坐标值），并进行简单的算术操作。
- **具体体现**：从图中取 2 月与 6 月的销量，计算总减少量，再除以月数得到月均减少量。