

Starting loop...

From $h = 3$ and $b = 0$:

All possible states (or edges):

Number of states (or edges):

1

All states (or edges) values:

0 0 0

From $h = 3$ and $b = 1$:

All possible states (or edges):

1

2

3

Number of states (or edges):

3

All states (or edges) values:

1 0 0

0 1 0

0 0 1

From $h = 3$ and $b = 2$:

All possible states (or edges):

1 2

1 3

2 3

Number of states (or edges):

3

All states (or edges) values:

1 1 0

1 0 1

0 1 1

From $h = 3$ and $b = 3$:

All possible states (or edges):

1 2 3

Number of states (or edges):

1

All states (or edges) values:

1 1 1

State values merged:

0 0 0

1 0 0

0 1 0

0 0 1

1 1 0

1 0 1

```

0      1      1
1      1      1

```

P1 Run OK

Transition matrix merged, with their probs.:

```

0.5000      0      0      0.5000      0      0      0      0
0.5000      0      0      0.5000      0      0      0      0
0      0.5000      0      0      0      0.5000      0      0
0      0      0.5000      0      0      0      0.5000      0
0      0.5000      0      0      0      0.5000      0      0
0      0      0.5000      0      0      0      0.5000      0
0      0      0      0      0.5000      0      0      0.5000
0      0      0      0      0.5000      0      0      0.5000

```

Row sums (should all be 1, otherwise check that row's probs:

```

1
1
1
1
1
1
1
1
1
1

```

P2 Run OK

Eigenvalues:

```

0.0000 + 0.0000i
1.0000 + 0.0000i
-0.0000 - 0.0000i
-0.0000 + 0.0000i
-0.0000 + 0.0000i
-0.0000 + 0.0000i
0.0000 + 0.0000i
-0.0000 + 0.0000i
-0.0000 + 0.0000i

```

Selected eigenvector column: 2

```

Stationary distribution (v): 0.1250 0.1250 0.1250 0.1250 0.1250 0.1250
0.1250 0.1250

```

```

Double checking (v * P = v:) v: 0.1250 0.1250 0.1250 0.1250 0.1250 0.1250
0.1250 0.1250 0.1250

```

```

v * P: 0.1250 0.1250 0.1250 0.1250 0.1250 0.1250 0.1250 0.1250

```

Difference (should be close to 0): 0.0000000000

-> v IS the stationary distribution

P3 Run OK

For h=3

Starting from State (p0(1)):

Starting state:

```

1

```

Visit counts set to 0.-

Observed distribution after 1000000 steps:

0.1245	0.1250	0.1250	0.1250	0.1251	0.1251	0.1251	0.1253
--------	--------	--------	--------	--------	--------	--------	--------

Theoretical stationary distribution:

0.1250	0.1250	0.1250	0.1250	0.1250	0.1250	0.1250	0.1250
--------	--------	--------	--------	--------	--------	--------	--------

Difference after 1000000 steps and 0.0006425512

Starting from State ($p_0(8)$):

Starting state:

8

Visit counts set to 0.-

Theoretical stationary distribution:

0.1250	0.1250	0.1250	0.1250	0.1250	0.1250	0.1250	0.1250
--------	--------	--------	--------	--------	--------	--------	--------

Difference after 1000000 steps and 0.0009415413

P4 RUN OK

Correctly saved

>>