

WL-Distance Experiment Tables: Published vs. Corrected Rerun

Snapshot: 2026-09-10 18:06 UTC

Objective. Place the accepted-manuscript results directly beside the current rerun results so every numerical change can be checked cell by cell. **Setup.** Values are mean $\pm$ standard deviation in percentage points. Each dataset has a published column (P) followed by a light-blue rerun column (R). **Method.** Published cells are transcribed from the 1NN and SVM tables in the canonical camera-ready source; rerun cells come from the synchronized completed summaries. The rerun’s K rows use the full-rank Algorithm 1 KSVM and the corrected $f_2(G, v) = \text{degree}_G(v) + 1/|V_G|$. **Key results.** All 119 1NN cells and all 245 SVM/KSVM cells are complete. Bold marks the highest mean independently in every published and rerun column, with all ties bolded. **Output paths.** Data/provenance: tmp/wl-distance-loosli-ksvm-2026-09-09/partial_results. PDF: output/pdf/wl_distance_original_vs_rerun_tables_2026-09-10.pdf.

1-Nearest Neighbor accuracy: published versus rerun. For each dataset, P is the value in the accepted manuscript and R is the corrected rerun value. Bold marks the highest completed mean independently in every P and R column; ties are all bold.

Method	MUTAG		PROTEINS		PTC-FM		PTC-MR		IMDB-B		IMDB-M		COX2	
	P	R	P	R	P	R	P	R	P	R	P	R	P	R
$d_{\text{WL}}^{(1)}, f_1$	90.5 $\pm$ 6.5	91.6 $\pm$ 7.9	61.8 $\pm$ 4.3	62.2 $\pm$ 4.0	60.0 $\pm$ 8.5	60.0 $\pm$ 10.2	53.9 $\pm$ 7.1	54.0 $\pm$ 5.8	70.1 $\pm$ 4.7	70.5 $\pm$ 5.9	41.1 $\pm$ 3.9	38.7 $\pm$ 4.7	73.8 $\pm$ 3.6	72.6 $\pm$ 2.9
$d_{\text{WL}}^{(2)}, f_1$	92.1 $\pm$ 6.3	92.1 $\pm$ 7.5	60.8 $\pm$ 4.4	60.3 $\pm$ 3.9	62.2 $\pm$ 7.4	61.1 $\pm$ 8.9	56.2 $\pm$ 6.3	56.3 $\pm$ 4.1	69.9 $\pm$ 4.2	71.9 $\pm$ 4.7	41.1 $\pm$ 4.7	40.3 $\pm$ 6.1	74.2 $\pm$ 4.5	74.5 $\pm$ 4.8
$d_{\text{WL}}^{(3)}, f_1$	91.1 $\pm$ 4.3	91.6 $\pm$ 6.3	60.8 $\pm$ 3.5	60.7 $\pm$ 3.3	59.4 $\pm$ 8.2	59.4 $\pm$ 8.7	54.0 $\pm$ 7.7	56.6 $\pm$ 7.1	69.4 $\pm$ 3.9	70.4 $\pm$ 4.9	41.0 $\pm$ 4.8	38.9 $\pm$ 3.7	74.2 $\pm$ 3.9	75.1 $\pm$ 3.6
$d_{\text{WL}}^{(4)}, f_1$	90.1 $\pm$ 4.8	92.6 $\pm$ 5.4	63.0 $\pm$ 3.8	62.9 $\pm$ 3.6	59.1 $\pm$ 8.3	58.3 $\pm$ 8.6	54.2 $\pm$ 6.8	56.0 $\pm$ 5.6	70.2 $\pm$ 4.3	71.2 $\pm$ 4.1	41.3 $\pm$ 4.8	38.7 $\pm$ 4.7	76.1 $\pm$ 5.5	75.1 $\pm$ 5.5
$d_{\text{WL}}^{(1)}, f_2$	91.6 $\pm$ 7.1	91.1 $\pm$ 7.8	63.3 $\pm$ 4.4	62.9 $\pm$ 3.8	57.5 $\pm$ 6.0	56.9 $\pm$ 7.5	51.9 $\pm$ 9.3	53.4 $\pm$ 8.3	71.4 $\pm$ 4.5	71.2 $\pm$ 5.5	40.6 $\pm$ 5.3	42.1 $\pm$ 5.3	72.5 $\pm$ 4.5	71.5 $\pm$ 3.8
$d_{\text{WL}}^{(2)}, f_2$	91.1 $\pm$ 5.8	91.6 $\pm$ 5.9	62.4 $\pm$ 3.4	61.8 $\pm$ 3.1	58.2 $\pm$ 8.2	57.4 $\pm$ 8.5	56.2 $\pm$ 7.6	57.1 $\pm$ 6.1	70.4 $\pm$ 4.5	71.5 $\pm$ 3.5	41.6 $\pm$ 4.3	41.1 $\pm$ 2.3	74.0 $\pm$ 4.7	73.2 $\pm$ 4.2
$d_{\text{WL}}^{(3)}, f_2$	91.5 $\pm$ 5.8	92.1 $\pm$ 6.3	63.4 $\pm$ 3.9	63.9 $\pm$ 3.1	58.5 $\pm$ 7.9	58.0 $\pm$ 7.9	53.4 $\pm$ 8.4	57.1 $\pm$ 8.1	71.4 $\pm$ 5.9	70.9 $\pm$ 4.3	40.6 $\pm$ 4.3	41.4 $\pm$ 3.7	74.6 $\pm$ 4.4	75.3 $\pm$ 4.7
$d_{\text{WL}}^{(4)}, f_2$	92.6 $\pm$ 4.8	92.1 $\pm$ 4.2	63.3 $\pm$ 4.9	64.0 $\pm$ 4.1	58.5 $\pm$ 8.0	58.0 $\pm$ 8.4	54.8 $\pm$ 7.9	56.9 $\pm$ 7.9	71.2 $\pm$ 5.1	70.4 $\pm$ 3.1	40.7 $\pm$ 4.8	39.7 $\pm$ 2.1	75.9 $\pm$ 4.9	75.1 $\pm$ 5.0
$d_{\text{WLLB}}^{(1)}, f_1$	87.3 $\pm$ 1.9	91.6 $\pm$ 7.9	64.0 $\pm$ 2.3	61.6 $\pm$ 3.7	62.5 $\pm$ 8.5	60.0 $\pm$ 10.2	57.4 $\pm$ 6.8	54.0 $\pm$ 5.8	69.0 $\pm$ 3.9	69.4 $\pm$ 5.4	40.6 $\pm$ 3.8	38.7 $\pm$ 4.7	75.1 $\pm$ 3.8	72.6 $\pm$ 2.9
$d_{\text{WLLB}}^{(2)}, f_1$	86.8 $\pm$ 3.7	92.1 $\pm$ 7.5	66.2 $\pm$ 2.2	60.3 $\pm$ 4.4	60.0 $\pm$ 8.1	60.0 $\pm$ 8.8	53.4 $\pm$ 6.4	54.9 $\pm$ 6.9	69.4 $\pm$ 3.2	71.8 $\pm$ 4.7	40.1 $\pm$ 3.6	43.5 $\pm$ 6.5	75.1 $\pm$ 3.8	76.0 $\pm$ 4.9
$d_{\text{WLLB}}^{(3)}, f_1$	85.2 $\pm$ 3.5	91.1 $\pm$ 6.2	64.6 $\pm$ 2.2	60.2 $\pm$ 3.5	58.0 $\pm$ 1.1	60.0 $\pm$ 7.0	54.5 $\pm$ 9.1	55.4 $\pm$ 6.8	69.8 $\pm$ 3.3	70.1 $\pm$ 3.9	40.1 $\pm$ 3.9	40.2 $\pm$ 3.7	81.2 $\pm$ 5.3	77.2 $\pm$ 3.8
$d_{\text{WLLB}}^{(4)}, f_1$	84.7 $\pm$ 3.1	92.1 $\pm$ 5.9	65.4 $\pm$ 2.3	60.1 $\pm$ 2.4	58.0 $\pm$ 1.1	60.0 $\pm$ 5.6	52.0 $\pm$ 9.1	54.6 $\pm$ 7.8	69.9 $\pm$ 2.5	71.4 $\pm$ 3.9	40.1 $\pm$ 3.6	40.5 $\pm$ 3.2	80.4 $\pm$ 2.3	78.1 $\pm$ 3.8
$d_{\text{WLLB}}^{(1)}, f_2$	87.3 $\pm$ 2.5	91.1 $\pm$ 7.8	64.7 $\pm$ 1.4	62.9 $\pm$ 3.8	62.5 $\pm$ 7.4	56.9 $\pm$ 7.5	57.8 $\pm$ 6.8	53.4 $\pm$ 8.3	69.0 $\pm$ 3.9	70.3 $\pm$ 6.4	40.4 $\pm$ 3.6	39.6 $\pm$ 4.6	75.5 $\pm$ 3.7	71.5 $\pm$ 3.8
$d_{\text{WLLB}}^{(2)}, f_2$	86.3 $\pm$ 3.6	92.1 $\pm$ 6.3	65.6 $\pm$ 2.2	61.8 $\pm$ 3.8	60.0 $\pm$ 8.1	58.3 $\pm$ 8.5	53.4 $\pm$ 6.4	55.4 $\pm$ 8.3	69.2 $\pm$ 3.2	71.7 $\pm$ 4.6	40.2 $\pm$ 3.6	42.5 $\pm$ 4.6	77.0 $\pm$ 4.9	74.5 $\pm$ 4.9
$d_{\text{WLLB}}^{(3)}, f_2$	85.3 $\pm$ 3.6	92.6 $\pm$ 5.4	64.3 $\pm$ 1.1	63.7 $\pm$ 4.2	58.0 $\pm$ 10.8	59.1 $\pm$ 8.0	54.7 $\pm$ 9.1	56.0 $\pm$ 7.5	69.7 $\pm$ 3.1	70.5 $\pm$ 3.4	40.1 $\pm$ 3.9	42.1 $\pm$ 6.2	80.4 $\pm$ 4.4	77.0 $\pm$ 3.4
$d_{\text{WLLB}}^{(4)}, f_2$	84.7 $\pm$ 3.0	92.1 $\pm$ 5.9	64.8 $\pm$ 1.8	61.6 $\pm$ 3.5	58.0 $\pm$ 10.9	59.1 $\pm$ 7.9	52.0 $\pm$ 9.2	53.1 $\pm$ 7.6	69.4 $\pm$ 2.5	71.1 $\pm$ 2.8	40.2 $\pm$ 3.8	41.2 $\pm$ 4.9	80.4 $\pm$ 4.4	76.6 $\pm$ 4.4
WWL	85.1 $\pm$ 6.5	93.7 $\pm$ 5.2	64.7 $\pm$ 2.8	63.3 $\pm$ 3.5	58.2 $\pm$ 8.5	60.6 $\pm$ 5.8	54.3 $\pm$ 7.9	56.6 $\pm$ 6.0	65.0 $\pm$ 3.3	69.0 $\pm$ 4.3	40.0 $\pm$ 3.3	43.1 $\pm$ 4.5	76.1 $\pm$ 5.6	72.8 $\pm$ 3.5

SVM and KSVM Cell-by-Cell Comparison

P = published; R = corrected rerun ; accuracy in percent.

SVM accuracy: published versus rerun. For each dataset, P is the value in the accepted manuscript and R is the corrected rerun value. K marks KSVM rows. Bold marks the highest completed mean independently in every P and R column; ties are all bold.

Method	MUTAG		PROTEINS		PTC-FM		PTC-MR		IMDB-B		IMDB-M		COX2	
	P	R	P	R	P	R	P	R	P	R	P	R	P	R
$d_{\text{WL}}^{(1)}, f_1$	87.7 ± 6.2	88.2 ± 6.8	71.7 ± 3.3	72.1 ± 4.2	57.6 ± 6.4	58.4 ± 5.7	55.5 ± 4.5	55.8 ± 6.4	74.5 ± 4.1	75.7 ± 2.7	51.3 ± 3.0	51.3 ± 4.6	78.1 ± 0.8	77.5 ± 2.5
$d_{\text{WL}}^{(2)}, f_1$	89.9 ± 6.4	88.7 ± 6.7	71.3 ± 3.3	72.8 ± 4.3	59.3 ± 3.7	58.1 ± 5.0	54.9 ± 6.3	55.5 ± 6.7	75.0 ± 3.0	75.7 ± 3.6	51.4 ± 3.4	51.2 ± 4.4	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WL}}^{(3)}, f_1$	87.6 ± 8.8	87.7 ± 6.5	72.6 ± 3.1	72.7 ± 4.8	59.0 ± 3.7	58.5 ± 5.1	57.8 ± 7.9	54.3 ± 6.9	74.9 ± 5.1	75.9 ± 3.8	51.6 ± 4.0	51.3 ± 4.6	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WL}}^{(4)}, f_1$	87.7 ± 4.1	88.7 ± 6.7	72.4 ± 4.1	72.2 ± 5.1	62.1 ± 3.9	58.7 ± 5.6	56.7 ± 3.7	54.9 ± 6.7	75.9 ± 2.7	76.1 ± 4.0	51.4 ± 3.2	51.1 ± 5.1	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WL}}^{(1)}, f_1, \text{K}$	88.3 ± 4.6	87.2 ± 5.6	72.1 ± 2.6	72.4 ± 4.1	61.0 ± 3.9	58.4 ± 6.5	52.9 ± 7.6	53.8 ± 6.9	75.6 ± 5.1	75.5 ± 3.0	51.4 ± 4.8	51.5 ± 4.4	77.5 ± 2.8	77.5 ± 2.5
$d_{\text{WL}}^{(2)}, f_1, \text{K}$	87.8 ± 5.7	88.2 ± 5.5	72.8 ± 2.4	73.2 ± 3.9	58.1 ± 5.0	58.1 ± 5.9	56.9 ± 5.8	54.0 ± 8.6	74.5 ± 3.4	75.3 ± 4.2	51.4 ± 4.1	51.2 ± 4.4	77.9 ± 1.0	78.2 ± 0.8
$d_{\text{WL}}^{(3)}, f_1, \text{K}$	88.8 ± 6.8	87.7 ± 5.6	72.6 ± 3.7	73.3 ± 4.2	61.3 ± 4.6	59.0 ± 5.7	55.2 ± 6.1	53.5 ± 8.1	75.0 ± 3.8	75.6 ± 4.1	51.8 ± 3.8	51.3 ± 4.6	78.7 ± 1.7	78.2 ± 0.8
$d_{\text{WL}}^{(4)}, f_1, \text{K}$	87.2 ± 5.5	88.2 ± 6.4	73.5 ± 2.3	73.8 ± 4.4	58.1 ± 6.3	58.5 ± 5.1	53.4 ± 6.3	54.1 ± 7.6	73.3 ± 3.7	75.9 ± 4.4	51.2 ± 3.2	51.1 ± 5.0	77.7 ± 1.3	78.2 ± 0.8
$d_{\text{WL}}^{(1)}, f_2$	87.3 ± 8.2	85.5 ± 9.7	71.1 ± 3.2	74.3 ± 4.0	58.7 ± 7.6	60.8 ± 5.4	55.2 ± 5.5	57.2 ± 5.5	74.1 ± 4.1	76.0 ± 2.8	50.5 ± 4.5	51.3 ± 4.8	78.1 ± 0.8	77.5 ± 2.5
$d_{\text{WL}}^{(2)}, f_2$	86.2 ± 7.4	85.0 ± 9.6	73.5 ± 2.8	74.3 ± 4.5	60.2 ± 5.3	59.0 ± 4.6	54.0 ± 6.4	56.1 ± 7.9	75.0 ± 4.5	75.8 ± 3.6	51.4 ± 3.9	50.5 ± 4.3	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WL}}^{(3)}, f_2$	88.8 ± 5.4	84.4 ± 9.5	74.5 ± 2.9	74.5 ± 4.4	61.6 ± 5.3	61.6 ± 6.1	59.2 ± 6.4	56.1 ± 4.6	75.4 ± 5.4	76.2 ± 3.8	50.8 ± 4.0	51.1 ± 4.8	77.0 ± 1.5	78.2 ± 0.8
$d_{\text{WL}}^{(4)}, f_2$	87.2 ± 5.8	85.5 ± 8.2	73.9 ± 3.5	74.4 ± 4.6	60.4 ± 5.1	61.6 ± 6.1	54.3 ± 7.7	56.1 ± 5.2	75.7 ± 3.7	76.1 ± 4.1	50.8 ± 3.2	51.1 ± 4.7	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WL}}^{(1)}, f_2, \text{K}$	88.8 ± 7.9	85.5 ± 8.2	74.3 ± 3.3	73.9 ± 4.1	63.3 ± 2.3	61.1 ± 6.0	60.1 ± 6.3	57.8 ± 8.9	76.2 ± 4.1	75.9 ± 2.7	51.5 ± 3.3	51.3 ± 4.9	78.1 ± 0.8	77.5 ± 2.5
$d_{\text{WL}}^{(2)}, f_2, \text{K}$	87.7 ± 9.4	86.1 ± 8.3	74.5 ± 3.8	73.9 ± 3.7	63.2 ± 5.9	59.6 ± 6.2	54.0 ± 6.6	56.4 ± 7.9	75.8 ± 4.5	75.2 ± 3.9	51.0 ± 3.6	50.8 ± 4.6	78.1 ± 1.7	78.2 ± 0.8
$d_{\text{WL}}^{(3)}, f_2, \text{K}$	86.6 ± 5.9	86.1 ± 8.3	74.2 ± 2.3	74.1 ± 4.1	62.7 ± 7.6	59.0 ± 6.5	58.1 ± 6.1	55.8 ± 6.4	73.9 ± 3.9	75.7 ± 3.9	51.7 ± 3.1	50.9 ± 4.5	79.2 ± 1.8	78.2 ± 0.8
$d_{\text{WL}}^{(4)}, f_2, \text{K}$	88.2 ± 5.3	84.5 ± 7.6	74.0 ± 2.8	74.4 ± 4.3	63.6 ± 7.0	59.3 ± 5.5	56.4 ± 6.9	55.0 ± 7.0	76.1 ± 3.8	75.9 ± 4.3	51.9 ± 3.5	51.3 ± 4.7	78.3 ± 2.5	78.2 ± 0.8
$d_{\text{WLLB}}^{(1)}, f_1$	87.9 ± 5.9	88.2 ± 6.8	68.0 ± 1.3	72.1 ± 4.2	59.6 ± 6.4	58.4 ± 5.7	57.4 ± 8.1	55.8 ± 6.4	74.7 ± 2.5	75.7 ± 2.7	52.0 ± 1.8	51.3 ± 4.6	78.1 ± 0.8	77.5 ± 2.5
$d_{\text{WLLB}}^{(2)}, f_1$	89.4 ± 5.2	87.2 ± 5.6	68.9 ± 1.9	72.2 ± 4.2	58.6 ± 5.7	59.6 ± 7.0	59.0 ± 8.3	54.0 ± 7.4	75.1 ± 2.2	75.6 ± 3.4	50.8 ± 1.6	50.7 ± 4.9	78.1 ± 0.8	77.9 ± 1.3
$d_{\text{WLLB}}^{(3)}, f_1$	90.0 ± 5.6	86.6 ± 6.9	68.6 ± 1.6	72.5 ± 4.6	57.3 ± 6.2	58.7 ± 6.6	58.7 ± 8.1	53.8 ± 6.6	75.2 ± 2.1	76.0 ± 3.3	51.0 ± 1.6	50.7 ± 3.3	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WLLB}}^{(4)}, f_1$	89.4 ± 5.2	86.6 ± 7.1	66.7 ± 2.0	71.6 ± 5.4	58.2 ± 6.1	57.0 ± 5.7	56.6 ± 7.2	53.8 ± 5.8	74.5 ± 2.0	76.1 ± 2.7	50.3 ± 1.4	50.7 ± 4.8	77.5 ± 2.1	78.2 ± 0.8
$d_{\text{WLLB}}^{(1)}, f_1, \text{K}$	88.2 ± 5.7	87.2 ± 5.6	72.0 ± 1.9	72.4 ± 4.1	60.1 ± 4.8	58.4 ± 6.5	54.3 ± 4.8	53.8 ± 6.9	75.7 ± 3.2	75.5 ± 3.0	50.2 ± 3.3	51.5 ± 4.4	78.1 ± 1.9	77.5 ± 2.5
$d_{\text{WLLB}}^{(2)}, f_1, \text{K}$	88.3 ± 10.7	87.2 ± 5.1	70.6 ± 4.3	73.2 ± 4.6	59.3 ± 4.5	59.9 ± 7.0	55.8 ± 8.5	55.5 ± 7.2	75.2 ± 3.6	75.2 ± 3.8	50.6 ± 3.6	50.7 ± 4.9	77.1 ± 2.2	78.2 ± 0.8
$d_{\text{WLLB}}^{(3)}, f_1, \text{K}$	88.8 ± 5.4	87.7 ± 6.9	71.7 ± 2.7	73.0 ± 5.0	58.1 ± 6.6	58.7 ± 6.6	54.6 ± 4.5	54.9 ± 6.8	75.4 ± 3.8	76.1 ± 3.2	50.8 ± 4.1	51.3 ± 4.5	78.1 ± 0.8	77.9 ± 1.3
$d_{\text{WLLB}}^{(4)}, f_1, \text{K}$	87.2 ± 5.8	86.6 ± 5.6	71.6 ± 4.3	72.3 ± 5.6	60.5 ± 5.8	56.7 ± 6.5	52.6 ± 7.6	54.1 ± 5.7	76.5 ± 2.9	76.0 ± 2.8	51.5 ± 3.1	50.9 ± 4.8	78.3 ± 1.1	78.2 ± 0.8
$d_{\text{WLLB}}^{(1)}, f_2$	88.9 ± 4.5	85.5 ± 9.7	70.5 ± 1.0	74.3 ± 4.0	60.5 ± 5.4	60.8 ± 5.4	56.6 ± 8.0	57.2 ± 5.5	75.0 ± 2.5	76.0 ± 2.8	52.0 ± 1.8	51.3 ± 4.8	78.1 ± 0.8	77.5 ± 2.5
$d_{\text{WLLB}}^{(2)}, f_2$	90.0 ± 4.2	85.0 ± 9.6	70.0 ± 1.4	74.0 ± 4.6	58.0 ± 5.6	59.6 ± 4.3	58.5 ± 8.9	57.5 ± 7.1	75.1 ± 2.2	75.9 ± 3.8	50.8 ± 1.6	50.9 ± 4.3	78.1 ± 0.8	77.9 ± 1.3
$d_{\text{WLLB}}^{(3)}, f_2$	90.0 ± 4.2	86.1 ± 8.3	70.3 ± 2.4	73.7 ± 4.3	56.4 ± 6.2	60.2 ± 5.5	58.8 ± 7.8	54.9 ± 5.1	75.2 ± 2.1	75.9 ± 3.6	51.0 ± 1.6	50.3 ± 4.6	77.9 ± 1.3	78.2 ± 0.8
$d_{\text{WLLB}}^{(4)}, f_2$	90.0 ± 4.2	87.1 ± 7.1	70.2 ± 1.8	72.9 ± 5.0	58.3 ± 5.6	59.6 ± 6.5	58.2 ± 6.9	57.0 ± 6.4	74.5 ± 2.0	76.3 ± 2.8	50.3 ± 1.4	51.5 ± 4.4	78.2 ± 0.8	78.2 ± 0.8
$d_{\text{WLLB}}^{(1)}, f_2, \text{K}$	86.7 ± 7.8	85.5 ± 8.2	32.0 ± 4.2	73.9 ± 4.1	61.8 ± 2.7	61.1 ± 6.0	52.0 ± 5.4	57.8 ± 8.9	27.1 ± 4.5	75.9 ± 2.7	20.0 ± 2.8	51.3 ± 4.9	78.1 ± 0.8	77.5 ± 2.5
$d_{\text{WLLB}}^{(2)}, f_2, \text{K}$	82.9 ± 8.7	85.5 ± 8.2	30.9 ± 1.1	74.5 ± 3.8	63.3 ± 5.6	60.5 ± 5.7	54.3 ± 7.2	58.4 ± 5.6	20.1 ± 4.4	75.3 ± 3.3	19.8 ± 2.7	50.5 ± 4.5	78.1 ± 0.8	77.9 ± 1.3
$d_{\text{WLLB}}^{(3)}, f_2, \text{K}$	86.1 ± 4.9	86.6 ± 8.3	30.6 ± 2.1	74.2 ± 3.7	61.6 ± 6.5	59.0 ± 7.6	55.5 ± 6.3	56.1 ± 5.0	25.2 ± 1.1	75.9 ± 3.3	18.0 ± 1.8	50.6 ± 4.6	78.1 ± 0.8	78.2 ± 0.8
$d_{\text{WLLB}}^{(4)}, f_2, \text{K}$	86.1 ± 7.2	86.6 ± 7.1	30.7 ± 2.0	73.8 ± 4.0	58.7 ± 6.0	59.3 ± 6.2	52.1 ± 7.1	57.0 ± 5.3	33.7 ± 8.7	76.2 ± 3.1	17.0 ± 3.2	51.4 ± 4.3	78.1 ± 0.8	78.2 ± 0.8
WWL	85.3 ± 7.3	83.5 ± 3.0	72.9 ± 3.6	72.5 ± 3.9	62.2 ± 6.1	60.2 ± 5.6	63.0 ± 7.4	57.5 ± 8.1	72.5 ± 3.7	74.5 ± 4.1	50.0 ± 5.3	48.7 ± 3.5	78.2 ± 0.8	77.3 ± 3.1
WL	85.5 ± 1.6	86.7 ± 4.4	71.6 ± 0.6	70.8 ± 2.9	56.6 ± 2.1	54.4 ± 6.1	56.2 ± 2.0	54.7 ± 7.8	72.4 ± 0.7	71.6 ± 4.7	50.9 ± 0.4	50.7 ± 3.6	78.4 ± 1.1	78.8 ± 1.7
WL-OA	86.3 ± 2.1	85.0 ± 9.7	72.6 ± 0.7	72.7 ± 4.1	58.4 ± 2.0	57.9 ± 7.0	54.2 ± 1.6	52.6 ± 8.4	73.0 ± 1.1	73.4 ± 3.5	50.2 ± 1.1	50.7 ± 3.7	78.8 ± 1.3	78.2 ± 0.8

Discrepancy and Reproducibility Audit

Evidence available at the 2026-09-10 18:06 UTC snapshot; conclusions are calibrated to the released code and synchronized artifacts.

Where the “±” variation comes from. The rerun’s 1NN values are the mean and population standard deviation across ten unstratified 90/10 splits with fixed seeds $0, \dots, 9$. Its SVM/KSVM values use one fixed, shuffled, stratified 10-fold outer CV (seed 20260909); the spread is across outer folds. Thus the reported spread measures split/fold composition (and fold-dependent hyperparameter choice for SVM), not noise in the distance computation.

Depth-one identity control. For all 14 dataset/label cases, the saved $d_{\text{WL}}^{(1)}$ and $d_{\text{WLLB}}^{(1)}$ arrays have exactly equal numerical entries. On the same node and the same fixed splits there were 0 prediction disagreements. Nevertheless, many test graphs have cross-label ties at the minimum distance, and scikit-learn’s 1NN selection among tied rows is architecture-dependent:

Node family	IMDB-B		IMDB-M	
	f_1	f_2	f_1	f_2
AMD (c075/c058)	70.5	71.2	40.6	42.1
Intel Skylake (c146)	69.4	70.3	38.7	39.6

Both AMD nodes agree with each other. The AMD values reproduce the full-WL summaries and the Intel values reproduce the WLLB summaries. Therefore these current depth-one differences are *not* caused by different random splits; they are an unspecified nearest-neighbor tie convention. A final 1NN table should define a deterministic, architecture-independent tie rule and reevaluate every saved matrix.

Final completion. The 1NN table has 119/119 cells and the SVM/KSVM table has 245/245 cells. All 112 genuine-KSVM settings are complete: 56 WLLB and 56 full-WL.

Genuine-KSVM verification. The synchronized audit passed all 112 settings and 1120 outer-fold rows. All 1440 pairwise SVM fits converged; 1111 fits had at least one negative kernel eigenvalue, so the indefinite path was exercised. The largest dual-equality residual was 3.05e-11; the largest auxiliary and original decision-identity errors were 1.96e-09 and 6.73e-09. Every corrected f_2 source hash and label definition matched.

Magnitude by method family.

Family	Done	Pend.	MAE	Max	≥ 5
			percentage	points	
1NN full WL	56	0	0.93	3.7	0
1NN WLLB	56	0	2.75	7.4	9
1NN WWL	7	0	3.59	8.6	1
Standard SVM, full WL	56	0	1.02	4.4	0
Standard SVM, WLLB	56	0	1.82	5.0	2
Genuine KSVM, WLLB f_1	28	0	0.86	3.8	0
Genuine KSVM, WLLB f_2	28	0	18.80	55.2	13
WWL/WL/WL-OA SVM	21	0	1.24	5.5	1
Genuine KSVM, full WL	56	0	1.11	4.3	0

What plausibly explains the large changes.

- **WLLB 1NN:** before June 2022, the public transition builder normalized adjacency *columns* rather than rows. Historical WLLB caches were generated before the fix, then later code loaded untracked, inconsistently named cache paths. This is the strongest explanation for old WLLB/full-WL nonidentity; changed 1NN protocols (five 80/20 versus ten 90/10 splits) may add drift.
- **WLLB– f_2 :** the released label-support construction both overwrote repeated-degree mass and added the size offset twice. The corrected rerun fixes this. It cannot explain f_1 or WWL changes.
- **Catastrophic WLLB– f_2 KSVM rows:** the paper’s 17–34% values on PROTEINS/IMDB are not random-fold fluctuations. Released WTK clips the training kernel and predicts with an unprojected test kernel, uses different grids, and is not Loosli Algorithm 1; combined with the f_2 corruption, this is a plausible collapse mechanism. Exact attribution is impossible because the historical matrices and manual code are absent.
- **Standard SVM:** historical outer folds were unseeded, and one released path selected γ using $\exp(-\gamma D)$ but then fit the SVM on raw D . These explain modest fold-level shifts and possible protocol drift.
- **WWL/WL baselines:** WWL changed from depth 10 to best of depths 1–4; the released loop also mutates graph labels between depths. Several baseline calls are commented out, and package versions were not pinned.

Scope of confidence. The public repository does not contain the historical matrices, logs, or exact executable table pipeline, so these are code-grounded explanations rather than a unique reconstruction. There is no evidence that final experiments used a graph subset: the production paths and current rerun use complete $N \times N$ matrices; the earlier “40 pairs” were only a bounded implementation check.