Texture Mapping



Sintel
Blender Open Movie




Sintel
Blender Open Movie

Bump Mapping

Instead of encoding colors in a texture, you encode normals!







By Bump-map-demo-smooth.png, Orange-bumpmap.png ar
work: GDallimore (talk) - Bump-map-demo-smooth.png, Orar

ipediaLater version(s) were uploaded by McLoaf at en.wikipedia.deriv
mmons.wikimedia.org/w/index.php?curid=11747953


Normal/Bump Mapping



original mesh
4M triangles




simplified mesh
500 triangles



simplified mesh
and normal mapping
500 triangles

Displacement Mapping

Instead of normals, you encode a displacement.



Original



Bump Mapping



Displacement Mapping

Image courtesy of: http://www.chromesphere.com/Tutorials/Vue6/Optics-Basic.html


Displacement Mapping

Instead of normals, you encode a displacement.

1. Coarse input 2. Subdivide 3. Offset along normal

A few vertices: too coarse to hold fine detail

4 segments



displacement map h(u) (black = 0, white = 1)




Displacement Mapping

Instead of normals, you encode a displacement.

1. Coarse input **2. Subdivide** 3. Offset along normal

Insert midpoints: position, normal, and u are interpolated




Displacement Mapping

Instead of normals, you encode a displacement.

1. Coarse input **2. Subdivide** 3. Offset along normal

Insert midpoints: position, normal, and u are interpolated




Displacement Mapping

Instead of normals, you encode a displacement.

1. Coarse input 2. Subdivide **3. Offset along normal**

Move each vertex along its normal: $p' = p + s \cdot h(u) \cdot n$




Displacement Mapping

Instead of normals, you encode a displacement.

1. Coarse input 2. Subdivide **3. Offset along normal**

Move each vertex along its normal: $p' = p + s \cdot h(u) \cdot n$




Displacement Mapping

Instead of normals, you encode a displacement.


1. Coarse input 2. Subdivide **3. Offset along normal**

Coarse mesh + displacement map = detailed surface



Displacement Mapping

Instead of normals, you encode a displacement.




Noma Y, Wang Z, Liu C, Singh K, Jacobson A. Mesh Processing Non-Meshes via Neural Displacement Fields. InComputer Graphics Forum 2026 Mar 30 (p. e70354).

Texture Mapping

- The idea is the same. Instead of encoding values at vertices of triangles, you encode them in images.
- You gain all the advantages of images (easy to store, compress, interpolate, sample)
- You can encode any property that you want, the most common are:
  - Colors (Texture Mapping)
  - Normals (Bump Mapping)
  - Displacements (Displacement Mapping)


What do you need?


- One additional per-vertex property, the UV coordinates



What do you need?

- One additional per-vertex property, the UV coordinates
- An image uploaded to the GPU memory (2D texture)







What do you need?


- The UV coordinates are interpolated inside each triangle, and used to find the corresponding value in the texture

- The texture value is interpolated before it is used in the shader



Checkerboards are great to visualize a UV map






“Seams” are needed for complex objects




Image from Vallet and Levy, techreport INRIA

How are UV maps encoded?


- 2 versions of the mesh are stored, one for the triangles in 3D and one for those in 2D
- The faces of the 2 meshes are in one-to-one correspondence
- OpenGL *does not support this* you need to duplicate all the vertices on the seams and pass one single mesh. An easy (and inefficient) way to do this is by duplicating all vertices and not using an element buffer.



A minimal example



World Coordinates



UV Space


Faces

v_1	v_2	v_3
v_1	v_3	v_4

UV Faces

v_1	v_2	v_3
v_4	v_5	v_6

Texture Filtering




Nearest Point



Bilinear Interpolation

Bilinear Interpolation



$$E = (1-u)\,A + u\,B$$
$$F = (1-u)\,D + u\,C$$

$$G = (1-v)\,E + u\,F$$


University of Victoria | Computer Science

Moire Pattern




http://photo.net/digital-darkroom-forum/00W8gC

Mipmapping



Mipmapping

- Moire pattern can appear if the resolution of the texture is much higher than the sampling rate
- A good solution for this problem is mipmapping



By en:User:Mulad, based on a NASA image - Created by en:User:Mulad based on File:ISS from Atlantis - Sts101-714-016.jpg, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=1140741