Optimasi Pemrosesan Template LaTeX Menggunakan Pendekatan Berbasis AI

Academic Support Agent

19 Pebruari 2025

Bab 1

PENDAHULUAN


Bab 2

TINJAUAN PUSTAKA

[margin=2.5cm,a4paper]geometry
amsmath,amssymb,mathtools,lineno,graphicx,textcomp,booktabs,url,setspace,xcolor,soul,eurosym
multirow,listings,setspace,latexsym,keyval,ifthen,moreverb,lscape,forest
[figuresright]rotating
[]microtype
tikz,pgfplots calc,shapes,arrows,intersections,shadows arrows.new arrows.new >=latex
/number in legend/.code= , /number in legend/.default=true
chemfig
[]threeparttable
[indention=0.5cm,labelsep=colon,font=sf,small,labelfont=bf,sf]caption [indention=0.5cm,font=sf,small,labelfont=bf,sf]su
light-graygray0.90
fancyhdr frontmatter [RO,LE]Page 5 plain [RO,LE]Page 5 mainmatter [RO,LE]BAB 1.
PENDAHULUAN [RO,LE]Page 5
(-)/
thumb/.style= fill=light-gray, text=black, minimum height=text width=outer sep=0pt,font= ,

[numbib,nottoc]tocbibind
[]natbib
[Sonny]fncychap
[colorlinks,linkcolor=black,urlcolor=black,citecolor=black]hyperref []cleveref
compat=1.12

language=Perl



Proteomic analysis of *Taenia* spp.

excretion/secretion proteins: the search for *Taenia solium*-specific diagnostic antigens

Bjorn Victor

Proefschrift voorgedragen tot het behalen van de graad van
Doctor in de Diergeneeskundige Wetenschappen, 2014

Promotoren:
Prof. Dr. Pierre Dorny
Dr. Sarah Gabriël
Dr. Magnus Palmblad

Vakgroep Virologie, Parasitologie en Immunologie
Faculteit Diergeneeskunde, Universiteit Gent
Salisburylaan 133, B-9820 Merelbeke

"I may not have gone where I intended to go, but I think I have ended up where I needed to be."

– Douglas Adams, *The Long Dark Tea-Time of the Soul* (1988).

Acknowledgements

text

Table of Contents

1 PENDAHULUAN **3**

2 TINJAUAN PUSTAKA **5**

Acknowledgements **v**

3 General Introduction **1**

4 *Taenia solium*: An Introduction **3**
4.1 *Taenia solium* taeniasis and cysticercosis 3

5 The Hitchhiker's Guide to Proteomics **5**

6 Rationale and Objectives **7**

7 Partially Sequenced Organisms, Decoy Searches and False Discovery Rates **9**

8 Proteomic Analysis of *Taenia solium* Metacestode Excretion/Secretion Proteins **11**

9 Use of Expressed Sequence Tags for the Identification of *Taenia solium* Metacestode Excretion/Secretion Proteins **13**

10 The Search for Differential Proteins **15**

11 General Discussion **17**

12 Bibliography **19**

13 Summary **21**

14 Samenvatting **23**

A Appendix **25**

List of Figures

4.1 text 4

5.1 text 5
5.2 text 5
5.3 text 6
5.4 text 6
5.5 text 6
5.6 text 6
5.7 text 6
5.8 text 6
5.9 text 6
5.10 text 6
5.11 text 6
5.12 text 6

10.1 text 16

List of Tables

Bab 3

General Introduction

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 3; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 3; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 3; [RO,LE]Page 1 text

Bab 4

Taenia solium: An Introduction

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 4; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 4; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 4; [RO,LE]Page 3

4.1 *Taenia solium* taeniasis and cysticercosis

Taenia solium is a tapeworm belonging to the Taeniidae family (fig:taxo). [Kingdom |Phylum |Class |Order |Family |Genus |||| [Metazoa |Platyhelminthes |Cestoda |Cyclophyllidea |Taeniidae |**Taenia**|*Echinococcus*|||*Hymenolepididae*|*Mesocestoidae*|||] | |Trematoda |Strigeidida|Schistosomatidae|*Schistosoma*|||] |Diphyllobothrid
text The adult stage of the worm Linne:1758uq develops in the upper third section of the small intestine of humans, the only final host, where it causes an infection called taeniasis (fig:lifecycle).

every node=[anchor=center] column 3=[text width=4cm,text height=2.3cm,text centered] column 2=[text width=5cm,text centered] column 1=[text width=4cm,text height=1.6cm,text centered] $[rowsep = -0.30cm, columnsep = 1cm](v0)[textheight = 0.6cm]\underline{Intermediatehost}; (v0)[textheight = 0.6cm]\underline{Finalhost};$ (v2)[] Consumption of raw or undercooked infected pork; (v6) Porcine cysticercosis; (v4)[] Human taeniasis; (v8)[] Eggs ingested by pigs (coprophagy or accidental); (v12) Human (neuro) cysticercosis; (v11) Eggs (accidentally) ingested by humans; ; [-latex new, arrow head=2mm] [blue,thick] (v2.east) – (v4.north); [-latex new, arrow head=2mm] [blue,thick] (v4.south) – (v8.east); [-latex new, arrow head=2mm] [blue,thick] (v4.south) – (v11.east) node [right,blue,midway,text width=2.8cm,text height=1.2cm] blackProglottids/eggs shed with stools; [-latex new, arrow head=2mm] [blue,thick] (v8.west) – (v6.south); [-latex new, arrow head=2mm] [blue,thick] (v11.west) – (v12.east); [-latex new, arrow head=2mm] [blue,thick] (v6.north) – (v2.west);

Gambar 4.1: text

Bab 5

The Hitchhiker's Guide to Proteomics[1]

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)− (0, ∗)) 5; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)− (0, ∗)) 5; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 5; [RO,LE]Page 5

every node=[anchor=center] column 1=[text width=2.5cm,text centered] column 2=[text width=3cm,text centered] column 3=[text width=3cm,text centered] column 4=[text width=3cm,text centered] [$rowsep = 0.25cm, columnsep = 1cm$](v1)[]*genomics*; (v2)[]*transcriptomics*; (v3)[]*PROTEOMICS*; (v4)[]*metabolomics*; (v5)[]what can happen; (v6)[]what will happen; (v7)[]what is happening; (v8)[]what has happened; ; [-latex new, arrow head=3mm] [thick] (v1.east) – (v2.west); [-latex new, arrow head=3mm] [thick] (v2.east) – (v3.west); [-latex new, arrow head=3mm] [thick] (v3.east) – (v4.west); [arrows=-] [thick,dotted] (v1.south) – (v5.north); [arrows=-] [thick,dotted] (v2.south) – (v6.north); [arrows=-] [thick,dotted] (v3.south) – (v7.north); [arrows=-] [thick,dotted] (v4.south) – (v8.north);

Gambar 5.1: text

IEF.

[.35] [very thick] every node=[anchor=west] [black] (-3,2.25) – (4,2.25) – (4,1.75) – (-3,1.75) – (-3,2.25); [black] (-2,2.25) – (-2,1.75); [black] (-1,2.25) – (-1,1.75); [black] (-1.35,2.25) – (-1.35,

1D-PAGE.


[.3] [very thick] every node=[anchor=west] [black] (7,0) – (7,4) – (7.5,4) – (7.5,3.5) – (8,3.5) – (8,4) – (8.5,4) – (8.5,3.5) – (9,3.5) – (9,4) – (9.5,4) – (9.5,3.5) – (10,3.5) – (10,4) – (10.5,4) – (

2D-PAGE.


[.3] [very thick] every node=[anchor=west] [black] (15,0) – (15,4) – (15.5,4) – (15.5,3.5) – (21,3.5) – (21,4) – (21.5,4) – (21.5,0) – (15,0); [black,fill=black] (16, 0.75) circle [radius=0.05]; [blac

Gambar 5.2: text


[1]Title adapted from the novel "The Hitchhiker's Guide to the Galaxy", written by Douglas Adams and published by Pan Books in 1979.




Gambar 5.3: text




Gambar 5.4: text



Gambar 5.5: text




Gambar 5.6: text




Gambar 5.7: text

Gambar 5.8: text

Gambar 5.9: text



Gambar 5.10: text



Gambar 5.11: text

Gambar 5.12: text

Bab 6

Rationale and Objectives

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−
$(0, *)$) 6; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−
$(0, *)$) 6; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at
((*currentpage.northeast*) − $(0, *)$) 6; [RO,LE]Page 7
text

Bab 7

Partially Sequenced Organisms, Decoy Searches and False Discovery Rates

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 7; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 7; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 7; [RO,LE]Page 9

Abstract: text

Adapted from:
Victor, B., Gabriël, S., Kanobana, K., Mostovenko, E., Polman, K., Dorny, P., Deelder, A. M., and Palmblad, M. Partially Sequenced Organisms, Decoy Searches and False Discovery Rates. *Journal of Proteome Research* 11, 3 (2012), 1991–1995.

text

Bab 8

Proteomic Analysis of *Taenia solium* Metacestode Excretion/Secretion Proteins

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 8; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 8; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 8; [RO,LE]Page 11

Abstract: text

Adapted from:
Victor, B., Kanobana, K., Gabriël, S., Polman, K., Deckers, N., Dorny, P., Deelder, A. M., and Palmblad, M. Proteomic Analysis of *Taenia solium* Metacestode Excretion/Secretion Proteins. *Proteomics* 12, 11 (2012), 1860–1869.

text

Bab 9

Use of Expressed Sequence Tags for the Identification of *Taenia solium* Metacestode Excretion/Secretion Proteins

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 9; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 9; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 9; [RO,LE]Page 13

Abstract: text

Adapted from:
Victor, B., Dorny, P., Kanobana, K., Polman, K., Lindh, J., Deelder, A. M., Palmblad, M., and Gabriël, S. Use of Expressed Sequence Tags as an Alternative Approach for the Identification of *Taenia solium* Metacestode Excretion/Secretion Proteins. *BMC Research Notes* 6, 1 (2013), 224.


text

Bab 10

The Search for Differential Proteins

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 10; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 10; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 10; [RO,LE]Page 15

every node=[anchor=center] column 3=[text width=0.3text centered] column 2=[text width=0.3text centered] column 1=[text width=0.3text centered]
$[rowsep = 0.2cm, columnsep = 0.5cm]()[]; (vc)[]tandemmassspectro-$
metry analysis of *Taenia* excretion/secretion proteins; ()[];
(v1)[]all *Taenia*
solium spectra; (v3)[]all *Taenia*
hydatigena spectra;
(v5)[]host proteins and
common contaminations;
(v7)spectral
quality filter; (v9)[]spectral
quality filter;
(v11)[]non-peptide and
low quality spectra;
(v13)high quality *Taenia*
solium spectra; (v14); (v15)high quality *Taenia*
hydatigena spectra;
(); (va)spectra are binned prior to spectral comparison; ();
(v16)spectrum 1:



(v17); (v18)spectrum 1:

(v19)spectrum 2:

(v20); (v21)spectrum 2:

(v25)spectrum 3: ... ; (v26); (v27)spectrum 3:
... ;
(); ()
; ();
(v28)unique *Taenia*
solium spectra; (vb)six reading frame translation of the
Taenia solium genome; (v30)unique *Taenia*
hydatigena spectra;
(); ()all identified peptides +
their matching spectra; ();
(v31)unique *Taenia solium* peptides (proteins); (v32); (v33);
;
[-latex new, arrow head=2mm] [black,thick] (vc.west) to [out=180,in=45] (v1.north); [-latex new, arrow head=2mm] [black,thick] (vc.east) to [out=0,in=135] (v3.north);
[-latex new, arrow head=2mm] [black,thick] (v1.south) – (v7.north); [-latex new, arrow head=2mm] [black,thick] (v7.south) – (v13.north); [-latex new, arrow head=2mm] [black,thick] (v13.south) – (v16.north); [-latex new, arrow head=2mm] [black,thick] (v25.south) – (v28.north); [-latex new, arrow head=2mm] [black,thick] (v28.south) – (v31.north);
[-latex new, arrow head=2mm] [black,thick] (v3.south) – (v9.north); [-latex new, arrow head=2mm] [black,thick] (v9.south) – (v15.north); [-latex new, arrow head=2mm] [black,thick] (v15.south) – (v18.north); [-latex new, arrow head=2mm] [black,thick] (v27.south) – (v30.north);
[-latex new, arrow head=2mm] [black,thick] (v1.south) to [out=-45,in=180] (v5.west); [-latex new, arrow head=2mm] [black,thick] (v7.south) to [out=-45,in=180] (v11.west);
[-latex new, arrow head=2mm] [dotted,black,thick] (v1.south) to [out=-45,in=125] (vb.155); [-latex new, arrow head=2mm] [dotted,black,thick] (vb.-155) to [out=-125,in=90] (v31.north);
[-latex new, arrow head=2mm] [black,thick] (va.west) to [out=180,in=45] (v16.20); [-latex new, arrow head=2mm] [black,thick] (va.east) to [out=0,in=135] (v18.160);
[-latex new, arrow head=2mm] [black,thick] (v3.south) to [out=-135,in=0] (v5.east); [-latex new, arrow head=2mm] [black,thick] (v9.south) to [out=-135,in=0] (v11.east);
[latex-latex new, arrow head=2mm,dashed] [black,thick] (v16.east) – (v18.west); [latex-latex new, arrow head=2mm,dashed] [black,thick] (v16.east) – (v21.west); [latex-latex new, arrow head=2mm,dashed] [black,thick] (v16.east) – (v27.west) node[left,midway,text width=1.8cm,text

Bab 11

General Discussion

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−
$(0, *)$) 11; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−
$(0, *)$) 11; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at
((*currentpage.northeast*) − $(0, *)$) 11; [RO,LE]Page 17
text

Bab 12

Bibliography

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 12; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 12; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 12; [RO,LE]Page 19

Bab 13

Summary

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 13; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 13; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 13; [RO,LE]Page 21

Bab 14

Samenvatting

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) 14; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) 14; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) 14; [RO,LE]Page 23

A

Appendix

[LO][remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*)−(0, ∗)) A; [RE][remember picture, overlay] [thumb,text centered,anchor=north west,] at ((*currentpage.northwest*)−(0, ∗)) A; chapterstart [remember picture, overlay] [thumb,text centered,anchor=north east,] at ((*currentpage.northeast*) − (0, ∗)) A; [RO,LE]Page 25