Template Document

Academic Support Agent

February 19, 2025

20 LaTeX 2 2

(1. 100084
2. 100084)
1 2 3 4 3 8 TP393.1 A 1001-5965(XXXX)XX-XXXX-XX

4 200 2.0cm25.5cm

* : 2022-04-25
* (234567,567456) 985365 No.
* 1998
* E-mail: baj@tsinghua.edu.cn
E-mail

support vector machine, SVM [1-2] SVM SVR [3-5] SVM IPM [2,5] SMO [6] [7] Hassan [8] SVM SVM [9] Zhang[10] SVM , ; [12]..... 1 .....

SVM (genetic algorithm, GA) 5 DGA 20 SVM GA SVM ; 245

1.

2.

3.

4.

5.

1

1

, Harpold1979Shuttle,Yu2011Guidance Hu2015Steady Laning1956Random,Zarchan2013Tactical,Zadeh1963Linear

2

( )Weiss2005Adjoint,Zarchan1979Complete,Weiss2005Handover ZHANG Ying WANG Xilian ZHUGE Hua Lin1996ResearchAdjoint,Zou2001Adjoint

3

3.1

3.1.1

“ A B ....."

$$p_1(h) = \frac{n_{\text{He}}RT}{V} - \rho_{\text{He}}gh \tag{1}$$

:n_{He} ρ_{He} T V=36893.426T=216.65 h (x) . Mathtype 10 / 68% / 42% 150% 100%(Mathtype- -) = + −

3.1.2

$\sin^{-1}$ arcsin ctg cot tg tan ppm (rpm r/min) Re, Ma e, a

3.1.3

( ) (Mathtype- - -)
0 o a α O,P,S,C “ " “ 0" “ "

3.2

( ) 7.7 cm times new roman

3.2.1


1
2 “
3
4
5
6
2014
?? ??

3.2.2


“ **??**

[labelTabtab1] TableIcing conditions of transmission

		/	/	/min
line	4	0.0349	268.15	30
	5	0.01905	268.15	30



[labelFigtu1] - Fig.Curves of electromagnetic force peak changing with coil-aluminum-plate gap and thickness of aluminum plate



[labelFigtu2] Fig.Fluctuation influence of the resonator's input intensity on resonance curve

3.2.3

4

1) “
2)
3)
4) 15
5) 3 3 3 3 “ “et al
6) ( )
7) “(in Chinese)

[labelTabtab2] TableReferrence type and identification code =1.2mm to 0.95X[c,m] X[1,c,m]|[1pt]X[1,c,m] X[1,c,m] [1pt]-

M	D
C	R
J	S
N	P
G	A
CP	EB
DB	CM
DS	Z

[1pt]-

5

1)
2) 10
3) :
1
2
3
4 word “ "
4) 1 5
5) 1

6

1) 10 83.15% 8.42% 60 39.33% 24.61%
2)
3)
4)

7

1) word
2) 10.5pt 10pt $x = 5$ 5 siunitx 5m/s 5 m/s word g word *g* times new roman
3) article twocolumn multicol twocolumn \enlargethispage{} tikz node {figure*}
4) ccaption \bm
5) BibTex misc entry misc note field note word
6) label

.....

:

xxxxxxxxxx

xxxxxxxxxx

xxxxxxxxxx

A:

, , A: B: ..... , (A1) , (A2)

Title title title title title title 10 ,

ZHANG Moumou[1,2], LI Mou[1,2,*], SHANGGUAN Moumou[2,3], LIN Mou[3], ZHAO Mou[3], WANG Mou[3]
(1. School of Aeronautic Science and Engineering, Beijing University of Aeronautics and Astronautics, Beijing 100191, China;
2. School of Astronautics, Beijing University of Aeronautics and Astronautics, Beijing 100191, China;
3. College of Automation, Northwestern Polytechnical University, Xi an 710072, China)

Abstract: (150~200)
Ei

Key words: keyword1; keyword2; keyword3; keyword4; keyword5 , EI Controlled term EI http://www.engineeringvillage.com/search/quick.url

2.0cm16cm

*__Received:__ 2017-xx-xx; __Accepted:__ 2017-xx-xx; __Published online:__ 2017-xx-xx xx:xx
*__URL:__
*__Foundation item:__ National Natural Science Foundation of China (12345678); China Postdoctoral Science Foundation(87654321)
:
__*Corresponding author.__ Tel.: 010-8231xxxx E-mail: bhxb@buaa.edu.cn