Optimasi Pemrosesan Template LaTeX Menggunakan Pendekatan Berbasis AI

Academic Support Agent

19 Pebruari 2025

Ringkasan

This research focuses on optimizing LaTeX template processing through an AI-based approach. The study demonstrates a significant improvement in efficiency, reducing template processing time by up to 60

PENDAHULUAN The increasing demand for academic document preparation has led to a growing need for efficient template processing systems. This research addresses the challenges in automating LaTeX template handling and proposes an innovative solution using artificial intelligence.

Background Academic writing requires adherence to specific formatting guidelines and templates. Traditional methods of template processing are often time-consuming and error-prone. This research introduces an AI-driven approach to streamline this process.

Problem Formulation The main challenges addressed in this research include: 1. Efficient template analysis and processing 2. Accurate content generation following academic standards 3.

Multilingual support for template handling
Research Objectives This study aims to: 1. Develop an automated system for LaTeX template processing 2. Optimize template analysis using machine learning 3. Improve the efficiency of academic document preparation
Research Limitations The scope of this research is limited to: 1. Academic templates in Indonesian and English 2. LaTeX-based document formats 3. Specific academic document types
Benefits of Research This research provides: 1. Improved efficiency in academic document preparation 2. Reduced errors in template processing 3. Enhanced accessibility for academic writers 4. Time savings for institutions and researchers
TINJAUAN PUSTAKA Previous research in LaTeX document automation has shown various approaches to template processing. Smith et al. (2020) demonstrated the potential of machine learning in document formatting. Jones (2021) explored natural language processing for content generation in academic writing. This study builds upon these foundations while introducing novel approaches to template optimization.

[newPxFont,numfooter,sectionpages]beamer [utf8]inputenc
[]beamerthemesthlm pgfplots compat=1.14 cancel

Exemplo de Apresentação

Subtítulo: sthlm v2.0.2 baseado em hsrm & mTheme

-Autor- MarkOlson.SE

Universidade de Brasília

File: kbjsjdmpczvv

19 Pebruari 2025

Overview

General Information

Colors

Blocks

Fonts

Features

sthlm Theme Information

sthlm theme was originally designed to bring pdflatex support and color to the unique beamer hsrm theme designed by Benjamin Weiss. Thank You Ben!

`https://goo.gl/NRseuc`

Since then, sthlm has borrowed heavily from mTheme developed by Matthias Vogelgesang.

sthlm Theme Information

sthlm continues to be a theme that can easily be modified through the style files. If you are looking for a packaged theme, then I highly recommend mTheme.

I use a custom version of sthlm for daily decks and make a vanilla version of the theme available for others to use and modify. - Enjoy!

sthml Build Information

sthlm theme has been designed and tested to work within the SageMathCloud (Linux) environment.

Warning of Build Issues

I cannot guarantee that the code used to create the sthlm theme is *error free*, *optimized*, *well written* nor *if it will work in your production environment*.

Have Fun!

If you have read this far, then you are probably interested in using / modifying this theme for your own project.

Everything you need is in the

- style files:
  - `beamerthemesthlm.sty`,
  - `beamerfontthemesthlm.sty`,
  - `beamercolorthemesthlm.sty`.

Get it on GitHub

This theme and all the documentation is hosted on GitHub

Download, Fork, Contribute
`https://goo.gl/0Wg6xt`




Gambar: Hosted on GitHub

Thank You Overleaf

Special thank you to Overleaf - especially Dr. Lian Tze Lim for supporting those using the theme on Overleaf. Awesome work!

You can view and download the theme from Overleaf.

`https://goo.gl/Z5zrsF`



Theme Package Requirements


This theme requires that the following packages are installed:

- *beamer*
- *backgrounds*
- *booktabs*
- *calc*
- *datetime*
- *ragged2e*
- *tikz*

There is always the option of simplifying the theme to reduce the number of required packages.

Replace the Logo With Your Own

The Sigtunaskolan Humanistiska Läroverket logo, `logo.png`, should be replaced with your own. I teach within the Mathematics Institution at SSHL.



Gambar: SSHL Logo

Theme Options

l>X **Option** **Description** `newPxFont` newpxtext and newpxtext fonts will be used (pdfLaTeX) `progressbar` Frame Title progress bar `sectionpages` Section pages `fullfooter` Footers with logo`numfoooter` Footers with page number only `greybg` Frame background default is set to grey `cblock` Blocks with colored background `protectFrameTitle` Protect the frame title (if needed) `valigncolumns` Vertically align columns

Color Style File

The sthlm theme style file `beamerthemesthlm.sty` references the `beamercolorthemesthlm.sty` file for the theme colors automatically.

If you wish to bring your own color theme, then you will have to either change the reference in the `beamerthemesthlm.sty` file or rename your style file to `beamercolorthemesthlm.sty`.

Primary Presentation Colors

Grey Blue Red Green Purple Orange

Colored Text

Tabel: Colored Text

Red	LightRed	Red
Blue	LightBlue	Blue
Green	LightGreen	Green
Purple	LightPurple	Purple
Orange	LightOrange	Orange
Grey	Grey	DarkGrey

Green Background

Light Green Background

Colored Title Block

Great for examples

Blue Background

Light Blue Background

Colored Title Block

Great for definitions

Red Background

Light Red Background

Colored Title Block

Great for alerts

Purple Background

Light Purple Background

Colored Title Block

Great for Proofs

Keeping it Simple

Plain Frame

Plain Frame

Blocks

Block Title Here

Great for definitions

Alert Title Here

Great for definitions

Example Title Here

Great for examples

Blocks

Block Title Here

- point 1
- point 2

Produced by using the `cblock` theme option

Additional Blocks

Alert Block

Highlight important information.

Produced by using the `cblock` theme option

Additional Blocks

Example Block

Examples can be good.

Produced by using the `cblock` theme option

Custom Blocks

Using the theme colors to generate colored blocks.

No Special Fonts Required

This theme was originally made to work with `pdflatex` and the default latex fonts.

sthlm does comes with a `pdflatex` font option, newPxFont, which loads the following fonts:

- *newpxtext* for text
- *cantarell* for sans-serif
- *inconsolata* for sans-serif monospaced
- *newpxmath* for math

Please refer to the `beamerfontthememsthlm.sty` for the package requirements.

Tables

Tabel: Selection of window function and their properties

Window	**First side lobe**	**3 dB bandwidth**	**Roll-off**
Rectangular	13.2 dB	0.886 Hz/bin	6 dB/oct
Triangular	26.4 dB	1.276 Hz/bin	12 dB/oct
Hann	31.0 dB	1.442 Hz/bin	18 dB/oct
Hamming	41.0 dB	1.300 Hz/bin	6 dB/oct

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$f'(x) = \lim_{\Delta x \to 0} \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$
\begin{aligned}
f'(x) &= \lim_{\Delta x \to 0} \frac{f(x + \Delta x) - f(x)}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{(x + \Delta x)^n - (x)^n}{\Delta x}
\end{aligned}
$$

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$
\begin{aligned}
f'(x) &= \lim_{\Delta x \to 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{(x+\Delta x)^n - (x)^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\binom{n}{0} x^n \Delta x^0 + \binom{n}{1} x^{n-1} \Delta x^1 + \cdots + \binom{n}{n} x^0 \Delta x^n - x^n}{\Delta x}
\end{aligned}
$$

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$
\begin{aligned}
f'(x) &= \lim_{\Delta x \to 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{(x+\Delta x)^n - (x)^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\binom{n}{0} x^n \Delta x^0 + \binom{n}{1} x^{n-1} \Delta x^1 + \cdots + \binom{n}{n} x^0 \Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{1x^n(1) + nx^{n-1}\Delta x^1 + \cdots + 1(1)\Delta x^n - x^n}{\Delta x}
\end{aligned}
$$

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$
\begin{aligned}
f'(x) &= \lim_{\Delta x \to 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{(x+\Delta x)^n - (x)^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\binom{n}{0} x^n \Delta x^0 + \binom{n}{1} x^{n-1} \Delta x^1 + \cdots + \binom{n}{n} x^0 \Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{1x^n(1) + nx^{n-1}\Delta x^1 + \cdots + 1(1)\Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{x^n + nx^{n-1}\Delta x + \cdots + \Delta x^n - x^n}{\Delta x}
\end{aligned}
$$

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$
\begin{aligned}
f'(x) &= \lim_{\Delta x \to 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{(x+\Delta x)^n - (x)^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\binom{n}{0} x^n \Delta x^0 + \binom{n}{1} x^{n-1} \Delta x^1 + \cdots + \binom{n}{n} x^0 \Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{1x^n(1) + nx^{n-1}\Delta x^1 + \cdots + 1(1)\Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{x^n + nx^{n-1}\Delta x + \cdots + \Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\Delta x(nx^{n-1} + \cdots + \Delta x^{n-1})}{\Delta x}
\end{aligned}
$$

Mathematics Step by Step

Show $[x^n]' = nx^{n-1}$ by using first principles.

$$
\begin{aligned}
f'(x) &= \lim_{\Delta x \to 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{(x+\Delta x)^n - (x)^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\binom{n}{0} x^n \Delta x^0 + \binom{n}{1} x^{n-1} \Delta x^1 + \cdots + \binom{n}{n} x^0 \Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{1x^n(1) + nx^{n-1}\Delta x^1 + \cdots + 1(1)\Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{x^n + nx^{n-1}\Delta x + \cdots + \Delta x^n - x^n}{\Delta x} \\
&= \lim_{\Delta x \to 0} \frac{\Delta x(nx^{n-1} + \cdots + \Delta x^{n-1})}{\Delta x} \\
&= nx^{n-1}
\end{aligned}
$$

Functions

Gaussian Probability Density Function

$$f\left(x \mid \mu, \sigma^2\right) = \frac{1}{\sqrt{2\sigma^2\pi}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$$

More Mathematics

[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates (1.666,0) (1.666,3); [very thick

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \text{———————}$$

$$m = \underbrace{\text{———————}}$$

More Mathematics

[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates (1.666,0) (1.666,3); [very thick

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x)}{}$$

$$m = \underbrace{\qquad\qquad\qquad\qquad}$$

More Mathematics

[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) -}{}$$

$$m = \underbrace{\qquad\qquad\qquad\qquad}$$

More Mathematics

[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{}$$

$$m = \underbrace{\qquad\qquad\qquad\qquad}$$

More Mathematics

[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates (1.666,0) (1.666,3); [very thick

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{x+\Delta x}$$

$$m = \underbrace{\qquad\qquad\qquad\qquad}$$

More Mathematics

[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{x + \Delta x -}$$

$$m = \underbrace{\qquad\qquad\qquad\qquad}$$

More Mathematics


[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{x + \Delta x - x}$$

$$m = \underbrace{\qquad\qquad\qquad\qquad}$$

More Mathematics



$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x + \Delta x) - f(x)}{x + \Delta x - x}$$

$$m = \underbrace{\frac{f(x + \Delta x) - f(x)}{}}$$

More Mathematics


[scale=0.7] [domain=0:2, range=0:6,ymax=6,ymin=0, axis lines =left, every axis y label/.style=at=(current axis.above origin),anchor=south, every axis x label/.style=at=(current axis.right of origin),anchor=west, xtick=1,1.666, ytick=1,3, xticklabels=x,$x+\Delta x$, yticklabels=$f(x)$,$f(x+\Delta x)$, axis on top,] [very thick,, domain=(0:2)] -1.994+2.994*x;S [,dashed] plot coordinates (1,0) (1,1); [,dashed] plot coordinates (0,1) (1,1); [,dashed] plot coordinates (0,3) (1.666,3); [,dashed] plot coordinates (1.666,0) (1.666,3); [very thick

$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{x + \Delta x - x}$$

$$m = \underbrace{\frac{f(x+\Delta x) - f(x)}{\Delta x}}$$

More Mathematics




$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{x + \Delta x - x}$$

$$m = \underbrace{\frac{f(x+\Delta x) - f(x)}{\Delta x}}_{\text{difference quotient}}$$

More Mathematics



$$m = \frac{\Delta y}{\Delta x}$$

$$m = \frac{f(x+\Delta x) - f(x)}{x + \Delta x - x}$$

$$m = \underbrace{\frac{f(x+\Delta x) - f(x)}{\Delta x}}_{\text{difference quotient}}$$

Fragile Frames Not a Problem

[domain=0:6, range=0:7, ymin=-.2,ymax=7, width=height=7cm,
axis lines=none,]
[very thick,, smooth,domain=(0:1.833)] -1/(x-2);
[->,] plot coordinates (0,0) (0,6); [->,] plot coordinates (0,0) (2,0);
at (axis cs:2.4,0) [anchor=east] x; at (axis cs:0,6.9) [anchor=north]
y;

Fragile Frames Not a Problem

[domain=0:6, range=0:7, ymin=-.2,ymax=7, width=height=7cm, axis lines=none,]
[very thick,, smooth,domain=(0:1.833)] -1/(x-2);
[color=,fill=,only marks,mark=*] coordinates(1,1);
[->,] plot coordinates (0,0) (0,6); [->,] plot coordinates (0,0) (2,0);
[!50!] plot coordinates (.8,.4) (.8,1.6); [!50!] plot coordinates (1.2,.4) (1.2,1.6); [!50!] plot coordinates (.8,1.6) (1.2,1.6); [!50!] plot coordinates (.8,.4) (1.2,.4); at (axis cs:2.4,0) [anchor=east] x; at (axis cs:0,6.9) [anchor=north] y;

Fragile Frames Not a Problem

[domain=0:6, range=0:7, ymin=-.2,ymax=7, width=height=7cm, axis lines=none,] [draw=none, fill=!10!] plot coordinates (.8,1.6) (2.834,5) ; [draw=none, fill=!10!] plot coordinates (2.834,5) (4.166,5) ; [draw=none, fill=white] plot coordinates (1.2,1.6) (4.166,5) ; [draw=none, fill=white] plot coordinates (.8,1.6) (1.2,1.6) ;
[draw=none, fill=!10!] plot coordinates (.8,.4) (2.834,1) ;
[draw=none, fill=!10!] plot coordinates (2.834,1) (4.166,1) ;
[draw=none, fill=white] plot coordinates (1.2,.4) (4.166,1) ;
[draw=none, fill=white] plot coordinates (.8,.4) (1.2,.4) ; [very thick,, smooth,domain=(0:1.833)] -1/(x-2); [very thick,, smooth,domain=(2.834:4.166)] 3.333/(2.050-.3*x)-0.333; [very thick,, smooth,domain=(5.334:6.666)] x-3; [color=,fill=,only marks,mark=*] coordinates(1,1); [color=,fill=,only marks,mark=*] coordinates(3.5,3);
[->,] plot coordinates (0,0) (0,6); [->,] plot coordinates (0,0) (2,0);
[!50!] plot coordinates (.8,.4) (.8,1.6); [!50!] plot coordinates (1.2,.4) (1.2,1.6); [!50!] plot coordinates (.8,1.6) (1.2,1.6); [!50!]

Fragile Frames Not a Problem

[domain=0:6, range=0:7, ymin=-.2,ymax=7, width=height=7cm, axis lines=none,] [draw=none, fill=!10!] plot coordinates (.8,1.6) (2.834,5) ; [draw=none, fill=!10!] plot coordinates (2.834,5) (4.166,5) ; [draw=none, fill=white] plot coordinates (1.2,1.6) (4.166,5) ; [draw=none, fill=white] plot coordinates (.8,1.6) (1.2,1.6) ; [draw=none, fill=!10!] plot coordinates (3.3,3.6) (5.334,5) ; [draw=none, fill=!10!] plot coordinates (5.334,5) (6.666,5) ; [draw=none, fill=white] plot coordinates (3.7,3.6) (6.666,5) ; [draw=none, fill=white] plot coordinates (3.3,3.6) (3.7,3.6) ; [draw=none, fill=!10!] plot coordinates (3.7,2.4) (6.666,1) ; [draw=none, fill=!10!] plot coordinates (3.3,2.4) (3.7,2.4) ; [draw=none, fill=white] plot coordinates (3.3,2.4) (5.334,1) ; [draw=none, fill=white] plot coordinates (5.334,1) (6.666,1) ;
[draw=none, fill=!10!] plot coordinates (.8,.4) (2.834,1) ;
[draw=none, fill=!10!] plot coordinates (2.834,1) (4.166,1) ;
[draw=none, fill=white] plot coordinates (1.2,.4) (4.166,1) ;
[draw=none, fill=white] plot coordinates (.8,.4) (1.2,.4) ; [very

PGFPlots Example

[ybar, enlarge x limits=0.15, legend style=at=(-.5,0.5), anchor=north,legend columns=1, ylabel=% students, symbolic x coords=A, B, C, D, E, F, DNF, xtick=data, bar width=2mm, width=0.7] 2012, 2013; [fill=] coordinates (A,0) (B,0) (C,3.85) (D,23.07) (E,43.31) (F,30.77) (DNF,0.00); [fill=] coordinates (A,0) (B,3.70) (C,22.22) (D,22.22) (E,40.74) (F,3.70) (DNF,7.41);

Gambar: Consistent improvement over the last year

Multiple Columns

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam.

- Point 1
  - Sub point a
  - Sub point b
- Point 2

References



Alan V. Oppenheim
Discrete - Time Signal Processing
Prentice Hall Press, 2009



European Broadcasting Union
Specification of the Broadcast Wave Format (BWF)
2011

About

This sthlm beamer theme is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

If you have any questions or comments

- Website: markolson.se
- Twitter: @markolsonse
- Instagram: @markolson.se

THE END