Abstract

PENDAHULUAN
TINJAUAN PUSTAKA
fontspec FreeSerif FreeSans
1=1 [transparent,inner sep=line width=anchor=north, minimum width=] (TP@title) at ((0, 0.5))

; let 1 = ((*TP@title.north*) − (*TP@title.south*)) in node ;

[line width=rounded corners=30] [color=framecolor, fill=titlebgcolor]() rectangle ();

[inner sep=line width=anchor=north, minimum width=] at (0,0.5) ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

- We try to do this. What?
- we try to do that.
- We try to do this. what?
- we try to do that.
- We try to do this. what?
- we try to do that.
- We try to do this. what?
- we try to do that.
- We try to do this. what?
- we try to do that.

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

A test!

let 1 = (blockbody.south) in node ;
(notetarget) at ((*blockbody*) + ()); [minimum width=minimum height=anchor=center,rotate=8] (notecenter) at ((*notetarget*) + (∗*cos*(0), ∗*sin*(0)));
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

A test!

- We try to do this. what?
- we try to do that.

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

A test!

- We try to do this. what?
- we try to do that.

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

[text width=, inner sep=anchor=center]at (blocktitle) ;[text width=, inner sep=anchor=center]at (blockbody)

Random Picture

Fig. 1: Figures in tikzposter

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

A test!

- We try to do this. what?
- we try to do that.

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

- We try to do this. what?
- we try to do that.
- We try to do this. what?
- we try to do that.
- We try to do this. what?
- we try to do that.

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

A test!

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=0] [draw=none](blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, loosely dashed] (blocktitle.south west) – (blocktitle.south east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

A test!

- We try to do this. what?
- we try to do that.

let 1 = (blockbody.south) in node ;

[color=notefrcolor, fill=notebgcolor](notetarget) – ((*notetarget*)!1!4 : (*notecenter.center*)) – ((*notetarget*)!1! − 4 : (*notecenter.center*)) –cycle; [color=notefrcolor, fill=notebgcolor, rounded corners=20] (notecenter.south west) – (notecen