
Abstract

PENDAHULUAN
TINJAUAN PUSTAKA
paperwidth=33.11in,paperheight=46.81in [utf8]inputenc amsmath amsfonts amsthm amssymb mathrsfs graphicx lipsum [export]adjustbox enumitem [backend=biber,style=numeric]biblatex ubtheme mwe bm bbm refs.bib
[scaled]helvet [T1]fontenc
1=1 [transparent,inner sep=line width=anchor=north, minimum width=] (TP@title) at ((0, 0.5))



; let 1 = ((*TP@title.north*) − (*TP@title.south*)) in node ;

Title of your mathematical poster goes here

Author goes here[1]

[1]School of Mathematics, University of Bristol, UK

[line width=rounded corners=30] [color=framecolor, fill=titlebgcolor]() rectangle ();



[inner sep=line width=anchor=north, minimum width=] at (0,0.5) ;


Title of your mathematical poster goes here

Author goes here[1]

[1]School of Mathematics, University of Bristol, UK

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=30] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

[30]



[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

[10]
x
=
-
b
$\pm\sqrt{b^2-4ac}_{2a.}$
[20]

let 1 = (blockbody.south) in node ;
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=30] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

[100]
[100]
[100]
[100]
[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) [100]
[100]
[100]
[100]
[100]
[100]

let 1 = (blockbody.south) in node ;
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=30] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

[100]
[100]
[100]
[100]
[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) [100]
[100]
[100]
[100]
[100]
[100]

let 1 = (blockbody.south) in node ;
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=30] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north

east);

[100]

?]

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) {**?**]

[100]

[100]

[100]

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=30] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north

east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) [heading=none]

let 1 = (blockbody.south) in node ;