Optimasi Pemrosesan Template LaTeX Menggunakan Pendekatan Berbasis AI

Academic Support Agent

Ringkasan

ASSIGNMENT

Instructor's Name: Prof. John Doe
Course: Social Psychology in Business Environment
Date of Submission: 19 Pebruari 2025

Hey, this is a template for assignment submissions at college. Don't try to make sense of the text in the document, they're copy-paste of my other assignments and are completely out of context. Edit it as you need and have fun!

PENDAHULUAN

TINJAUAN PUSTAKA

[margin=2cm]geometry graphicx lipsum xcolor booktabs fancyhdr [most]tcolorbox [authoryear]natbib blindtext tabu

[english]babel [autostyle, english = american]csquotes "

Assignment Psychology III 1

blue(ryb)rgb0.01, 0.28, 1.0

[2]

[colback=blue!3!white,colframe=blue(ryb)!50!black,title=**Definition**]

1 Background and Introduction

The effect is usually accompanied with,

- First item
- Second item
- Extend this list

Examples

Some real life examples of this effect are following,

1. First item
2. Second item
3. More items

[**?**] gave an interesting account about forced compliance. You can also cite this paper inparagraph. fest1959

2 Mathematical Tools and Computer Codes

2.1 Some symbols $\theta_k = -\beta^{\alpha_k}\rho_k$

Another possible parrametrisation is $\theta_k = \beta^{\alpha_k}\rho_k$. The correlation function then used is,

$$cov(z(x_i), z(x_j)) = \frac{1}{\Gamma(\nu)} \sum_{k=1}^{p} \rho_k^{2^{\alpha}|x_{ij}-x_{jk}|_k^{\alpha}}.$$

Euclidean Distance. It is defined as,

$$d_0 = \sqrt{\sum_{j=1}^{n}(x_i - y_i)^2},$$

where x_i and y_i refer to different observations of Variable i where there are n variables.

2.2 Computer Codes

```
library(factoextra)
fviz_cluster(list(data = x, cluster = sub))

#developing tanglegram - comparative tanglegram between average linkages for
correlation and euclidean distances
library("dendextend")
hc1=hc.average
d1=as.dendrogram (hc)
d2=as.dendrogram (hc1)

tanglegram(d1, d2)
```

2.3 Using matrices

It can also be written as

$$MSE(\hat{y}(x)) = \sigma^2 \left[1 - (f'(x)r'(x)) \begin{pmatrix} 0 & F' \\ F & R \end{pmatrix}^{-1}\right].$$

3 Tables and Images

Here is a table,

|l|l|l|

Attribute	Explanation	Type
FRESH	Annual Spending on Fresh Products	Continuous
MILK	Annual Spending on Milk Products	Continuous
GROCERY	Annual Spending on Grocery Products	Continuous
FROZEN	Annual Spending on Frozen Products	Continuous
DETERGENTS	Annual Spending on Detergent	Continuous
DELICATESSEN	Annual Spending on delicatessen products	Continuous
CHANNEL	Hotel/Restaurant/Cafe	Nominal
REGION	Region (Lisnon, Oporto or Other)	Nominal

Here is an image.

Fig. 1: Cluster Plot for the clusters obtained.