Template Document

Academic Support Agent

February 19, 2025

2021 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

SemREC'21: Semantic Reasoning Evaluation Challenge, ISWC'21, Oct 24 – 28, Albany, NY

A better way to format your document for CEUR-WS

[1,2]Dmitry S. Kulyabov[orcid=0000-0002-0877-7063, email=kulyabov-ds@rudn.ru, url=https://yamadharma.github.io/,] [1]Peoples' Friendship University of Russia (RUDN University), 6 Miklukho-Maklaya St, Moscow, 117198, Russian Federation [2]Joint Institute for Nuclear Research, 6 Joliot-Curie, Dubna, Moscow region, 141980, Russian Federation

[3]Ilaria Tiddi[orcid=0000-0001-7116-9338, email=i.tiddi@vu.nl, url=https://kmitd.github.io/ilaria/,] [3]Vrije Universiteit Amsterdam, De Boelelaan 1105, 1081 HV Amsterdam, The Netherlands

[4]Manfred Jeusfeld[orcid=0000-0002-9421-8566, email=Manfred.Jeusfeld@acm.org, url=http://conceptbase.sourceforge.net/m] [4]University of Sk vde, H gskolev gen 1, 541 28 Sk vde, Sweden

Abstract

A clear and well-documented LaTeX document is presented as an article formatted for publication by CEUR-WS in a conference proceedings. Based on the "ceurart" document class, this article presents and explains many of the common variations, as well as many of the formatting elements an author may use in the preparation of the documentation of their work.

LaTeX class paper template paper formatting CEUR-WS

1 Introduction

CEUR-WS's article template provides a consistent LaTeX style for use across CEUR-WS publications, and incorporates accessibility and metadata-extraction functionality. This document will explain the major features of the document class.

If you are new to publishing with CEUR-WS, this document is a valuable guide to the process of preparing your work for publication.

The "`ceurart`" document class can be used to prepare articles for any CEUR-WS publication, and for any stage of publication, from review to final "camera-ready" copy with *very* few changes to the source.

This class depends on the following packages for its proper functioning:

- `natbib.sty` for citation processing;
- `geometry.sty` for margin settings;
- `graphicx.sty` for graphics inclusion;
- `hyperref.sty` optional package if hyperlinking is required in the document;
- `fontawesome5.sty` optional package for bells and whistles.

All the above packages are part of any standard LaTeX installation. Therefore, the users need not be bothered about downloading any extra packages.

2 Modifications

Modifying the template — including but not limited to: adjusting margins, typeface sizes, line spacing, paragraph and list definitions, and the use of the `\vspace` command to manually adjust the vertical spacing between elements of your work — is not allowed.

3 Template parameters

There are a number of template parameters which modify some part of the `ceurart` document class. This parameters are enclosed in square brackets and are a part of the `documentclass` command: latex [parameter]ceurart

Frequently-used parameters, or combinations of parameters, include:

- `twocolumn`: Two column layout.
- `hf`: Enable header and footer[1].

4 Front matter

4.1 Title Information

The titles of papers should be either all use the emphasizing capitalized style or they should all use the regular English (or native language) style. It does not make a good impression if you or your authors mix the styles.

Use the `\title` command to define the title of your work. Do not insert line breaks in your title.

4.2 Title variants

`\title` command have the below options:

- `title`: Document title. This is default option. latex [mode=title]This is a title You can just omit it, like as follows: latex This is a title
- `alt`: Alternate title. latex [mode=alt]This is a alternate title
- `sub`: Sub title. latex [mode=sub]This is a sub title
- `trans`: Translated title. latex [mode=trans]This is a translated title
- `transsub`: Translated sub title. latex [mode=transsub]This is a translated sub title

4.3 Authors and Affiliations

Each author must be defined separately for accurate metadata identification. Multiple authors may share one affiliation. Authors' names should not be abbreviated; use full first names wherever possible. Include authors' e-mail addresses whenever possible.

`\author` command have the below options:

- `style`: Style of author name (chinese)
- `prefix`: Prefix
- `suffix`: Suffix
- `degree`: Degree
- `role`: Role
- `orcid`: ORCID
- `email`: E-mail
- `url`: URL

Author names can have some kinds of marks and notes:

- affiliation mark: `\author[<num>]`.

The author names and affiliations could be formatted in two ways:

[1] You can enable the display of page numbers in the final version of the entire collection. In this case, you should adhere to the end-to-end pagination of individual papers.

Table 1: Frequency of Special Characters

Non-English or Math	Frequency	Comments
Ø	1 in 1,000	For Swedish names
π	1 in 5	Common in math
$	4 in 5	Used in business
Ψ_1^2	1 in 40,000	Unexplained usage

1. Group the authors per affiliation.
2. Use an explicit mark to indicate the affiliations.

Author block example: latex [1,2]Author Name[prefix=Prof., degree=D.Sc., role=Researcher, orcid=0000-0000-000-0000, email=name@example.com, url=https://name.example.com]
[1]Affiliation 1 [2]Affiliation 2

4.4 Abstract and Keywords

Abstract shall be entered in an environment that starts with `\begin{abstract}` and ends with `\end{abstract}`.
latex

Abstract

This is an abstract.

The key words are enclosed in a `{keyword}` environment. Use `\sep` to separate keywords.
latex First keyword Second keyword Third keyword Fourth keyword
At the end of front matter add `\maketitle` command.

5 Sectioning Commands

Your work should use standard LaTeX sectioning commands: `section`, `subsection`, `subsubsection`, and `paragraph`. They should be numbered; do not remove the numbering from the commands.

Simulating a sectioning command by setting the first word or words of a paragraph in boldface or italicized text is not allowed.

6 Tables

The "`ceurart`" document class includes the "`booktabs`" package — `https://ctan.org/pkg/booktabs` — for preparing high-quality tables.

Table captions are placed *above* the table.

Because tables cannot be split across pages, the best placement for them is typically the top of the page nearest their initial cite. To ensure this proper "floating" placement of tables, use the environment `table` to enclose the table's contents and the table caption. The contents of the table itself must go in the `tabular` environment, to be aligned properly in rows and columns, with the desired horizontal and vertical rules.

Immediately following this sentence is the point at which Table 1 is included in the input file; compare the placement of the table here with the table in the printed output of this document.

To set a wider table, which takes up the whole width of the page's live area, use the environment `table*` to enclose the table's contents and the table caption. As with a single-column table, this wide table will "float" to a location deemed more desirable. Immediately following this sentence is the point at which Table 2 is included in the input file; again, it is instructive to compare the placement of the table here with the table in the printed output of this document.

7 Math Equations

You may want to display math equations in three distinct styles: inline, numbered or non-numbered display. Each of the three are discussed in the next sections.

Table 2: Some Typical Commands

Command	A Number	Comments
`\author`	100	Author
`\table`	300	For tables
`\table*`	400	For wider tables

Figure 1: 1907 Franklin Model D roadster. Photograph by Harris & Ewing, Inc. [Public domain], via Wikimedia Commons. (`https://goo.gl/VLCRBB`).

7.1 Inline (In-text) Equations

A formula that appears in the running text is called an inline or in-text formula. It is produced by the `math` environment, which can be invoked with the usual `\begin ... \end` construction or with the short form `$ ... $`. You can use any of the symbols and structures, from α to ω, available in LaTeX [**?**]; this section will simply show a few examples of in-text equations in context. Notice how this equation: $\lim_{n\to\infty} \frac{1}{n} = 0$, set here in in-line math style, looks slightly different when set in display style. (See next section).

7.2 Display Equations

A numbered display equation—one set off by vertical space from the text and centered horizontally—is produced by the `equation` environment. An unnumbered display equation is produced by the `displaymath` environment.

Again, in either environment, you can use any of the symbols and structures available in LaTeX; this section will just give a couple of examples of display equations in context. First, consider the equation, shown as an inline equation above:

$$\lim_{n\to\infty} \frac{1}{n} = 0. \tag{1}$$

Notice how it is formatted somewhat differently in the `displaymath` environment. Now, we'll enter an unnumbered equation:

$$S_n = \sum_{i=1}^{n} x_i,$$

and follow it with another numbered equation:

$$\lim_{x\to 0} (1+x)^{1/x} = e \tag{2}$$

just to demonstrate LaTeX's able handling of numbering.

8 Figures

The "`figure`" environment should be used for figures. One or more images can be placed within a figure. If your figure contains third-party material, you must clearly identify it as such, as shown in the example below.

Your figures should contain a caption which describes the figure to the reader. Figure captions go below the figure. Your figures should also include a description suitable for screen readers, to assist the visually-challenged to better understand your work.

Figure captions are placed below the figure.

9 Citations and Bibliographies

The use of BibTeX for the preparation and formatting of one's references is strongly recommended. Authors' names should be complete — use full first names ("Donald E. Knuth") not initials ("D. E. Knuth") — and the salient identifying features of a reference should be included: title, year, volume, number, pages, article DOI, etc.

The bibliography is included in your source document with these two commands, placed just before the