Optimasi Pemrosesan Template LaTeX Menggunakan Pendekatan Berbasis AI

Academic Support Agent

19 Pebruari 2025

Ringkasan

PENDAHULUAN
TINJAUAN PUSTAKA
[xcolor=dvipsnames,envcountsect]beamer
[]beamerthemeMadrid
[named=crimsonred]beamercolorthemestructure
[stillsansseriftext]beamerfontthemestructurebold
[footline=authortitle,subsection=false]beamerouterthememeniframes
[]beamerinnerthemerounded [justification=centering]caption
amsmath,amsfonts,amssymb,amscd,amsthm
graphicx,xcolor,comment mathrsfs multirow array hyperref multicol ./Figure
ragged2e caption [english]babel rotating enumerate tikz bm
csquotes
biblatex References.bib

Outer-connected Edge Domination in Graphs

Christle Jude L. Maquilan (BS Mathematics)

Adviser: **Mohammad Nur S. Paspasan, Ph.D.**

Department of Mathematics and Statistics
College of Science and Mathematics
Western Mindanao State University

./Figure

./Figures/WMSU CSM DMS.png

Math 197 (Special Problem) - Final Defense - **April 21, 2022**

Presentation Outline

Introduction

Working Definitions

Results

Recommendations

./Figure

Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis ut imperdiet lorem. Sed imperdiet sit amet quam sit amet molestie. Curabitur elementum magna sem, eu viverra augue pharetra quis. Phasellus ut turpis vel nunc fermentum ornare. Maecenas sit amet semper leo. Praesent sodales vel lectus sed hendrerit.

./Figure

Working Definitions

Definition 1


A set $M \subseteq E(G)$ is an *edge dominating set of* G if every $u \in E(G) \backslash M$ is adjacent to some $v \in M$. The *edge domination number of* G, denoted by $\gamma_e(G)$, is the minimum cardinality of an edge dominating set of G. Any edge dominating set of G with cardinality $\gamma_e(G)$ is referred to as a γ_e*-set of* G.

./Figure

Working Definitions (Cont'n)

Example 2

The sets $M_1 = \{a, c, f\}$, $M_2 = \{d, h\}$, and $M_3 = \{a, e, g, h\}$ are edge dominating sets of G in Figure 1.5. Moreover, $M_2 = \{d, h\}$ is a minimum edge dominating set of G. Thus, $\gamma_e(G) = |M_2| = 2$.



igure

justification=centering

Gambar 1: A graph G with $\gamma_e(G) = 2$.

Results

Remark 3

A set S is an outer-connected edge dominating set of a graph G if S is an edge dominating set such that $H_{E(G)\setminus S}$ does not have component isomorphic to K_2 or $S = E(G)$.

./Figure

Results


Remark 3

A set S is an outer-connected edge dominating set of a graph G if S is an edge dominating set such that $H_{E(G)\setminus S}$ does not have component isomorphic to K_2 or $S = E(G)$.

To see this, consider graphs $G_1 = P_3, G_2 = P_4$, and $G_3 = C_8$ in Figure 2. Then, $\gamma_{oce}(P_3) = 2, \gamma_{oce}(P_4) = 3$, and $\gamma_{oce}(C_8) = 4$.

/Figure

Results (Cont'n)



Recommendations

The following problems are suggested for further study:
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis ut imperdiet lorem. Sed imperdiet sit amet quam sit amet molestie. Curabitur elementum magna sem, eu viverra augue pharetra quis. Phasellus ut turpis vel nunc fermentum ornare. Maecenas sit amet semper leo. Praesent sodales vel lectus sed hendrerit.

./Figure

List of References

./Figure

Thank You So Much!

./Figure