Template Document

Academic Support Agent

February 19, 2025

LaTeXTemplate for Revista Mexicana de Física, Revista Mexicana de Física E and Suplemento de la Revista Mexicana de Física. Editorial Team Revista Mexicana de Física, Sociedad Mexicana de Física A.C., Departamento de F sica, 2 Piso, Facultad de Ciencias, Universidad Nacional Aut noma de M xico, Ciudad Universitaria, Alcald a Coyac n, C.P. 04510 , Ciudad de M xico. Apartado Postal 70-348. 15 April 202216 April 2023

Abstract

We introduce the LaTeXtemplate for the preparation of manuscripts to be submitted to Revista Mexicana de F sica, Revista Mexicana de F sica E and/or Suplemento de la Revista Mexicana de F sica.

2

1 LaTeXtemplate

The LaTeXtemplate of Revista Mexicana de F sica (RMF), Revista Mexicana de F sica E (RMF-E) and Suplemento de la Revista Mexicana de F sica (SRMF) provides the two column documentclass rmf-d to prepare manuscripts for submission to these journals. Manuscripts should be organized in numbered sections, with subtitles and references.

This example file guides the authors in the preparation of their manuscript. Most LaTeXcommands are used in the standard manner and the template is compatible with most of the currently available packages. The file templates are meant to be used in the same directory as the source tex file.

Authors are requested to provide the title of the article latexManuscript title along with their name latexAuthor name and address latexAuthor's address/affiliation. Use as many times as required.

An abstract consisting in a brief description of their article is also requested, latex

Abstract

Abstract content

Sections, subsections and subsubsections should be introduced in the manuscript in the standard form latex

2 Section

2.1 Subsection

2.1.1 Subsubsection

Punctuation and other familiar symbols are introduced as in any LaTeXdocument. Footnotes [1] are added at the bottom of the text column.

Mathematical expressions are intruduced in standard way as in latexx^2 that appears as x^2. Unnumbered expressions like

$$ax^2 + bx + c = 0$$

can be introduced as latex

$$ax^2 + bx + c = 0$$

Numbered equations

$$E = mc^2 \tag{1}$$

are introduced as latex

$$E = mc^2 \tag{2}$$

[1] A footnote.

and can be referenced (2) using latex(2). Multiline expressions

$$\begin{aligned} A &= \int_{-\infty}^{\infty} dx e^{-ax^2} \\ &= \sqrt{\frac{\pi}{a}}. \end{aligned} \tag{3}$$

can be introduced, for instance, with the align envoronment, [breaklines=true]latex

$$\begin{aligned} A &= \int_{-\infty}^{\infty} dx e^{-ax^2} \\ &= \sqrt{\frac{\pi}{a}}. \end{aligned} \tag{4}$$

Wide expressions $\mathrm{R}^{(\mathrm{d})} = g^e_{\sigma_2}\left(\frac{[\Gamma^Z(3,21)]_{\sigma_1}}{Q^2_{12}-M^2_W} + \frac{[\Gamma^Z(13,2)]_{\sigma_1}}{Q^2_{13}-M^2_W}\right) + x_W Q_e\left(\frac{[\Gamma^\gamma(3,21)]_{\sigma_1}}{Q^2_{12}-M^2_W} + \frac{[\Gamma^\gamma(13,2)]_{\sigma_1}}{Q^2_{13}-M^2_W}\right)$,

2 can also be introduced by breaking the columns as follows latex $\mathrm{R}^{(\mathrm{d})} = g^e_{\sigma_2}\left(\frac{[\Gamma^Z(3,21)]_{\sigma_1}}{Q^2_{12}-M^2_W} + \frac{[\Gamma^Z(13,2)]_{\sigma_1}}{Q^2_{13}-M^2_W}\right) + x_W Q_e\left(\frac{[\Gamma^\gamma(3,21)]_{\sigma_1}}{Q^2_{12}-M^2_W} + \frac{[\Gamma^\gamma(13,2)]_{\sigma_1}}{Q^2_{13}-M^2_W}\right)$. 2 and can be cross-referenced () as usual.

3 Figures, Tables

Figures can be introduced as in the following example
latex




Figure 1: Figure caption




Figure 2: Figure caption

and can be referenced in the text 2 as latex2.

Tables are introduced as in the following example latex

Table 1: True-false Table

p	q	$p \wedge q$
0	0	0
0	1	0
1	0	0
1	1	1

Table 2: True-false Table

p	q	$p \wedge q$
0	0	0
0	1	0
1	0	0
1	1	1

As usual, tables can be crossreferenced in the text 2.

4 References

References must be presented as follows: authors name, manuscript title, journal s name (abbreviated according to international conventions), volume number in bold face, year (within parentheses), first page number, and DOI

hyper-link. For books the reference must include: author's name, book's name, publisher, place of publication and corresponding pages. If possible, please also provide the URL of the reference. References [**?**, **?**] are introduced manually as latex

References

[1] E. Ley-Koo, Recent progress in confined atoms and molecules: Superintegrability and symmetry breakings, Rev. Mex. Fis. 64 (2018) 326, `https://doi.org/10.31349/RevMexFis.64.326`

[2] D.J. Griffiths, Introduction to Electrodynamics, 2nd ed. (Prentice Hall, Englewood Cliffs, NJ, 1989), pp. 331–334.

BibTeX can also be used with the rmf-style that is provided in this template. The same references [**?**, **?**] in BibTeX format should be added in a .bib file as bib @articleley2018recent, title=Recent progress in confined atoms and molecules: Superintegrability and symmetry breakings, author=Ley-Koo, E, journal=Rev. Mex. F s., volume=64, number=4, pages=326–363, year=2018, publisher=Sociedad Mexicana de F sica, doi=https://doi.org/10.31349/RevMexFis.64.326 @bookgriffiths2005introduction, title=Introduction to electrodynamics, author=David J Griffiths, year=1989, publisher=Prentice Hall, edition=2, address=Englewood Cliffs, NJ, pages = 331-334
Eventually, upon acceptance, the authors should provide the .bbl file for edditorial process.

Acknowledgements are presented at the end of the manuscript, before the reference section.

2