Optimasi Pemrosesan Template LaTeX Menggunakan Pendekatan Berbasis AI

Academic Support Agent

19 Pebruari 2025

Ringkasan

PENDAHULUAN
TINJAUAN PUSTAKA
[hi-blar]beamer t1enc [utf8]inputenc
pgf,pgfarrows,pgfnodes,pgfautomata,pgfheaps,pgfshade graphicx
amsmath,amssymb color rotating multimedia natbib url
[]beamerthemePittsburgh []beamercolorthemelily
[]beamerfontthemeprofessionalfonts []beamerfontthemeserif

Beamer LaTeX template for HÍ presentations

Katrín Halldórsdóttir

University of Iceland

2016

Section

and subsection

This will be seen on the overview slide

if you don't want an overview slide, inactivate the following line with %:

```
\frame{\tableofcontents}
```

Section-3

and subsection-3

and even subsubsection-3

Basics

- A frame starts with `\begin{frame}` and end with `\end{frame}`
- Other environments inside a frame:
- For example `\begin{itemize}`:
  - Whith a sign
    Or not
  - `\end{itemize}`

1. Or `\begin{enumerate}`:
2. which labels
3. the points with sequential numbers.
4. `\end{enumerate}`

Frametitle

- For header to appear on every slide, remove the } after the `\titlepage}`
- The "svið" have different colors:
  - Verkfræði- og náttúruvísindasvið
  - Menntavísindasvið
  - Heilbrigðisvísindasvið
  - Hugvísindasvið
  - Félagsvísindasvið
  - The official color of the University and doctoral studies.
- Color for item, subitem, section, frametitle etc. can be changed in the preamble of the tex-file.
- To switch the color of the head, remove the % for the appropriate svið in the preamble of the tex file: \usebackgroundtemplate{\includegraphics[width=\paperwidth, height=\textheight,keepaspectratio=true]\{HI-hattur-felags-vector}}

Exampleblock

- Color and style of the exampleblock can be changed

Exampleblock

- `\setbeamercolor*block body examplefg= hi-blar, bg= blue!5`
- `\setbeamercolor*block title examplefg=white, bg= blue!50`
- `\setbeamertemplateblocks[rounded][shadow=true]`

Huge title

– with a subtitle –

- All basic commands and functions in latex can can be used in beamer.
- Such as **boldface** and *italic* or *italic* and `typewriter mode`.

\includegraphics to insert figures.

- \columns can be used to devide the frame.
- For two or more figures,
- or for a figure and some text.

List - open presentation mode to see how it works.

List - open presentation mode to see how it works.

- To add one point at a time to a slide

List - open presentation mode to see how it works.

- To add one point at a time to a slide
- you can use pause

List - open presentation mode to see how it works.

- To add one point at a time to a slide
- you can use pause
  - part 1

List - open presentation mode to see how it works.

- To add one point at a time to a slide
- you can use pause
  - part 1
  - part 2

List - open presentation mode to see how it works.

- To add one point at a time to a slide
- you can use pause
  - part 1
  - part 2
- or alert:

List - open presentation mode to see how it works.

- To add one point at a time to a slide
- you can use pause
  - part 1
  - part 2
- or alert:
- `\begin{itemize}[<+-| alert@+>]`

Resource and infos

- University of Iceland logos and corporate identity standards `http://honnunarstadall.hi.is/` and `http://honnunarstadall.hi.is/honnunarstadall_haskola_islands`
- `https://www.ctan.org/pkg/beamer?lang=en`
- `https://en.wikibooks.org/wiki/LaTeX/Presentations#Columns_and_Blocks`
- BibTEXworks with beamer. `http://www.bibtex.org/`.
- Have fun!