Abstract

PENDAHULUAN
TINJAUAN PUSTAKA
[a0paper,portrait,margin=0pt, colspace=24pt,subcolspace=0pt,blockverticalspace=36pt,innermargin=50pt]tikzposter
[latin9]inputenc [square,numbers]natbib amsmath,amssymb lipsum [colalign]aligncolsatbottom
helvet
1=1 =0 [transparent,inner sep=line width=anchor=north, minimum width=] (TP@title) at ((0, 0.5))

; let 1 =

((*TP@title.north*) − (*TP@title.south*)) in node ;
[line width=rounded corners=10] [color=framecolor, fill=titlebgcolor]() rectangle ();
[inner sep=line width=anchor=north, minimum width=] at (0,0.5)

;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);
[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) {4}


Introduction

let 1 = (blockbody.south) in node ;
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

First Block

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) {12}
let 1 = (blockbody.south) in node ;
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

[12]



Model Block

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody)

That was a flowchart, and this is the corresponding ODE system:

$$\left\{\dot{S} = \pi - \alpha S, \dot{I} = \alpha S - \beta I, \dot{R} = \beta I - \mu R.\right.$$


let 1 = (blockbody.south) in node ;
[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);
[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

This graphic was generated with Tikz:

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody)

Results

Block



[85]

Name	Age	Height [cm]	Color
Mara	25	152	white
Carlos	12	142	green
Francisco	18	172	blue
Mario	21	165	red

[85]

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north

east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) [13]

Another Block

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north

east);

[text width=, inner sep=anchor=center]at (blocktitle); [text width=, inner sep=anchor=center]at (blockbody) ;

Another block

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blocktitlebgcolor] (blockbody.south west) rectangle (blocktitle.north east); [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north

east);

[text width=, inner sep=anchor=center]at (blocktitle) [text width=, inner sep=anchor=center]at (blockbody) [12-13]

Conclusions

let 1 = (blockbody.south) in node ;

[minimum width=minimum height=anchor=center] (blocktitle)at (, +); [minimum width=minimum height=anchor=center] (blockbody)at (, -0.5);

[line width=rounded corners=16] [color=blocktitlebgcolor, fill=blockbodybgcolor] (blockbody.south west) rectangle (blockbody.north east);

[text width=, inner sep=anchor=center]at (blockbody) ;

let 1 = (blockbody.south) in node ;

(notetarget) at ((*blockbody*) + ()); [minimum width=minimum height=anchor=center,rotate=15] (notecenter) at ((*notetarget*) + (∗*cos*(0), ∗*sin*(0)));

Conta

[color=notefrcolor, fill=notebgcolor, rounded corners=20] (notecenter.south west) – (notecenter.north west) – (notecenter.north east) – (notecenter.south east) – cycle; [text width=, inner sep=anchor=center,rotate=15]at (notecenter)Name