# Template Document

Academic Support Agent

February 19, 2025

Contents

Text in LaTeX Examples of Basic Text Typesetting

## 1 Long Text

This is a Really Long Text of Title Used Here Some really long text:

[2]

## 2 List

Itemize List Some introduction of the list.

- Bulleted copy. Keep it short with bite-size chunks of information.
  - Bulleted copy. Keep it short with bite-size chunks of information.
- Bulleted copy. Keep it short with bite-size chunks of information.
- Bulleted copy on the second slide. Keep it short with bite-size chunks of information.

Enumerate List Some introduction of the list.

1. Bulleted copy. Keep it short with bite-size chunks of information.
   (a) Bulleted copy. Keep it short with bite-size chunks of information.
2. Bulleted copy. Keep it short with bite-size chunks of information.
3. Bulleted copy. Keep it short with bite-size chunks of information.

Features in LaTeX Examples of Features Commonly Used in Slides

## 3 Maths

Maths An example of some very long equations with $\Psi(x,t)$:

$$i\hbar\frac{\partial}{\partial t}\Psi(x,t) = \left[-\frac{\hbar^2}{2m}\frac{\partial^2}{\partial x^2} + V(x,t)\right]\Psi(x,t) \tag{1}$$

$$i\hbar\frac{d}{dt}|\Psi(t)\rangle = \hat{H}|\Psi(t)\rangle \tag{2}$$

$$|\Psi(t)\rangle = \sum_n A_n e^{-iE_n t/\hbar}|\psi_{E_n}\rangle \tag{3}$$

## 4 Figure

Figure LaTeX can draw figures with the tikz package:
Large figures can be placed on a frame without a title.

[ square/.style=rectangle, draw=black!, very thick, minimum size=5mm, ] [square](client)Client; [square](r1)[right=of client]Relay 1; [square](r2)[right=of r1]Relay 2; [square](r3)[right=of r2]Relay 3; [square](server)[right=of r3]Server; [->](client.east)–node[above=1em]$E_1(E_2(E_3(P)))$(r1.west); [->](r1.east)–node[above=1em]$E_2(E_3(P))$(r2.west); [->](r2.east)–node[above=1em]$E_3(P)$(r3.west); [->](r3.east)–node[above=1em]$P$(server);

Figure 1: An Example of a Three-Hop Connection

font= [scale=/13cm] [black, ultra thick] (0, 0) – (0, 4); [black, ultra thick] (3, 0) – (3, 4); [black, ultra thick] (6, 0) – (6, 4); [black, ultra thick] (9, 0) – (9, 4); [black, ultra thick] (12, 0) – (12, 4);
0,0)--node[anchor=north]{Performvotes}3, 0);
3,0)--node[anchor=north]{Fetchvotes}6, 0);
6,0)--node[anchor=north]{Computeconsensuses}9, 0);
9,0)--node[anchor=north]{Fetchsignatures}12, 0);
[black] (0, 3) circle (2pt) node[anchor=east]$i$; [black] (0, 1) circle (2pt) node[anchor=east]$j$; [black] (0, 3) – (3, 0); [black] (0, 3) – (3, 1); [black] (0, 3) – (3, 2); [black] (0, 3) – node[midway, above, sloped]VOTE($V_i$) (3, 4); [black] (0, 1) – node[midway, below, sloped]VOTE($V_j$) (3, 0); [black] (0, 1) – (3, 2); [black] (0, 1) – (3, 3); [black] (0, 1) – (3, 4);
[black] (3, 3) circle (2pt); [black] (3, 3) – (6, 0); [black] (3, 3) – (6, 1); [black] (3, 3) – (6, 2); [black] (3, 3) – node[midway, above, sloped]FETCH_VOTE($i, k$) (6, 4);
[black] (6, 3) circle (2pt); [black] (6, 1) circle (2pt); [black] (6, 3) – (9, 0); [black] (6, 3) – (9, 1); [black] (6, 3) – (9, 2); [black] (6, 3) – node[midway, above, sloped]SIG($\sigma(C_i)$) (9, 4); [black] (6, 1) – node[midway, below, sloped]SIG($\sigma(C_j)$) (9, 0); [black] (6, 1) – (9, 2); [black] (6, 1) – (9, 3); [black] (6, 1) – (9, 4);
[black] (9, 3) circle (2pt); [black] (9, 3) – (12, 0); [black] (9, 3) – (12, 1); [black] (9, 3) – (12, 2); [black] (9, 3) – node[midway, above, sloped]FETCH_SIG($i, k$) (12, 4);

Figure 2: A Large Figure

# 5 Block

Block Blocks emphasize information: Block 1 A gold block with two different colors. Block 2 A gray block with two different colors. Block 3 A red block for alert, in default theme from LaTeX.

Thank you for using! For issues on the template, please visit the Github page:
https://github.com/mkahveci/loyola-beamer-template