Low level of RPS19

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPS19

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPS19

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RAC1

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RAC1

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RAC1

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of SRGN

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of SRGN

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of SRGN

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of SPARC

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of SPARC

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of SPARC

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of MYL12B

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of MYL12B

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of MYL12B

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPS27

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPS27

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPS27

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPS23

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPS23

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPS23

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPL30

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPL30

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile
BRCA

High level of RPL30

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile
BRCA

Low level of ACTA2

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of ACTA2

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of ACTA2

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPL35A

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPL35A

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPL35A

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPS9

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPS9

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPS9

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of HLA−C

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of HLA−C

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of HLA−C

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of PSMA7

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of PSMA7

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of PSMA7

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPS18

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPS18

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPS18

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

Low level of RPL41

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile
20%th quantile
30%th quantile
40%th quantile
50%th quantile
60%th quantile
70%th quantile
80%th quantile
90%th quantile
100%th quantile

BRCA

Low level of RPL41

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
4
3
2
1

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA

High level of RPL41

RPL27A Cell type: TC8_em
RPL27A Cell type: ADI_fa
RPL27A Cell type: TCL_re
RPL27A Cell type: OTH_as
RPL27A Cell type: MAC_ma
STMN1 \
AP2M1 \
RPS16 \
OAZ1 \
TMSB10 \
CD74 \
KLF6 \
SPARC \
IFI27 \
RPS5 \
RPL7 \
UBC \
RPS24 \
RPL27A Cell type: ADI_ot
IGKC /
CALM2 /
RPL4 /
RPL41 /
RPL13 /
RPS3A /
RPS6 /
RPS9 /
RPS8 /
RARRES1 /
RPL15 /
RAN /
GAPDH /

value
5
4
3
2
1
0

10%th quantile 20%th quantile 30%th quantile 40%th quantile 50%th quantile 60%th quantile 70%th quantile 80%th quantile 90%th quantile 100%th quantile

BRCA