golang 目录遍历

获取目录列表用「ioutil.ReadDir()」,遍历目录用「filepath.Walk()」,使用方法请参考文章示例。

示例代码:

```
package main
import (
   "fmt"
   "io/ioutil"
   "os"
   "path/filepath"
   "strings"
)
//获取指定目录下的所有文件,不进入下一级目录搜索,可以匹配后缀过滤。
func ListDir(dirPth string, suffix string) (files []string, err error) {
   files = make([]string, 0, 10)
   dir, err := ioutil.ReadDir(dirPth)
   if err != nil {
       return nil, err
   }
   PthSep := string(os.PathSeparator)
   suffix = strings.ToUpper(suffix) //忽略后缀匹配的大小写
   for _, fi := range dir {
       if fi.IsDir() { // 忽略目录
           continue
       if strings.HasSuffix(strings.ToUpper(fi.Name()), suffix) { //匹配文件
           files = append(files, dirPth+PthSep+fi.Name())
       }
   }
   return files, nil
//获取指定目录及所有子目录下的所有文件,可以匹配后缀过滤。
func WalkDir(dirPth, suffix string) (files []string, err error) {
   files = make([]string, 0, 30)
   suffix = strings.ToUpper(suffix) //忽略后缀匹配的大小写
```

http://coolaf.com/article/83.html

```
err = filepath.Walk(dirPth, func(filename string, fi os.FileInfo, err error) error { //遍
历目录
       //if err != nil { //忽略错误
             return err
       //
       //}
       if fi.IsDir() { // 忽略目录
           return nil
       }
       if strings.HasSuffix(strings.ToUpper(fi.Name()), suffix) {
           files = append(files, filename)
       }
       return nil
   })
   return files, err
}
func main() {
   files, err := ListDir("D:\\Go", ".txt")
   fmt.Println(files, err)
   files, err = WalkDir("E:\\Study", ".pdf")
   fmt.Println(files, err)
```

```
golang (/article/category/golang)

php (/article/category/php)

nginx (/article/category/nginx) js (/article/category/js)

linux (/article/category/linux)

android (/article/category/android)

jquery (/article/category/jquery)
```

mysql (/article/category/mysql) 测试 (/article/category/测试) memcache (/article/category/memcache)

最热文章

go 中url编码和字符转码(类似php中的urlencode 和htmlspecialchars) (/article/55.html)
golang 字符串截取 (/article/6.html)
golang中的并发 sync.WaitGroup 和channel
(/article/77.html)
golang 环境的搭建和安装 (/article/33.html)
golang 字符转义 (/article/27.html)
golang 随机字符串 (/article/7.html)
golang 加取网页信息 (用goquery) (/article/25.html)
golang 加取网页信息 (用goquery) (/article/25.html)
android 横屏、竖屏切换禁止 (/article/79.html)
nginx 出现a client request body is buffered to a
temporary file 错误 (/article/46.html)

最新文章

golang模板语法简明教程 (/article/92.html)
nginx rewrite 参数和例子 (/article/91.html)
关于全局唯一ID生成方法 (/article/90.html)
PHP升级导致系统负载过高问题分析 (/article/89.html)
go语言channel的别样用法 (/article/88.html)
Nginx ssi 设置 (/article/87.html)
Linux tcpdump命令详解 (/article/86.html)

linux之sed用法 (/article/85.html)
php 导出excel ,同样稍微修改一下适合其他语言
(/article/84.html)
golang 目录遍历 (/article/83.html)

© Copyright © 2013-2014

本站地图 (http://coolaf.com/article/m)

(http://tongji.baidu.com/hm-web/welcome/ico?s=18f18be6e58f13d87192835c8c15fdca)