


# **APP for the presentation of classification results for land cover types, forest distribution, and dominant woody plant species**

## **Introduction**

Publishing an APP on GEE that displays classification results helps to visualize classification results and allows forest managers to develop forest management plans better.

With the APP published by GEE, as shown in the figure below, the page is divided into three main parts: (a), (b), and (c). The (a) section contains the study area boundary, original data, and classified sample points, which can be viewed by clicking the selection button in the top left corner of the APP. The (b) section contains the validation sample points, land covers, and tree species classification results. Similarly, these can be viewed by clicking the selection button in the top right corner of the APP. In part (b), the mouse clicks anywhere in (b) to view the coordinates of this point and the best results of land cover classification and dominant woody plant species classification in (c). A sliding button between (a) and (b) can be dragged using the mouse to compare the accuracy of the classification results. Part (c) briefly introduces the APP and a legend of the classification results. The best results of the land cover classification and the dominant woody plant species classification can be downloaded by clicking the Download button.



## Data preparation

This app uses the method of uploading the data to be visualized into Cloud Assets before displaying it to keep it running fast. The data to be prepared is as follows:

1. Study area boundaries: Upload according to the purpose of the study.
2. Classification data sources: the type and timing of the data source are determined by the remote sensing imagery and the purpose of the classification. Sentinel-1 and -2 imagery data from 2018 and topographic data were selected for this study.
3. Training and validation sample points include manually interpreted land cover sample points and dominant woody plant species sample points generated by National Forest Resources Inventory data.
4. Land cover classification results: 10 m land cover classification results from different data sources (see manuscript for classification methods).
5. Dominant woody plant species classification results: 10 m dominant woody plant species classification results from different data sources (see manuscript for classification methods).

## Legend and classification codes

The land cover classification result codes: 1, 2, 3, 4, and 5 correspond to Cropland, Bare soil, Building, Forest, and Water, respectively.

## LC

-  CropLand-1
-  Bare soil-2
-  Building-3
-  Forest-4
-  water-5

The dominant woody plant species codes are as follows: 1, 2, 3, 4, 5, 6, 7, and 8 correspond to CF, MP, HB,

SB, MF, EF, SH, and Others, respectively. CF is the abbreviation for Chinese fir (*Cunninghamia lanceolata*). MP is the abbreviation for Masson pine. HB is the abbreviation for hard-leaved mixed forest (with hard-leaved tree species accounting for 65% or more of the total stocking). SB is the abbreviation for soft-leaved mixed forest (with soft-leaved tree species accounting for 65% or more of the total stocking). MF is the abbreviation for Moso bamboo forest. EF is the abbreviation for Economic forest. SH is the abbreviation for Shrubs. Others represent other tree species in mixed or pure forests.

### Dominant woody plant species

-  CF-1
-  MP-2
-  HB-3
-  SB-4
-  MF-5
-  EF-6
-  SH-7
-  Others-8

## Introduction to abbreviations in APP

The following two tables include all the abbreviated descriptions in the APP, where all remote sensing data are from 2018. S2: Sentinel-2; S1: Sentinel-1; LC: land cover types; FC: forest dominant tree species.

Table 1 Abbreviations on the left of the map

Abbreviations	Data for specific references
Study Area	Study area boundaries
S2_year	S2 Annual Median Synthetic Image
S2_winter	S2 Winter composite image
S2_wintercloudy	S2 Winter composite image with clouds
S1_winter_VV	S1 VV image
S1_winter_VH	S1 VH image
DEM	Topographic data
LC_train_samplepoints	Land cover classification training sample points
FC_train_samplepoints	Dominant tree species extraction training sample points

Table 2 Abbreviations on the right of the map

Abbreviations	Data for specific references
Forest Area	Forest distribution data in the optimal land cover classification results
LC_validation_samplepoints	Land cover classification validation sample points
FC_validation_samplepoints	Training sample points for dominant tree species extraction
LC_Result_S1S2winter	Land cover classification results from fused S1 and S2 winter data
LC_Result_S1WinterS2WinterCloudy	Land cover classification results for fused S1 winter and S2 winter with cloud data
LC_Result_S1winter	Land cover classification results for S1 winter data
LC_Result_S1winterS2year	Land cover classification results from fused S1 winter and S2 annual season data
LC_Result_S2WinterCloudy	Land cover classification results for S2 winter with cloud data
LC_Result_S2winter	Land cover classification results for S2 winter data
LC_Result_S2year	Land cover classification results for S2 annual season data
FC_Result_FC_S2_BIT	Results of dominant species extraction from S2 annual season data and processed NFRI data
FC_Result_FC_A_S1S2	Extraction of dominant species from fused S1 winter and S2 annual season data and untreated NFRI data
FC_Result_FC_B_S1S2	Extraction results of dominant tree species from fused S1 winter and S2 annual season data and unprocessed NFRI data

## Links

The app can be viewed via the link below:

<https://chenwugui7170.users.earthengine.app/view/resultdisplay>

# Acknowledgments

This work was supported by GEE: <https://developers.google.com/earth-engine>

The main methods used are found here: <https://developers.google.com/earth-engine/guides/apps>

# Citation

Chen X, Sun Y. Dominant woody plant species recognition with a hierarchical model based on multimodal geospatial data for subtropical forests.