



Simulation and Analysis of Mechanical Properties for Euplectella sp. Skeleton

Cheng-Yu Yang

Professor : Chia-Ching Chou, Ph.D

Institute of Applied Mechanics

National Taiwan University



Outline

- What is *Euplectella* sp. Skeleton?
- Research methods
- Simulation
- Future work
- Reference




Euplectella sp. Skeleton

- *Euplectella* sp. Skeleton is a marine-sponge-derived biomaterials.
- Structure : 6~32cm long , 40~70 μ m in diameter.
- Material: hydrated silica ($\text{SiO}_2 \cdot n\text{H}_2\text{O}$) ($n=2\sim 5$).



Venus flower basket
basket, *Euplectella* sp., skeleton



Euplectella aspergillum

- Spicule Fibers ~30-70 μ m
- Rings increase in thickness (0.1 μ m-1 μ m) proceeding radially inward.
- Solid silica cylinder is ~40% of diameter
- Central protein core ~1 μm^2
- Number of rings varies

Fig. 4. Schematic drawing of *E. aspergillum* spicule. Note: drawing is not to scale.




Research methods

- Coarse-grained modeling
- Lattice spring modeling (LSM)
- Tool:
 - ◆ MATLAB
 - ◆ LAMMPS
 - ◆ OVITO



Coarse-grained modeling

- Coarse-grained modeling, aim at simulating the behavior of complex systems using their coarse-grained (simplified) representation.






Lattice Spring Modeling (LSM)

Lammps





MATLAB



MATLAB
OVITO




Experimental reference





Experimental reference



- The team believes that the construction of multi-layer interweaving of nodes improves the ability of local energy absorption.




Simulation

- Structure
 - Structure coefficient
 - Structure model
- Simulation setting
- Data



Structure



	Real	Robsonbrow2019	My simulation
Height	6~32(cm)	25(cm)	40(cm)
Diameter	1.5~5(cm)	2.5~4.25±0.94(cm)	10(cm)
Thickness	0.1~1(μ m)	350±60(μ m)	-
Section	-	2*2(cm)	3(cm)*3(cm)



Simulation setting

- **Environmental conditions: NPT**
- **Force field:**
- **Bond Potential: Harmonic bond**

$$E = K (r - r_0)^2$$

- r_0 is the equilibrium bond distance

- **Intermolecular force: Lennard-Jones potential**

$$V_{LJ} = 4\epsilon \left[\left(\frac{\sigma}{r} \right)^{12} - \left(\frac{\sigma}{r} \right)^6 \right]$$

- σ is the finite distance at which the inter-particle potential is zero
- ϵ is the depth of the potential well



Future work

- **Imitate the compression test done by Robinson team, and improve the structure of the next stage.**
- **Build different layer structure and adjust geometric shape ratio. Observe shape ratio and tensile strength relationship.**



謝謝聆聽！

Thanks!



Reference

- James C. W., Joanna A., Georg E. F., David K., Alexander W., Peter A., Kirk Fields, Michael J.P., Frank W. Zok, Paul K. H., Peter Fratzl., Danie.E.M., 2006. Hierarchical assembly of the siliceous skeletal lattice of the hexactinellid sponge *Euplectella aspergillum*.
- Jianhu Shena, Yi Min Xie, n, Xiaodong H.S.Z, Dong Ruanb., 2012. Mechanical properties of luffa sponge.
- Shu-Wei Chang., Chiu, K.M., 2019. Simulation and Analysis of Mechanical Properties for Bio-inspired Gradient Structural Materials.
- Alexander Epstein, APPHY 226, Spring 2009. Skeleton of *Euplectella* sp.: Structural Hierarchy from the Nanoscale to the Macroscale
- F. Libonati, V. Cipriano, L. Vergani, M.J. Buehler, computational framework to predict failure and performance of bone-inspired materials, *ACS Biomaterials Science & Engineering* 3 (12) (2017) 3236-3243.