
Project - App Landing Page: landingpage.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <title>Bootstrap 101 Template</title>


    <!-- Bootstrap -->

    <link href="css/bootstrap.min.css" rel="stylesheet">


    <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media
queries -->

    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

    <!--[if lt IE 9]>

      <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></
script>

      <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/
respond.min.js"></script>

    <![endif]-->


    <style>

      .navbar-brand {
```

```
        font-size:1.8em;
    }
```

```
#topContainer {
    background-image:url("background.jpg");
    height:400px;
    width:100%;
    background-size:cover;
}
```

```
#topRow {
    margin-top:100px;
    text-align:center;
}
```

```
#topRow h1 {
    font-size:300%;
}
```

```
#emailSignup {
    margin-top:50px;
}
```

```
.bold {
    font-weight:bold;
}
```

```
.marginTop {
```

```
        margin-top:30px;
    }
```

```
.center {
    text-align:center;
}
```

```
.title {
    margin-top:100px;
    font-size:300%;
}
```

```
#footer {
    background-color:#B0D1FB;
    padding-top:70px;
    width:100%;
}
```

```
.marginBottom {
    margin-bottom:30px;
}
```

```
.appstoreImage {
    width:250px;
}
```

```
</style>
```

```
</head>
```

```
<body data-spy="scroll" data-target=".navbar-collapse">
```

```

<div class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand">MyApp</a>
    </div>

    <div class="collapse navbar-collapse">
      <ul class="nav navbar-nav">
        <li class="active"><a href="#topContainer">Home</a></li>
        <li><a href="#details">About</a></li>
        <li><a href="#footer">Download The App</a></li>
      </ul>
      <form class="navbar-form navbar-right">
        <div class="form-group">
          <input type="email" placeholder="Email"
class="form-control" />
        </div>
        <div class="form-group">
          <input type="password" placeholder="Password"
class="form-control" />
        </div>
        <button type="submit" class="btn btn-success">Log In</
button>
      </form>
    </div>
  </div>
</div>

```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="container contentContainer" id="topContainer">
```

```
<div class="row">
```

```
<div class="col-md-6 col-md-offset-3" id="topRow">
```

```
<h1 class="marginTop">My Awesome App</h1>
```

```
<p class="lead">This is why should download this fantastic app.</p>
```

```
<p>Some more information about the app. You can go into a little  
more detail here if you want to.</p>
```

```
<p class="bold marginTop">Interested? Join our mailing list!</p>
```

```
<form class="marginTop">
```

```
<div class="input-group">
```

```
<span class="input-group-addon">@</span>
```

```
<input type="email" class="form-control"  
placeholder="Your email" />
```

```
</div>
```

```
marginTop" />
<input type="submit" class="btn btn-success btn-lg
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="container contentContainer" id="details">
```

```
<div class="row" class="center">
```

```
<h1 class="center title">Why This App Is Awesome</h1>
```

```
<p class="lead center">Summary of the app's awesomeness</p>
```

```
</div>
```

```
<div class="row marginBottom">
```

```
    <div class="col-md-4 marginTop">
```

```
        <h2><span class="glyphicon glyphicon-music"></span> Header</h2>
```

```
        <p>A brief description of one of the best features of your app.  
Maybe a little more text. A brief description of one of the best features of  
your app. Maybe a little more text.</p>
```

```
        <button class="btn btn-success marginTop">Sign Up!</button>
```

```
    </div>
```

```
    <div class="col-md-4 marginTop">
```

```
        <h2><span class="glyphicon glyphicon-off"></span> Header</h2>
```

```
        <p>A brief description of one of the best features of your app.  
Maybe a little more text. A brief description of one of the best features of  
your app. Maybe a little more text.</p>
```

```
        <button class="btn btn-success marginTop">Sign Up!</button>
```

```
    </div>
```

```
    <div class="col-md-4 marginTop">
```

```
        <h2><span class="glyphicon glyphicon-pencil"></span> Header</h2>
```

```
        <p>A brief description of one of the best features of your app.  
Maybe a little more text. A brief description of one of the best features of  
your app. Maybe a little more text.</p>
```

```
        <button class="btn btn-success marginTop">Sign Up!</button>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
<div class="container contentContainer" id="footer">
```

```
    <div class="row">
```

```
        <h1 class="center title">Download The App!</h1>
```

```
        <p class="lead center">Really, why should I download this app?</p>
```

```
        <p class="center">
```

```
    </div>
```

```
</div>
```

```
    <!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
```

```
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.0/
jquery.min.js"></script>
```

```
    <!-- Include all compiled plugins (below), or include individual files as
needed -->
```

```
    <script src="js/bootstrap.min.js"></script>
```

```
<script>
```

```
    $(".contentContainer").css("min-height",$(window).height());
```


</script>

</body>

</html>