Name:	USC ID:

Quiz 5: Finding Similar Sets (10 points), 15 minutes

TA handling this quiz: Yiwen Tang yiwentan@usc.edu

Consider three sets: S1, S2, and S3 whose characteristic matrix is shown in columns 1-4 of the table below.

Row #	S1	S2	S3	f1(x)=(x+1)%5	f2(x)=(3x+1)%5
0	0	1	0	1	1
1	1	1	0	2	4
2	0	0	1	3	2
3	1	1	1	4	0
4	0	0	1	0	3

- 1. [2 points] Suppose we generate signatures of the sets using hash functions f1(x) and f2(x) shown in the table above. Recall that x is the old row #. Fill in the blanks in the above table with the new row numbers generated by each hash function.
- 2. [5 points] Consider building a signature matrix using the one-pass (through the characteristic matrix) algorithm discussed in class. Fill in the blanks below with the updated content of signature matrix after processing (old) row #0, #1, and so on.

	S1	S2	S3]		S1	S2	S3			S1	S2	S3
f1	00	00	∞	•	f1	∞	1	∞		f1	2	1	~
f2	∞	00	∞		f2	00	1	00		f2	4	1	oc
				-	2	((D)		(5)		(1)	
	<u>C1</u>	ca	ca					62					S
	S1	S2	S3			S1	S2	S3			S1	S2	S
1	S1 2	\$2 1	S3 3		f1			S3 3		f1 f2			S

3. [3 points] Use the signatures obtained above, estimate the **pairwise** similarity of the 3 sets. For each pair, indicate if the estimate is over- or under-estimate.

Pair	Actual Sim.	Estimated Sim.
(S1, S2)	2/3	1/2
(S1, S3)	1/4	1/2
(S2, S3)	1/5	1/2

Sim(S1, S2) is under-estimate, Sim(S1, S3) and Sim(S2, S3) is over-estimate.