


MAPDATA 설계

2027. 08. 31



신호#01(3지)

SignalGroup	방향	LaneList
1 (남직)		-
2 (남좌)		-
3 (서직)		-
4 (서좌)		-
5 (북직)		-
6 (북좌)		-
7 (동직)		-
8 (동좌)		-
9 (남서직)		1
10 (남서좌)		1
11 (북서직)		-
12 (북서좌)		21
13 (북동직)		41
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 100
id : 100
refPoint (x, y, z) :
37 2399 402
126 7742 342
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 416
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane21.NodeListXY
(-1309, 513)
(-1615, 895)


Lane22.NodeListXY
(-1020, 724)
(-1533, 848)

Lane41.NodeListXY
(588, 1434)
(1178, 2133)

Lane42.NodeListXY
(717, 998)
(1252, 2251)

Lane2.NodeListXY
(-867, -1184)
(-1112, -1917)

Lane1.NodeListXY
(-726, -1598)
(-1005, -1742)



신호#02(4지)

SignalGroup	방향	LaneList
1 (남직)	↑	-
2 (남좌)	↙	-
3 (서직)	→	-
4 (서좌)	↗	-
5 (북직)	↓	-
6 (북좌)	↘	-
7 (동직)	←	-
8 (동좌)	↖	-
9 (남서직)	↖	1
10 (남서좌)	↗	1
11 (북서직)	↘	21
12 (북서좌)	↖	21
13 (북동직)	↗	41
14 (북동좌)	↘	41
15 (남동직)	↖	61
16 (남동좌)	↗	61

region : 200
id : 200
refPoint (x, y, z) :
37 2401 424
126 7737 347
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane21.NodeListXY
(-1829, 882)
(-1575, 879)

Lane22.NodeListXY
(-1447, 1044)
(-1668, 927)

Lane41.NodeListXY
(673, 1843)
(839, 1513)


Lane42.NodeListXY
(998, 1404)
(831, 1492)

Lane61.NodeListXY
(1824, -774)
(1533, -848)

Lane62.NodeListXY
(1453, -938)
(1615, -895)

Lane2.NodeListXY
(-1113, -1365)
(-968, -1740)

Lane1.NodeListXY
(-803, -1837)
(-998, -1796)



신호#03(4지)

SignalGroup	방향	LaneList
1 (남직)		-
2 (남좌)		-
3 (서직)		-
4 (서좌)		-
5 (북직)		-
6 (북좌)		-
7 (동직)		-
8 (동좌)		-
9 (남서직)		1
10 (남서좌)		1
11 (북서직)		21
12 (북서좌)		21
13 (북동직)		41
14 (북동좌)		41
15 (남동직)		61
16 (남동좌)		61

region : 300
id : 300
refPoint (x, y, z) :
37 2405 414
1267739 980
0
laneWidth(1cm) : 340
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane22.NodeListXY
(-1282, 943)
(-1652, 918)

Lane21.NodeListXY
(-1632, 767)
(-1702, 942)

Lane41.NodeListXY
(191, 1390)
(409, 804)

Lane42.NodeListXY
(512, 1210)
(387, 701)
(772, 1680)
(677, 1514)
(321, 639)


Lane43.NodeListXY
(819, 1039)
(384, 704)

Lane61.NodeListXY
((1820, -781)
(1454, -804)

Lane62.NodeListXY
(1193, -805)
(1691, -943)

Lane2.NodeListXY
(-927, -1015)
(-839, -1513)

Lane1.NodeListXY
(-609, -1476)
(-831, -1492)



신호#04(4지)

SignalGroup	방향	LaneList
1 (남직)	↑	1,2,3
2 (남좌)	↙	2
3 (서직)	→	22
4 (서좌)	↗	22
5 (북직)	↓	42
6 (북좌)	↘	
7 (동직)	←	61,62
8 (동좌)	↖	62
9 (남서직)	↖	-
10 (남서좌)	↗	-
11 (북서직)	↘	-
12 (북서좌)	↖	-
13 (북동직)	↗	-
14 (북동좌)	↘	-
15 (남동직)	↖	-
16 (남동좌)	↗	-

region : 400
id : 400
refPoint (x, y, z) :
37 2416 929
126 7744 681
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane24.NodeListXY
(-1944, 469)
(-2775, -27)

Lane23.NodeListXY
(-1943, 132)
(-2777, -13)

Lane22.NodeListXY
(-1941, -197)
(-2989, -12)

Lane21.NodeListXY
(-1940, -523)
(-2988, -16)

Lane41.NodeListXY
(-988, 1313)
(31, 2725)

Lane42.NodeListXY
(-603, 1314)
(-5, 2729)
(-4, 645)
(-7, 1628)

Lane43.NodeListXY
(-195, 1291)
(-15, 2756)
(-1, 703)
(-7, 1544)

Lane44.NodeListXY
(183, 1394)
(262, 2661)
(-1, 237)

Lane45.NodeListXY
(534, 1353)
(260, 2707)
(0, 235)

Lane46.NodeListXY
(884, 1312)
(255, 2752)
(-1, 233)

Lane61.NodeListXY
(1740, 497)
(1777, 2)

Lane62.NodeListXY
(1741, 153)
(1781, 7)


Lane63.NodeListXY
(1741, -194)
(1559, 15)

Lane2.NodeListXY
(71, -1626)
(-60, -1106)
(-231, -1273)
(-323, -1083)
(-396, -906)
(-220, -437)

Lane1.NodeListXY
(422, -1624)
(-60, -1099)
(-222, -1286)
(-314, -1087)
(-447, -1044)

Lane3.NodeListXY
(-280, -1628)
(-46, -973)
(-232, -1331)
(-274, -927)
(-422, -990)
(-288, -574))

Lane4.NodeListXY
(-675, -1630)
(-66, -1089)
(-154, -918)
(-351, -1194)
(-366, -853)
(-368, -729)



신호#05(4지)

SignalGroup	방향	LaneList
1 (남직)		1,2,3
2 (남좌)		4
3 (서직)		21
4 (서좌)		21
5 (북직)		41,42
6 (북좌)		43,44
7 (동직)		62
8 (동좌)		62
9 (남서직)		-
10 (남서좌)		-
11 (북서직)		-
12 (북서좌)		-
13 (북동직)		-
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 500
id : 500
refPoint (x, y, z) :
37 2427 773
126 7744 546
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane41.NodeListXY
(-1168, 1910)
(-4, 643)
(-3, 579)
(-15, 3559)
(8, 221)

Lane42.NodeListXY
(-821, 1911)
(-3, 644)
(-1, 579)
(-16, 3585)
(6, 194)

Lane44.NodeListXY
(-122, 1914)
(2, 644)
(11, 582)
(-39, 974)
(-346, 2633)
(4, 147)

Lane43.NodeListXY
(-464, 1913)
(-9, 644)
(-1, 580)
(-19, 3611)
(4, 168)

Lane21.NodeListXY
(-2230, -226)
(-1256, -4)
(-1088, -1)
(-808, -2)

Lane22.NodeListXY
(-2005, 223)
(-1508, -8)
(-1175, -7)
(-454, -6)

Lane6.NodeListXY
(-806, -1657)
(4, -957)
(3, -669)
(16, -3377)

Lane7.NodeListXY
(-1153, -1658)
(4, -956)
(5, -670)
(15, -3377)

Lane5.NodeListXY
(-402, -1882)
(1, -731)
(11, -1870)
(11, -2402)

Lane45.NodeListXY
(275, 1689)
(0, 871)
(-10, 581)
(-10, 3550)

Lane46.NodeListXY
(626, 1690)
(-1, 873)
(-2, 582)
(-21, 3547)

Lane47.NodeListXY
(977, 1690)
(-5, 875)
(-2, 583)
(-13, 2306)
(-130, 1232)

Lane61.NodeListXY
(2092, 602)
(1470, 2)

Lane62.NodeListXY
(2092, 244)
(1469, 4)

Lane63.NodeListXY
(1878, -205)
(1660, 13)


Lane64.NodeListXY
(1878, -582)
(1661, 8)

Lane2.NodeListXY
(590, -1874)
(4, -738)
(5, -666)
(23, -3600)

Lane1.NodeListXY
(945, -1871)
(1, -739)
(5, -666)
(18, -3598)

Lane4.NodeListXY
(-88, -1879)
(9, -733)
(6, -668)
(37, -1919)
(301, -1656)

Lane3.NodeListXY
(239, -1877)
(3, -735)
(5, -667)
(23, -3601)



신호#06(4지)

SignalGroup	방향	LaneList
1 (남직)		1
2 (남좌)		1
3 (서직)		21
4 (서좌)		21
5 (북직)		41
6 (북좌)		41
7 (동직)		61
8 (동좌)		61
9 (남서직)		-
10 (남서좌)		-
11 (북서직)		-
12 (북서좌)		-
13 (북동직)		-
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 610
id : 610
refPoint (x, y, z) :
37 2427 616
126 7737 271
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane41.NodeListXY
(-231, 1306)
(-2, 600)
(-8, 1172)
(1, 3231)

Lane42.NodeListXY
(158, 1094)
(-4, 815)
(-5, 1172)
(-20, 3016)

Lane61.NodeListXY
(1313, 223)
(454, 6)
(1175, 7)
(1508, 8)


Lane62.NodeListXY
(1073, -213)
(808, 2)
(1088, 1)
(1256, 4)

Lane22.NodeListXY
(-1230, 207)
(-991, -4)
(-2837, -4)
(-1002, -1)
(-305, 0)

Lane21.NodeListXY
(-1552, -231)
(-683, -3)
(-2822, -11)
(-1002, -3)
(-627, -1)

Lane1.NodeListXY
(172, -1519)
(5, -894)
(19, -3497)
(0, -612)

Lane2.NodeListXY
(-218, -1092)
(6, -1359)
(16, -3462)
(0, -182)



신호#07(4지)

SignalGroup	방향	LaneList
1 (남직)		1,2
2 (남좌)		2
3 (서직)		22
4 (서좌)		22
5 (북직)		41,42
6 (북좌)		42
7 (동직)		61
8 (동좌)		61
9 (남서직)		-
10 (남서좌)		-
11 (북서직)		-
12 (북서좌)		-
13 (북동직)		-
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 700
id : 700
refPoint (x, y, z) :
37 2438 521
126 7743 976
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane24.NodeListXY
(-1320, 507)
(-1606, 0)

Lane23.NodeListXY
(-1316, 191)
(-1610, -8)
(-813, -3)
(-414, -2)

Lane22.NodeListXY
(-1314, -135)
(-1610, -9)
(-811, -6)
(-416, -3)

Lane21.NodeListXY
(-1314, -540)
(-1609, 70)
(-808, -6)
(-418, -5)

Lane5.NodeListXY
(-928, -1047)
(69, -667)
(-36, -1582)
(-72, -1947)

Lane4.NodeListXY
(-488, -1046)
(-58, -2247)
(-71, -1922)
(3, -832)

Lane3.NodeListXY
(-145, -1046)
(-63, -2245)
(-60, -1896)

Lane41.NodeListXY
(-556, 1408)
(-95, 1263)
(-363, 1233)
(-649, 1252)
(-653, 838)

Lane42.NodeListXY
(-217, 1413)
(-102, 1349)
(-381, 1328)
(-778, 1422)
(-416, 521)

Lane43.NodeListXY
(245, 1465)
(-136, 1450)
(-329, 1190)
(-784, 1514)
(-383, 494)


Lane44.NodeListXY
(625, 1479)
(-175, 1540)
(-469, 1499)
(-826, 1492)
(-122, 150)

Lane61.NodeListXY
((1194, 217)
(1796, 1)
(850, -138)
(585, -365)
(371, -560)
(138, -1058)
(0, -3)

Lane62.NodeListXY
(1200, -125)
(1553, -8)
(804, -100)
(571, -298)
(371, -591)
(89, -783)
(2, -589)

Lane2.NodeListXY
(307, -986)
(85, -2291)
(84, -1876)
(2, -833)

Lane1.NodeListXY
(658, -990)
(84, -2271)



신호#10(3지)

SignalGroup	방향	LaneList
1 (남직)	↑	1
2 (남좌)	↙	1
3 (서직)	→	-
4 (서좌)	↗	21
5 (북직)	↓	41
6 (북좌)	↘	-
7 (동직)	←	-
8 (동좌)	↖	-
9 (남서직)	↙	-
10 (남서좌)	↖	-
11 (북서직)	↘	-
12 (북서좌)	↗	-
13 (북동직)	↘	-
14 (북동좌)	↗	-
15 (남동직)	↘	-
16 (남동좌)	↗	-

region : 1000
id : 1000
refPoint (x, y, z) :
37 2417 124
126 7750 130
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111


Lane23.NodeListXY
(-1320, 397)
(-1777, -2)

Lane22.NodeListXY
(-1316, 57)
(-1781, -7)

Lane21.NodeListXY
(-1537, -282)
(-1559, -15)

Lane41.NodeListXY
(-190, 1433)
(-29, 5004)

Lane42.NodeListXY
(162, 1205)
(-31, 5004)



Lane2.NodeListXY
(-183, -1240)
(-24, -1842)

Lane1.NodeListXY
(156, -1463)
(-17, -1635)
(-289, -2255)
(-300, -1055)

신호#11(3지)

SignalGroup	방향	LaneList
1 (남직)		1
2 (남좌)		-
3 (서직)		-
4 (서좌)		-
5 (북직)		21,22,23, 24
6 (북좌)		24
7 (동직)		-
8 (동좌)		42
9 (남서직)		-
10 (남서좌)		-
11 (북서직)		-
12 (북서좌)		-
13 (북동직)		-
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 1100
id : 1100
refPoint (x, y, z) :
37 2416 752
126 7737 292
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane21.NodeListXY
(-651, 1463)
(-217, 1983)
(-145, 1338)
(-7, 1344)
(-14, 318)

Lane22.NodeListXY
(-651, 1463)
(-18, 1981)
(-24, 2689)
(-18, 332)

Lane23.NodeListXY
(-299, 1488)
(6, 1953)
(-2, 2696)
(-2, 354)

Lane4.NodeListXY
(-320, -1532)
(92, -622)
(87, -1435)
(-71, -972)
(-250, -1140)
(-249, -757)

Lane3.NodeListXY
(-287, -1533)
(59, -622)
(87, -1435)
(-71, -972)
(-250, -1140)
(-251, -761)

Lane24.NodeListXY
(89, 1514)
(-8, 1923)
(-11, 2702)
(-1, 377)

Lane25.NodeListXY
(465, 1531)
(-2, 1902)

Lane41.NodeListXY
(1839, 483)
(2775, 27)


Lane42.NodeListXY
(1838, 160)
(2777, 13)

Lane43.NodeListXY
(1627, -167)
(2989, 12)

Lane44.NodeListXY
(1629, -498)
(2988, 16)

Lane2.NodeListXY
(102, -1542)
(-16, -618)
(-298, -2402)
(-250, -1140)
(-251, -759)

Lane1.NodeListXY
(470, -1552)
(-29, -615)
(-308, -2467)
(-533, -1829)



신호#12(2지)

SignalGroup	방향	LaneList
1 (남직)		41,42
2 (남좌)		-
3 (서직)		-
4 (서좌)		-
5 (북직)		21,22
6 (북좌)		-
7 (동직)		-
8 (동좌)		-
9 (남서직)		-
10 (남서좌)		-
11 (북서직)		-
12 (북서좌)		-
13 (북동직)		-
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 1200
id : 1200
refPoint (x, y, z) :
37 2373 667
126 7755 269
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 1,111
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane2.NodeListXY
(-618, -367)
(-35, -2457)
(-220, -1454)
(-327, -1027)

Lane1.NodeListXY
(-265, -365)
(-14, -2688)
(-198, -1620)
(-196, -657)

Lane21.NodeListXY
(-618, 447)
(-22, 5004)


Lane22.NodeListXY
(-263, 450)
(-23, 5004)

Lane23.NodeListXY
(229, 231)
(-20, 5004)

Lane24.NodeListXY
(582, 235)
(-20, 5004)

Lane42.NodeListXY
(578, -593)
(78, -2361)
(279, -1585)
(361, -971)

Lane41.NodeListXY
(233, -593)
(30, -2411)
(238, -1702)
(269, -834)



신호#13(3지)

SignalGroup	방향	LaneList
1 (남직)	↑	2
2 (남좌)	↙	2
3 (서직)	→	21
4 (서좌)	↗	21
5 (북직)	↓	-
6 (북좌)	↘	-
7 (동직)	←	61
8 (동좌)	↖	61
9 (남서직)	↙	-
10 (남서좌)	↘	-
11 (북서직)	↖	-
12 (북서좌)	↗	-
13 (북동직)	↘	-
14 (북동좌)	↖	-
15 (남동직)	↗	-
16 (남동좌)	↖	-

region : 1300
id : 1300
refPoint (x, y, z) :
37 2438 338
126 7736 900
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane41.NodeListXY
(108, 374)
(0, 1802)
(-67, 805)
(-138, 546)
(-232, 533)
(-478, 671)
(-331, 292)

Lane61.NodeListXY
(2128, 232)
(414, 2)
(813, 3)
(1610, 8)

Lane62.NodeListXY
(2129, -99)
(416, 3)
(811, 6)
(1610, 9)

Lane63.NodeListXY
(2130, -427)
(418, 5)
(808, 6)
(1609, -70)

Lane22.NodeListXY
(-1630, 202)
(-1571, -26)
(-1882, -18)
(-1681, -8)


Lane21.NodeListXY
(-1627, -98)
(-1570, -23)

Lane2.NodeListXY
(149, -2043)
(34, -5004)

Lane1.NodeListXY
(470, -2052)
(73, -5004)

Lane4.NodeListXY
(-505, -2038)
(-47, -5004)

Lane3.NodeListXY
(-192, -2038)
(-1, -5004)



신호#14(3지)

SignalGroup	방향	LaneList
1 (남직)		-
2 (남좌)		-
3 (서직)		-
4 (서좌)		-
5 (북직)		-
6 (북좌)		-
7 (동직)		-
8 (동좌)		-
9 (남서직)		1
10 (남서좌)		-
11 (북서직)		-
12 (북서좌)		-
13 (북동직)		21
14 (북동좌)		21
15 (남동직)		-
16 (남동좌)		41

```

region : 1400
id      : 1400
refPoint (x, y, z) :
    37 2407 555
    126 7734 958
    0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h → 416, 50Km/h → 694
ex) 60Km/h → 833, 80Km/h → 1,111

```

Lane22.NodeListXY
(767, 1104)
(1014, 2153)
(660, 2263)
(34, 277)


Lane21.NodeListXY
(622, 1489)
(867, 1880)
(358, 1082)
(250, 1140)

Lane41.NodeListXY
(1465, -617)
(1652, -918)

Lane42.NodeListXY
(1065, -770)
(1702, -942)

Lane1.NodeListXY
(-631, -1432)
(-1075, -1939)

Lane2.NodeListXY
(-793, -1058)
(-1114, -2005)



신호#15(3지)

SignalGroup	방향	LaneList
1 (남직)		-
2 (남좌)		-
3 (서직)		-
4 (서좌)		-
5 (북직)		-
6 (북좌)		-
7 (동직)		-
8 (동좌)		-
9 (남서직)		1
10 (남서좌)		1
11 (북서직)		-
12 (북서좌)		21
13 (북동직)		41
14 (북동좌)		-
15 (남동직)		-
16 (남동좌)		-

region : 1500
id : 1500
refPoint (x, y, z) :
37 2403 314
126 7744 944
0
laneWidth(1cm) : 300
speedLimit(0.02m/s) : 694
ex) 30km/h→416, 50Km/h→694
ex) 60Km/h→833, 80Km/h →1,111

Lane22.NodeListXY
(-1073, 847)
(-1454, 804)

Lane21.NodeListXY
(-1464, 685)
(-1691, 943)

Lane41.NodeListXY
566, 1449)
(625, 1128)

Lane42.NodeListXY
(774, 1149)
(703, 1267)
(1729, 3137)

Lane2.NodeListXY
(-643, -718)
(-1178, -2133)

Lane1.NodeListXY
(-440, -1036)
(-1252, -2251)

