Appendix A. Leaderboard for Phoneme Classification

Figure 3 shows the leaderboard trajectory for Phoneme Classification (Phase 2). The same pattern of steady improvement that we saw in the Speech Detection leaderboard (Figure 1) is visible. Note that the dates along the x-axes of the two leaderboards differ, as Speech Detection was run first in Phase 1 before Phoneme Classification in Phase 2 (Figure 2).




Figure 3: Leaderboard for Phoneme Classification (Phase 2). The x- and y-axes show submission dates and F1-macro scores (higher is better). Each circle is a submission, with blue and orange lines outlining improvements in the best models over time for the Standard and Extended Tracks. For reference, chance here is 2.56% (1/39 classes). The reference model baseline was 44%.

Appendix B. Data Splits Revealing Hidden Tasks

Table 2 provides a full overview of the data splits used in the competition, including the structure of the competition holdout set which was excluded from the original competition paper (Landau et al., 2025b). The hidden tasks used balanced classes for Speech Detection and single trials for Phoneme Classification. See Section 3.4.4 for discussion of the hidden track results, and Section 4.4 for additional discussion.

Table 2: Overview of data splits. The competition holdout comprises three disjoint subsets: leaderboards, final rankings, and hidden tasks (blue box). Hidden task details were withheld from the original competition paper (Landau et al., 2025b). They were used to evaluate balanced classes for Speech Detection and single trials for Phoneme Classification (Section 3.4.4).

	Train	**Validation**	**Test**	**Competition Holdout**		
				Leaderboard	Final Rankings	Hidden Tasks
Data	Public	Public	Public	Public	Public	Public
Labels	Public	Public	Public	Private	Private	Private
Hours	51.57	0.36	0.38	Private	Private	Private

Appendix C. Participation Statistics

In addition to aggregate participation counts, Figures 4 and 5 show cumulative submissions over time for Phase 1 and Phase 2, respectively.




Figure 4: Cumulative submissions over time for Phase 1: Speech Detection.




Figure 5: Cumulative submissions over time for Phase 2: Phoneme Classification.

Table 3 reports additional participation statistics across tasks and tracks.

	Standard	Extended	Total
Speech Detection (Phase 1)			
Teams	72	21	93
Submissions	1,476	482	1,958
Avg submissions/team	20.5	23.0	21.0
Phoneme Classification (Phase 2)			
Teams	47	15	62
Submissions	3,845	238	4,083
Avg submissions/team	81.8	15.9	65.9
Both phases combined			
Unique teams			155
Teams in both phases			7
Total submissions			6,041

Table 3: Participation statistics by task and track. Average submissions per team calculated as total submissions divided by the number of teams in that track.

Appendix D. Python Library Downloads

The `pnpl` Python library was downloaded 14,736 times between its release in April 2025 and March 2026. Figure 6 shows daily and cumulative downloads over this period, with red dashed lines marking the start of each competition phase and the NeurIPS workshop. Downloads peaked around the start of Phase 2 (August 2025), with a secondary peak in January 2026 following the NeurIPS workshop. Summary statistics and monthly breakdowns are provided in Tables 4 and 5.




Figure 6: Daily (top) and cumulative (bottom) `pnpl` library downloads from release in April 2025 through March 2026. Red dashed lines indicate the start of Phase 1, Phase 2, and the NeurIPS workshop. The 7-day moving average (blue) is shown alongside raw daily counts (grey).

Table 4: Summary statistics for `pnpl` daily downloads (full history since release at time of writing).

Metric	**Value**
Date range	2025-04-09 to 2026-03-30
Days observed	350
Total downloads	14,736
Mean downloads/day	42.10
Median downloads/day	30.0
Std. deviation	44.06
p10 / p25 / p75 / p90	7.0 / 15.0 / 51.0 / 91.1
95% CI for mean	[37.49, 46.72]

Table 5: Monthly `pnpl` downloads (full history since release at time of writing).

Month	**Downloads**	**MoM**
2025-04	748	—
2025-05	188	−74.9%
2025-06	1,405	+647.3%
2025-07	2,722	+93.7%
2025-08	2,254	−17.2%
2025-09	1,280	−43.2%
2025-10	799	−37.6%
2025-11	997	+24.8%
2025-12	762	−23.6%
2026-01	1,859	+144.0%
2026-02	884	−52.4%
2026-03	838	−5.2%

Appendix E. Dataset Downloads

The `LibriBrain` dataset reached 16,412 recorded downloads by 28 April 2026. Figure 7 shows cumulative dataset downloads over time based on available snapshot counts, with red dashed lines marking the start of each competition phase and the NeurIPS workshop. Downloads grew especially quickly during the first competition months: from 757 recorded downloads on 13 June 2025 to 6,160 by 8 August 2025, and to 9,736 by 3 October 2025. By the end of March 2026, the dataset had surpassed 15,000 downloads, indicating sustained usage beyond the active competition period. Snapshot-level growth statistics are provided in Table 6.




Figure 7: Cumulative `LibriBrain` dataset downloads from June 2025 through April 2026. Red dashed lines indicate the start of Phase 1, Phase 2, and the NeurIPS workshop. Markers indicate available download-count snapshots.

Table 6: Cumulative `LibriBrain` dataset downloads and growth between available snapshots.

Date	Downloads	Days since previous	Increase	Avg./day
2025-06-13	757	—	—	—
2025-06-27	1,348	14	591	42.2
2025-07-11	3,295	14	1,947	139.1
2025-07-25	5,204	14	1,909	136.4
2025-08-08	6,160	14	956	68.3
2025-09-05	8,178	28	2,018	72.1
2025-10-03	9,736	28	1,558	55.6
2026-03-28	15,086	176	5,350	30.4
2026-04-28	16,412	31	1,326	42.8