

Web Technologies (CS3005)

Introduction to Web Technologies

Dr. Rourab Paul

Computer Science Department, SNU University, Chennai

Project Directory

2


```
MyWebsite/  
├── index.html  
├── css/  
│   └── style.css  
├── js/  
│   └── script.js  
├── pages/  
│   ├── about.html  
│   ├── contact.html  
│   └── services.html  
└── README.md
```

HTML, CSS, JS

3

How HTML, CSS and JavaScript Work Together

HTML builds the structure, CSS styles it, and JavaScript adds behavior.



```
const btn = document.getElementById("btn");  
const message = document.getElementById("message");  
  
btn.addEventListener("click", function () {  
    message.textContent = "Hello! JavaScript is working.";   
});
```

document is an object to represents the entire HTML page (DOM).
getElementById("btn") is a method to search for the HTML element whose id is "btn".

const declares a constant variable named btn.
btn now refers to the HTML button.

```
const btn = document.getElementById("btn");  
const message = document.getElementById("message");  
  
btn.addEventListener("click", function () {  
    message.textContent = "Hello! JavaScript is working.";  
});
```

```
btn.addEventListener("click", function () {
```

```
addEventListener()
```

This tells JavaScript: "Keep listening for an event on this button."

The event is "click"

```
const btn = document.getElementById("btn");  
const message = document.getElementById("message");  
  
btn.addEventListener("click", function () {  
    message.textContent = "Hello! JavaScript is working.";  
});
```

textContent changes the text inside an HTML element.

Flow of Execution

7

Webpage loads



Find button (id="btn")



Find paragraph (id="message")



Wait for user click



User clicks button



Execute function



Change paragraph text



Display: "Hello! JavaScript is working."

Live Server

8

You Can install Liveserver extension to deploy your website in local network

Thank You