

Overview of Data Capture from arXiv

Chuchu

Simon Fraser University

July, 2019

Outline

- 1 Introduction of Features in arXiv.org
- 2 Updating Data to PostgreSQL through R
- 3 Scheduling the R Script in Apache Airflow
- 4 Appendix

Outline

- 1 Introduction of Features in arXiv.org
- 2 Updating Data to PostgreSQL through R
- 3 Scheduling the R Script in Apache Airflow
- 4 Appendix

Feature 1: Update Periodically (Probably Daily)

Computer Science

New submissions

Submissions received from Fri 28 Jun 19 to Mon 1 Jul 19, announced Tue, 2 Jul 19

- [New submissions](#)
- [Cross-lists](#)
- [Replacements](#)

Feature 2: Order by Submission Time

[1] [arXiv:1907.00025 \[pdf\]](#)

Angular separability of data clusters or network communities in geometrical space and its relevance to hyperbolic embedding

[Alessandro Muscoloni](#), [Carlo Vittorio Cannistraci](#)

Subjects: **Machine Learning (cs.LG)**; Social and Information Networks (cs.SI); Physics and Society (physics.soc-ph); Machine Learning (stat.ML)

Analysis of 'big data' characterized by high-dimensionality such as word vectors and complex networks requires often their representation in a geometrical space by embedding. Recent developments in machine learning and network geometry have pointed out the hyperbolic space as a useful framework for the representation of this data derived by real complex physical systems. In the hyperbolic space, the radial coordinate of the nodes characterizes their hierarchy, whereas the angular distance between them represents their similarity. Several studies have highlighted the relationship between the angular coordinates of the nodes embedded in the hyperbolic space and the community metadata available. However, such analyses have been often limited to a visual or qualitative assessment. Here, we introduce the angular separation index (ASI), to quantitatively evaluate the separation of node network communities or data clusters over the angular coordinates of a geometrical space. ASI is particularly useful in the hyperbolic space - where it is extensively tested along this study - but can be used in general for any assessment of angular separation regardless of the adopted geometry. ASI is proposed together with an exact test statistic based on a uniformly random null model to assess the statistical significance of the separation. We show that ASI allows to discover two significant phenomena in network geometry. The first is that the increase of temperature in 2D hyperbolic network generative models, not only reduces the network clustering but also induces a 'dimensionality jump' of the network to dimensions higher than two. The second is that ASI can be successfully applied to detect the intrinsic dimensionality of network structures that grow in a hidden geometrical space.

[2] [arXiv:1907.00028 \[pdf, other\]](#)

Classification of glomerular hypercellularity using convolutional features and support vector machine

[Paulo Chagas](#), [Luiz Souza](#), [Ikaro Araújo](#), [Nayze Aldeman](#), [Angelo Duarte](#), [Michele Angelo](#), [Washington LC dos-Santos](#), [Luciano Oliveira](#)

Comments: 26 pages

Subjects: **Image and Video Processing (eess.IV)**; Computer Vision and Pattern Recognition (cs.CV)

Feature 2: Order by Submission Time (BUT NOT Show on the Page)

• Paper[1]

Angular separability of data clusters or network communities in geometrical space and its relevance to hyperbolic embedding

[Alessandro Muscoloni](#), [Carlo Vittorio Cannistraci](#)

(Submitted on 28 Jun 2019)

Submission history

From: Carlo Vittorio Cannistraci [[view email](#)]

[v1] Fri, 28 Jun 2019 18:23:30 UTC (1,660 KB)

• Paper[2]

Classification of glomerular hypercellularity using convolutional features and support vector machine

[Paulo Chagas](#), [Luiz Souza](#), [Ikaro Araújo](#), [Nayze Aldeman](#), [Angelo Duarte](#), [Michele Angelo](#), [Washington LC dos-Santos](#), [Luciano Oliveira](#)

(Submitted on 28 Jun 2019)

Submission history

From: Luciano Oliveira [[view email](#)]

[v1] Fri, 28 Jun 2019 18:29:45 UTC (4,106 KB)

Feature 3: Number of Paper for Displaying

- Can limit the number of paper (minimum = 5)
[https://arxiv.org/list/cs/new?skip=0show= 6](https://arxiv.org/list/cs/new?skip=0show=6)

Computer Science

New submissions

Submissions received from Fri 28 Jun 19 to Mon 1 Jul 19, announced Tue, 2 Jul 19

- [New submissions](#)
- [Cross-lists](#)
- [Replacements](#)

[total of 598 entries: [1-6](#) | [7-12](#) | [13-18](#) | [19-24](#) | ... | [595-598](#)]

[showing 6 entries per page: [fewer](#) | [more](#) | [all](#)]

New submissions for Tue, 2 Jul 19 (showing first 6 of 330 entries)

Outline

- 1 Introduction of Features in arXiv.org
- 2 Updating Data to PostgreSQL through R**
- 3 Scheduling the R Script in Apache Airflow
- 4 Appendix

Main Content

- Scrapping the Meta Data from the Website
- Exporting them to the postgresSQL

Scrapping the Meta Data from the Website

- Package rvest (for scrapping), stringr (for text cleaning)
- get.new.num(): number of new-submitted papers on the website
- get.first.N.paper(), get.last.N.paper(), get.all.paper()

Exporting them to the postgresSQL

- Package RPostgreSQL
- `pass.new.submission()`: connect the postgres SQL, and check the existence of the papers in the database
- `main.paper.update()`
 - 1 Main function for checking the new submission from the first/latest N papers (or all)
 - 2 Based on your preference, you can decide scrapping N latest/first submission papers, or scrapping all the papers in the website for the database update.

Outline

- 1 Introduction of Features in arXiv.org
- 2 Updating Data to PostgreSQL through R
- 3 Scheduling the R Script in Apache Airflow**
- 4 Appendix

The DAG File

```

1  from airflow import DAG
2  from airflow.operators.docker_operator import DockerOperator
3  from datetime import datetime, timedelta
4  import os
5
6  default_args = {
7      'owner': 'airflow',
8      'depends_on_past': False,
9      'start_date': datetime(2019, 7, 1, 17, 30),
10     'email_on_failure': True,
11     'email_on_retry': True,
12     'retries': 3,
13     'retry_delay': timedelta(minutes=5),
14     'schedule_interval': '@hourly'
15 }
16
17 dag = DAG(
18     dag_id='r-script',
19     default_args=default_args)
20
21 test = DockerOperator(
22     api_version='auto',
23     image='rocker/r-ver',
24     network_mode='bridge',
25     volumes=[os.path.join(os.environ['DOCKER_VOLUME_BASE'], 'input', 'rscript') + ':/root/rscript'],
26     command='Rscript R-Script-for-Scrapping-Paper-Information-from-Archive.R -d',
27     task_id='run-r-script',
28     working_dir='~/Downloads/Web-Scrapping-for-arXiv.org-master',
29     dag=dag)

```

Problem of Airflow Installation

- Need the support of Docker
- Windows
 - Docker installation: need Windows 10 Pro
- Linus/Ubuntu
 - Successfully install Docker and Airflow
 - Fail at Airflow configuration and database initiation
 - 1 Support python 2
 - 2 In the new version of Airflow, the celery.exe is not included and need to be installed independently
 - 3 After the independent installation and configuration, cannot find 2 configuration file: pg_hba.conf and postgresql.conf

Outline

- 1 Introduction of Features in arXiv.org
- 2 Updating Data to PostgreSQL through R
- 3 Scheduling the R Script in Apache Airflow
- 4 Appendix**

Reference

Web Scrapping

- <https://www.lib.sfu.ca/about/branches-depts/rc/services/workshops/34122>
- https://github.com/jwmortensen/tidyverse_workshop

AirFlow Installation and Configuration

- <https://vujade.co/install-apache-airflow-ubuntu-18-04/>
- <http://site.clairvoyantsoft.com/installing-and-configuring-apache-airflow/>
- <https://stackoverflow.com/questions/17996957/fe-sendauth-no-password-supplied>

Airflow DAG File

- <https://www.shizidushu.com/2019/03/03/schedule-r-script-with-docker-and-airflow/>
- <https://docs.python.org/2/library/datetime.html>
- <https://airflow.apache.org/scheduler.html>