
git basic command

| git --version | | |
|------------------------------------|----------------------------|--|
| git | | |
| git init | to create local repository | |
| | | |
| git add <filename> | | |
| git commit -m "---- --" | | |
| | | |
| git status | | |
| | | |
| git log | | |
| git clone | | |
| git remote add origin https://---- | | |
| git push origin master | | |
| | | |

8. how to use vim:

normal mode/insert mode/command mode:

- vim readme.txt
- i <-- insert mode
- ????????????
- escape <--command mode
- :w <--save
- :w [new filename] <-- save as a new filename
- :q <-- quit
- :q! <-- quit by force
- :wq
- :wq!

7. how to download files from a remote repository at github:

- git clone https://github.com/cherlhee/knu_cpp.git . <--한칸띄고 마침표하기; without

new 폴더 생성:

- git clone https://github.com/cherlhee/knu_cpp.git <-- 새로운 폴더에 저장하기

6. to push to a remote repository at github:

- git remote add origin https://github.com/cherlhee/knu_cpp.git
- ///login
- git push origin master
- git push - - force origin master

5. to modify files:

to modify the file of 'readme.txt':

- vim readme.txt
- ///modify
- git add readme.txt
- git commit -m "2nd update"
- git add * <-- add all files;
- git log
- git checkout [commit number]
- git log
- git checkout [commit number]
- git checkout

4. to add a file:

to create a new file of 'readme.txt':

- vim readme.txt
- git status
- git add readme.txt
- git status

to commit with memo:

- git commit -m "--- --"
- git status

3. to make local repository:

to make a new folder:

- mkdir git_code
- cd git_code
- git --version
-

to create a local repository:

- git init

2. install git:

2005, developed by linus tobalz:

to visit the git site:

<http://git-scm.com>

to download latest source release of 2.48.1:

- download 64-bit git for windows setup;

to install:

- @adjusting your path environment: check up; git from the command line and also from 3rd party software;

to set identity:

caution; should be same with those used at github;

- git config --global user.name "cherlhee"
- git config --global user.email "cherlhee@jcradar.com"
-
-


1. to visit the github site and sign up:

<https://github.com>

to create a repository:

//new repository;

-



to create repository

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner * cherlhee / Repository name * knu_cpp
 knu_cpp is available.

Great repository names are short and memorable. Need inspiration? How about [jubilant-fishstick](#)?

Description (optional)

to create projects using cpp and visual cpp

☒ Public
 Anyone on the internet can see this repository. You choose who can commit.

☐ Private
 You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file
 This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: None

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

You are creating a public repository in your personal account.

Create repository

to copy the remote repository:

