
git basic command

git --version		
git		
git init	to create local repository	
git add [filename]		
git commit -m "---- --"		
git status		
git log		
git clone		
git remote add origin https://----		
git push origin master		
git branch		
git branch [jcr]		
git checkout jcr		

9. branch:

- git branch
- git branch jcr
- git checkout jcr

8. how to use vim:

normal mode/insert mode/command mode;

- vim readme.txt
- i <-- insert mode
- ??????????????
- escape <--command mode
- :w <--save

- :w [new filename] <-- save as a new filename
- :q <-- quit
- :q! <-- quit by force
- :wq
- :wq!

7. how to download files from a remote repository at github:

- git clone https://github.com/cherlhee/knu_cpp.git . <--한칸띄고 마침표하기; without new 폴더 생성;
- git clone https://github.com/cherlhee/knu_cpp.git <-- 새로운 폴더에 저장하기

6. to push to a remote repository at github:

- git remote add origin https://github.com/cherlhee/knu_cpp.git
- ///login to github site;
- git push origin master

- git push -- force origin master

5. to modify files:

to modify the file of 'readme.txt';

- vim readme.txt
- ///modify

- git add readme.txt
- git commit -m "2nd update"

- git add * <-- add all files;

- git log

- git checkout [commit number]
- git log
- git checkout [commit number]
- git checkout

4. to add a file;

to create a new file of 'readme.txt';

- vim readme.txt
- git status
- git add readme.txt
- git status

to commit with memo;

- git commit -m "--- --"
- git status

3. to make local repository;

to make a new folder;

- mkdir git_code
- cd git_code
- git --version
-

to create a local repository;

- git init

2. install git;

2005, developed by linux tobalz;

to visit the git site;

<http://git-scm.com>

to download latest source release of 2.48.1;

- download 64-bit git for windows setup;

to install;

- @adjusting your path environment; check up; git from the command line and also from 3rd party software;

to set identity;

caution; should be same with those used at github;

- `git config --global user.name "cherlhee"`
- `git config --global user.email "cherlhee@jcradar.com"`

-

-


1. to visit the github site and sign up;

<https://github.com>

to create a repository;

//new repository;

-



to create repository

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner * / Repository name *

cherlhee / knu_cpp

✓ knu_cpp is available.

Great repository names are short and memorable. Need inspiration? How about [jubilant-fishstick](#) ?

Description (optional)

to create projects using cpp and visual cpp

☒ Public
Anyone on the internet can see this repository. You choose who can commit.

☐ Private
You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license


License: None


A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

ⓘ You are creating a public repository in your personal account.

Create repository

to copy the remote repository:


 **knu_cpp** PublicPin Unwatch 1



Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

[Get started with GitHub Copilot](#)



Add collaborators to this repository

Search for people using their GitHub username

[Invite collaborators](#)

Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#) https://github.com/cherlhee/knu_cpp.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# knu_cpp" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/cherlhee/knu_cpp.git
git push -u origin main
```