Recruitment Portal – UI Workflow Implementation Plan

Prepared for: Antigravity (analysis and build) · Scope: front-end UI workflow only, mock data, no real backend · Version 1.0

1. Purpose and scope

Build a clickable, front-end-only prototype of a recruitment application system. A candidate arrives from a LinkedIn job link, creates an account, verifies their email, uploads a CV, completes a guided multi-step application and submits. A Talent Manager (admin) then reviews every application in a dashboard and shortlists candidates for interview. Shortlisted candidates receive an email with a link that takes them to the same login page and into a candidate portal.

In scope: all screens, navigation, form validation, progress indicators, POPIA consent UI, mock email previews, admin dashboard, role-based routing driven by a mock JWT.

Out of scope: real authentication, real email sending, real CV parsing, database, file storage. All of these are replaced by a mock service layer with clear seams so the real backend can be plugged in later.

Key definitions

- **Candidate:** anyone who has submitted an application. An account that has registered but not yet submitted is a *Registrant* (shown as "Incomplete" to admins).
- **Talent Manager (Admin):** internal user who reviews and shortlists.
- **Registration = Application:** there is no separate sign-up. Creating an account is step 1 of the application.

2. Roles and authentication model (UI level)

One shared login page serves both roles. The UI must **not** have a role selector. The role comes from the (mock) JWT and decides where the user lands.

Item	Specification
Login route	`/login` (single page for admin and candidate)

Item	Specification
Mock token	Signed-looking JWT stored in memory plus `sessionStorage`, payload: `sub`, `email`, `role` (`candidate` or `admin`), `exp`, `emailVerified`
Role resolution	After login, read `role` claim. `admin` goes to `/admin`, `candidate` goes to `/portal` (or resumes the application at its saved step)
Demo logins	`admin@demo.co.za` / `Admin#12345` (admin); `candidate@demo.co.za` / `Candidate#12345` (candidate with a submitted application)
Route guards	`<RequireAuth role="admin">` and `<RequireAuth role="candidate">` wrappers. Wrong role shows a friendly 403 screen; expired token redirects to `/login?reason=expired`
Backend seam	One `authService` module (`login`, `register`, `verifyEmail`, `logout`, `getSession`). Later it is replaced with real JWT calls with no UI change

3. Design system

Theme: clean, professional, calm. Background is a vertical gradient from blue at the top to white, with a thin dash of gray as an accent.

Design tokens

Token	Value	Use
`--blue-700`	`#1D4ED8`	Primary buttons, links, active step
`--blue-600`	`#2563EB`	Hover states, focus ring base
`--blue-100`	`#DBEAFE`	Selected rows, info banners
`--blue-50`	`#EFF6FF`	Gradient end tint, card hover
`--bg-gradient`	`linear-gradient(180deg, #2563EB 0%, #93C5FD 35%, #FFFFFF 70%)`	Page background (auth and application pages)

Token	Value	Use
`--gray-600`	`#4B5563`	Secondary text
`--gray-300`	`#D1D5DB`	Borders, dividers, the gray "dash" accent
`--gray-100`	`#F3F4F6`	Dashboard canvas, table stripes
`--success`	`#16A34A`	Verified, shortlisted
`--warning`	`#D97706`	Pending, needs attention
`--danger`	`#DC2626`	Errors, rejected

The gray dash accent: a short, thick rounded gray bar (about 48 x 4 px, `--gray-300`) placed above page titles, and as a thin divider between the header and content. Use it consistently; do not scatter it.

Layout pattern for application pages: gradient page background, a centred white card (max width 720 px, radius 16 px, soft shadow) containing the form. The card keeps text on white so contrast is never dependent on the gradient.

Admin dashboard pattern: light gray canvas (`--gray-100`), white cards and tables, left sidebar in deep blue (`#0F2A6B`) with white text, gradient used only in the top header strip.

Typography: Inter (fallback system-ui). Page title 28/36 semibold, section title 20/28 semibold, body 16/24, helper text 14/20. Minimum body size 16 px on mobile to prevent iOS zoom on inputs.

Core components to build first: Button (primary, secondary, ghost, danger), TextField, PasswordField with rules checklist, FileDropzone, Stepper/ProgressBar, Card, Banner/Alert, Modal, Drawer, Toast, Badge/StatusPill, DataTable, Tabs, EmptyState, Skeleton loaders, ConsentCheckbox.

4. Recommended stack

React + Vite + TypeScript, Tailwind CSS (tokens above in `tailwind.config`), React Router, React Hook Form + Zod for validation, TanStack Table for the dashboard, Recharts for charts, dnd-kit for the pipeline board, MSW (Mock Service Worker) for the mock API, Lucide icons. Antigravity may substitute equivalents, but keep the service-layer seam.

5. Route map

Route	Screen	Access
`/apply/:jobId?src=linkedin`	Landing from LinkedIn, then step 1	Public
`/apply/account`	Step 0: Create account	Public
`/apply/verify-email`	Verify email (check-inbox page)	Registrant
`/apply/verify-email/confirm?token=`	Token landing, auto-login, redirect	Public with token
`/apply/cv`	Step 1: Upload CV	Candidate
`/apply/details`	Step 2: Review and edit extracted details	Candidate
`/apply/documents`	Step 3: Supporting documents	Candidate
`/apply/screening`	Step 4: Screening questions	Candidate
`/apply/summary`	Step 5: Summary and submit	Candidate
`/apply/success`	Submission confirmation	Candidate
`/login`	Shared login	Public
`/forgot-password`, `/reset-password`	Password recovery	Public
`/portal`	Candidate portal (status, interview)	Candidate
`/portal/privacy`	My data, POPIA requests	Candidate
`/admin` and sub-routes	Talent Manager dashboard	Admin
`/legal/terms`, `/legal/privacy`, `/legal/cookies`	Legal pages	Public

6. Candidate application workflow

6.1 Flow overview

1. LinkedIn link → job landing / account page
2. Create account (email, confirm email, password) → **Next**
3. Verify email page → candidate clicks link in email → auto-redirect and signed in
4. **Step 1** Upload CV → CV is parsed
5. **Step 2** Review/edit extracted details → **Next**
6. **Step 3** Supporting documents → **Next**
7. **Step 4** Screening questions → **Next**
8. **Step 5** Summary → **Submit**
9. Success screen and confirmation email; the user is now classified as a **Candidate**

The progress bar appears from Step 1 (after email verification) onward. The account and verification pages show only a simple "Step 1 of 2: Create account / Verify email" caption, not the full bar.

6.2 Landing and account creation (`/apply/account`)

- Capture the `src` query parameter (for example `linkedin`) and `jobId` into session state; show the job title as a small banner above the form ("Applying for: Senior Business Analyst").
- Fields: **Email address**, **Confirm email address**, **Password**, **Confirm password** (optional but recommended), plus the consent block (section 9).
- Email: validate format on blur; confirm-email must match exactly; paste into the confirm field is allowed (do not block paste, it harms accessibility).
- **Password rules** shown as a live checklist beneath the field, each line turns green with a tick as it is met:
  - At least 10 characters
  - One uppercase letter and one lowercase letter
  - One number
  - One special character (for example `! @ # $ %`)
  - Does not contain your email address
  - Not a commonly used password (mock blocklist: `Password123!` , `Welcome123!` , etc.)

- Show/hide password toggle with accessible label. Optional strength meter (weak, fair, strong).
- **Next** button is disabled until all fields are valid and required consents are ticked. On click, show a loading state, then navigate to verify email.
- Footer link: "Already have an account? Log in".

6.3 Verify email (`/apply/verify-email`)

- Heading "Check your inbox"; show the masked email (`j***@gmail.com`).
- Actions: **Resend email** (60-second cooldown timer shown on the button), **Change email address** (returns to the account page with the email field editable).
- Helper text: check spam/junk, link expires in 24 hours.
- Prototype aid: a small "Open mock inbox" dev button (hidden in production build) that shows the verification email preview with a **Verify my email** button.
- When the verify button is clicked, route to `/apply/verify-email/confirm?token=…` : show a brief "Email verified" success state (1.5 s), set the mock session as logged in, and redirect to `/apply/cv` .
- Error states: expired token (offer resend), invalid token, already verified (offer login).

6.4 Step 1 – Upload CV (`/apply/cv`)

- Progress bar appears here (see 6.9).
- Large drag-and-drop zone plus "Browse files" button. Accepted: PDF, DOC, DOCX; max 5 MB; one file. Show inline errors for wrong type or size.
- After selecting a file: file chip with name, size, remove button, then a **parsing state** with skeleton loader and message "Reading your CV…" (mock 2 to 3 seconds).
- Mock parser returns a fixed, realistic JSON (name, surname, phone, email, location, education[], experience[], skills[], languages[]).
- Info note: "We use automated tools to read your CV. You will always be able to review and correct the details. A person makes the hiring decision." (supports POPIA section 71, see section 9.)
- **Next** enabled only after a successful parse. Secondary link: "I can't upload a CV" opens a modal explaining they can fill details manually, then goes to Step 2 with empty fields.

6.5 Step 2 – Review and edit details (`/apply/details`)

Pre-filled, fully editable, grouped into collapsible cards:

- **Personal:** first name, surname, email (read-only, already verified), mobile number (SA format +27), city/province, nationality, ID number *or* passport number (optional at this stage; collected here or in documents, see 9.4).
- **Education:** repeating rows: qualification, institution, field of study, year completed, status (completed or in progress). Add, edit, delete row. Highest qualification dropdown.
- **Work experience:** repeating rows: job title, company, start date, end date or "Current", key responsibilities. Reorder, add, delete. Auto-calculated "Total years of experience".
- **Skills and languages:** tag inputs.
- Fields populated from the parser get a subtle blue "Auto-filled" badge; once edited the badge disappears. A banner at the top: "We filled this in from your CV. Please check everything."
- Inline validation, autosave indicator ("Saved just now"), **Back** and **Next**. Unsaved changes warning on browser close.

6.6 Step 3 – Supporting documents (`/apply/documents`)

Document	Required	Notes
Certified ID copy (or passport)	Yes	PDF/JPG/PNG, 5 MB. Hint: certified within last 3 months (configurable)
Cover letter	Optional (admin-configurable)	Upload **or** write in a rich text box
Qualification certificates	Optional	Multiple files
Other documents	Optional	Multiple files, up to 5, each with a label

- Each item is a card with status (Not uploaded, Uploading with progress, Uploaded, Error), preview, replace and remove actions.
- Privacy reassurance line next to the ID upload: why it is needed, who sees it, how long it is kept.
- **Next** requires all mandatory documents.

6.7 Step 4 – Screening questions (`/apply/screening`)

Questions are config-driven (JSON) so the Talent Manager can later change them. Include a mix:

- **Knock-out (yes/no):** "Are you legally entitled to work in South Africa?", "Do you hold a valid driver's licence?" (role dependent). Show a gentle, non-blocking message if the answer would not meet a requirement; do not auto-reject in the UI.
- **Multiple choice:** notice period, highest qualification, years of relevant experience.
- **Short answer / text area:** "Why do you want to work here?" with a character counter.
- **Salary expectation** (number, ZAR, optional) and **Availability date** (date picker).
- **Relocation / work-mode preference** (radio).
- One question per card, grouped under 2 or 3 headings, all keyboard accessible. Required fields clearly marked.

6.8 Step 5 – Summary and submit (`/apply/summary`)

- Read-only summary in sections (Personal, Education, Experience, Documents, Screening answers), each with an **Edit** link that jumps back to that step and returns to the summary after saving.
- Final declarations: "I confirm the information is true and complete" (required checkbox). Link to Terms and Privacy Notice.
- Primary button **Submit application** with a confirmation modal ("You cannot edit after submitting" or, if editing is allowed until the closing date, state that). On submit, show a loading state then `/apply/success`.

6.9 Progress bar specification

- Sticky at the top of the card/page, visible on Steps 1 to 5.
- Five labelled steps: **CV → Details → Documents → Screening → Summary**.
- Shows percentage (20, 40, 60, 80, 100) and "Step 2 of 5". Completed steps show a tick and are clickable to go back; future steps are not clickable until reached.
- Animates smoothly on **Next** (300 ms ease). On mobile, collapse labels to "Step 2 of 5: Details" with the bar beneath.
- ARIA: `role="progressbar"`, `aria-valuenow`, `aria-valuemin`, `aria-valuemax`, and `aria-current="step"` on the active step.
- Progress is saved: a returning user is sent to their last incomplete step.

6.10 Success screen and confirmation email

- Success screen: tick animation, reference number (for example `APP-2026-00123`), "What happens next" timeline (Application received → Under review → Possible interview), link to the candidate portal.
- Show a **mock email preview** (modal or `/dev/emails`): subject "We received your application – [Job title]", reference number, what to expect, privacy contact, unsubscribe/withdraw link.
- At this moment the user's status changes from *Registrant* to **Candidate** and appears in the admin dashboard.

7. Login, forgot password and shortlisted-candidate flow

Login page (`/login`) – same visual style (gradient background, white card).

- Fields: email, password, show/hide toggle, "Remember me" (optional), **Log in** button, "Forgot password?" link, "New here? Start your application" link.
- Error messages are generic ("Email or password is incorrect") to avoid account enumeration. After 5 failed attempts show a cooldown message (UI only).
- Unverified email: show banner with **Resend verification email**.
- Post-login redirect by `role` claim (section 2). Preserve a `returnTo` parameter.
- No role selector and no visible hint that an admin area exists.
- **Register** is not a separate page: the "Start your application" link goes to `/apply/account`. The registration experience is identical to the application account step.

Shortlist email flow

1. Talent Manager shortlists a candidate in the dashboard → mock email is generated.
2. Email (preview in `/dev/emails`): "Good news – you've been shortlisted", short message, button **View your application** linking to `/login?returnTo=/portal&email=…`.
3. Login page opens with the email pre-filled and a blue info banner "Log in to view your shortlist update".
4. After login the candidate lands on `/portal` showing the shortlist banner and next steps.

Candidate portal (`/portal`)

- Application status tracker (Submitted → Under review → Shortlisted → Interview → Outcome).
- Interview card (when scheduled): date, time, format (in person or video), location/link, **Accept**, **Request another time**, **Add to calendar**.
- My documents (view, replace if allowed), my answers (read-only), messages from the recruiter (optional).
- **My data and privacy:** download my data, request correction, request deletion, withdraw application, withdraw consent (see section 9).

8. Talent Manager dashboard

8.1 Required (MVP)

Screen	Content
Overview (`/admin`)	KPI cards: New applications (7 days), Total candidates, Shortlisted, Interviews scheduled, Average time to shortlist. Recent applications list. Pipeline funnel chart. Applications by source (LinkedIn, direct, other)
Applications (`/admin/applications`)	Data table of all candidates: name, job, date applied, source, status, screening score, flags (for example a knock-out answer). Search, filters (job, status, date, source, province, qualification, experience range), sort, pagination, column chooser, row checkboxes
Candidate profile (drawer or `/admin/candidates/:id`)	Split view: parsed details and screening answers on one side, CV/ID/document viewer on the other. Tabs: Overview, Documents, Screening, Notes, Activity. Actions: **Shortlist**, Reject, Move stage, Add note, Email candidate

Screen	Content
Shortlist action	Single or bulk. Confirmation modal with email preview and an editable message, option to add interview slots. Status pill changes to *Shortlisted*, toast confirms "Email queued"
Shortlist view (`/admin/shortlist`)	Only shortlisted candidates, with interview scheduling and outcome capture

8.2 Researched additions (recommended features)

Prioritised so Antigravity can build in order. **P1** = include in prototype, **P2** = include if time allows, **P3** = list as roadmap placeholder in the UI.

Priority	Feature	Why it helps
P1	**Pipeline (Kanban) board**: Applied, Under review, Shortlisted, Interview, Offer, Hired, Rejected; drag and drop	Fast visual triage; standard in applicant tracking systems
P1	**Status workflow and reasons**: rejection reason picklist, "talent pool" status	Consistent decisions and POPIA-friendly records
P1	**Bulk actions**: shortlist, reject, email, export, tag	Efficiency for high volumes from a LinkedIn post
P1	**Internal notes and @mentions**, tags (for example "Strong", "Callback")	Collaboration
P1	**Screening score**: auto-score from knock-out and multiple-choice answers, with visible breakdown; **flag, never auto-reject**	Speeds review while keeping a human decision
P1	**Interview scheduling**: propose slots, send invite, candidate accepts, status updates	Closes the loop with the shortlist email

Priority	Feature	Why it helps
P1	**Email templates** (received, shortlisted, rejected, interview invite) with variables and preview	Consistency and speed
P1	**Activity timeline and audit log** per candidate and system-wide	Accountability and POPIA compliance
P2	**Job management**: create/close postings, generate the LinkedIn tracked link (`?src=linkedin`), application deadline, per-job screening questions	Source of the whole flow
P2	**Compare candidates** (select 2 to 4, side-by-side)	Shortlisting decisions
P2	**Interview scorecards**: structured criteria and ratings per interviewer	Fair, consistent evaluation
P2	**Duplicate detection** (same email, ID or phone across applications)	Data quality
P2	**Export** to CSV/Excel/PDF for selected candidates	Reporting and sharing with hiring managers
P2	**Analytics**: funnel conversion, time in stage, source effectiveness, drop-off by application step	Improves the process
P2	**Saved filters/views** and keyboard shortcuts	Power users
P2	**Notifications** (new application, candidate replied to interview invite)	Timeliness
P3	**Team and roles** (Talent Manager, Recruiter, Hiring Manager read-only) via role claims	Later RBAC expansion
P3	**Employment equity (EE) reporting**, if collected lawfully and optionally	South African reporting need
P3	**Candidate communication hub** (messages thread)	Fewer emails

Priority	Feature	Why it helps
P3	**Reference checks and offer management**	End-to-end hiring

8.3 POPIA tools inside the dashboard

- **Data requests queue:** access, correction, deletion and objection requests from candidates, with due dates and status.
- **Consent record** on each candidate profile: what was agreed, when, which version of the terms/privacy notice, IP/time stamp (mock).
- **Retention indicator:** "Delete or anonymise by [date]" with a bulk review action for expired records. Configurable retention period (suggested default: 12 months after the last activity, subject to legal advice).
- **Access controls note:** show a banner on ID documents ("Sensitive: view logged"), and log every document view in the audit trail.

9. POPIA, Terms and Conditions

The Protection of Personal Information Act 4 of 2013 (POPIA) applies because the system collects personal information of South African residents. The UI must make the following visible and usable. *This plan is a design brief, not legal advice; have a South African attorney or the organisation's Information Officer review all wording before launch.*

9.1 Documents to create (placeholder content acceptable in the prototype)

1. **Terms and Conditions of use** (`/legal/terms`)
2. **Privacy Notice / POPIA Notice** (`/legal/privacy`): who the responsible party is, Information Officer contact details, what is collected, purpose (recruitment only), who it is shared with (internal recruiters, hiring managers, service providers), whether it is transferred outside South Africa, retention period, security measures, data subject rights, right to complain to the Information Regulator.
3. **Cookie notice** (`/legal/cookies`) and a cookie banner (essential only by default; optional analytics off until accepted).

9.2 Where consent appears in the UI

Where	What the user sees
Account page (before Next)	Required checkbox: "I have read and accept the **Terms and Conditions**." Required checkbox: "I have read the **Privacy Notice** and consent to [Company] processing my personal information for recruitment purposes." Both **unticked by default**, links open in a new tab or modal that keeps form data
CV upload	Short notice: what happens with the CV and the automated reading of it
Documents step (ID)	Just-in-time notice explaining why an ID copy is needed and that it is stored securely
Optional consents (separate, never bundled)	"Keep my details in the talent pool for 12 months for future opportunities" (optional). "Contact me with other relevant vacancies" (optional, direct marketing consent)
Summary step	Final declaration of truthfulness and a reminder with links to the notices
Footer on every page	Links to Terms, Privacy Notice, Cookie settings, Information Officer contact

9.3 POPIA conditions mapped to UI behaviours

POPIA principle	UI implementation
Accountability and openness	Responsible party and Information Officer details in the privacy notice and footer
Purpose specification and minimality	Collect only what the step needs; mark optional fields clearly; explain why each sensitive item is requested
Consent (voluntary, specific, informed)	Unticked, separate checkboxes; consent version and timestamp recorded; no pre-ticked boxes

POPIA principle	UI implementation
Further processing limitation	Talent-pool and marketing use are separate opt-ins
Information quality	Candidate can review and correct all details (Step 2 and portal)
Security safeguards	Password rules, email verification, session timeout, masked sensitive data, audit log, upload type/size limits
Data subject participation	Portal pages to access, download, correct, delete data, withdraw consent and application
Automated decision-making (section 71)	Notice that CV reading and scoring are aids; no auto-rejection; a person reviews every application
Special personal information (for example health, race, criminal record)	Do not collect in the prototype unless required; if added later, include explicit consent and purpose text
Retention	Stated in the privacy notice; shown to admins as a retention date

9.4 ID number handling

A South African ID number is a unique identifier and sensitive in practice. Collect it only once, in the documents/details step, display it masked (`********1234`) in lists, reveal on explicit click in the admin profile with the view logged.

10. UI/UX rules to follow on every screen

- **One primary action per screen**, placed consistently (bottom right on desktop, full-width and sticky on mobile). **Back** is secondary and always available in the application steps.
- **Progressive disclosure:** one topic per step; long forms split into cards.
- **Inline validation** on blur, clear messages that say how to fix the issue; error summary at the top for screen readers. Never rely on colour alone.

- **Accessibility (WCAG 2.2 AA):** contrast at least 4.5:1 for text, visible focus rings, full keyboard navigation, semantic labels, `aria-live` for toasts and errors, tap targets at least 44 x 44 px, respects reduced-motion preference.
- **Mobile first:** most LinkedIn clicks come from phones. Test at 360, 768 and 1280 px. Dashboard tables become cards on mobile.
- **Feedback for every action:** loading states, skeletons, disabled-with-reason buttons, success toasts, friendly empty states.
- **Save and resume:** autosave at each step; the session timeout warns the user and does not lose data.
- **Plain language,** South African English, no jargon. Date format `DD MMM YYYY`, currency ZAR (R), phone `+27`.
- **Trust signals:** lock icon beside sensitive uploads, short privacy sentences at the point of use.
- **Destructive actions** (delete, reject, withdraw) need a confirmation modal that names the object.
- **Consistency:** the same components, spacing scale (4 px base) and copy tone everywhere.

11. Mock data and state

- Seed 40 to 60 candidates across 3 jobs with varied statuses, sources, scores, provinces and qualification levels, plus 5 incomplete registrants.
- Application draft state kept in a single store (for example Zustand or React Context) and persisted to `sessionStorage`; reset button in a dev menu.
- `/dev/emails` page lists every generated email (verification, received, shortlisted, interview invite, rejection) with the rendered template.
- A dev toolbar (hidden in production) to switch demo persona, jump to a step, and simulate parser success or failure.

12. Email templates to design (visual only)

Blue header band with logo placeholder, white body, gray footer with privacy link: (1) Verify your email, (2) Application received, (3) Shortlisted, (4) Interview invitation, (5) Unsuccessful outcome (optional), (6) Password reset. Each needs a plain-text version and a single clear button.

13. Build phases

Phase	Deliverables
0. Foundation	Project setup, design tokens, gradient/gray-dash theme, core components, router, mock auth with role guards, MSW
1. Auth and registration	Account page with password rules, verify email flow, login, forgot/reset password, legal pages and consent components, cookie banner
2. Application steps	Progress bar, CV upload and mock parsing, details editor, documents, screening, summary, success, confirmation email preview
3. Admin core	Layout and sidebar, overview, applications table with filters, candidate profile, shortlist action and email preview, shortlist view
4. Candidate portal and shortlist email	Portal status tracker, interview card, email link into login with pre-fill, privacy and data-request pages
5. Admin extras (P1 then P2)	Kanban, bulk actions, notes/tags, templates, scheduling, audit log, jobs and LinkedIn link generator, analytics, compare, export, POPIA queue
6. Polish and QA	Accessibility pass, responsive pass, empty/error states, copy review, demo script

14. Acceptance criteria (summary)

- A tester can go from `/apply/account?src=linkedin` to the success screen on desktop and mobile without dead ends.
- Password checklist updates live; Next stays disabled until all rules and required consents are met.
- Progress bar is visible on Steps 1 to 5, shows correct step and percentage, and supports going back to completed steps.
- Extracted CV details are editable, and edits carry through to the summary.

- Logging in with the admin demo account lands on `/admin`; the candidate demo account lands on `/portal`; both use the same `/login` page; wrong-role access shows 403.
- Shortlisting a candidate in the dashboard produces an email preview whose button opens the login page with the email pre-filled, then the portal.
- Terms, Privacy Notice and consent checkboxes appear on the account page and are linked in the footer on every page; optional consents are separate and unticked.
- All screens pass an automated accessibility check (no critical issues) and work at 360 px width.

15. Assumptions and open questions

- Single company brand and a single Talent Manager role in the prototype; multiple roles are a later phase.
- Retention period (12 months) and ID certification age (3 months) are placeholders.
- Whether candidates may edit after submitting is undecided; the prototype assumes locked after submit.
- Whether race/gender data for employment equity is collected is undecided; excluded for now.
- Logo, company name and job titles are placeholders to be replaced.
- Production backend will issue JWTs containing a `role` claim (`candidate` or `admin`); the UI already routes on that claim, so no UI redesign is needed.