# Test 1 + 4 run sheet — Run 1

**Date:** _____ **Scanner (person):** _____ **Observer:** _____ **Station / room:** _____

**Start time:** _____ **End time:** _____ **Report run #:** _____ **Mode: Stack · IN:** _____

Before the run: **scripts/test1-scan-reliability.py reset**. Present each stack once, in order, as fast as comfortable. Tick **Rescan** for every extra scan a stack needed and **> 5 s** if it was not confirmed (green) within 5 s of being presented. Afterwards run **report N** and copy its numbers below.

| # | Label code | Project | Test · treatment · pieces | Green 1st try | Rescans (tally) | > 5 s | Notes |
|---|---|---|---|---|---|---|---|
| 1 | 13 | 490000000001 | D3786 · 5L · 1 | | | | |
| 2 | 21 | 490000000002 | D4966 · 50L · 20 | | | | |
| 3 | 229 | 490000000003 | D3884 · AR · 10 | | | | |
| 4 | 324 | 490000000004 | D5034 · 5L · 5 | | | | |
| 5 | 370 | 490000000005 | D3786 · 50L · 15 | | | | |
| 6 | 528 | 490000000006 | D4966 · AR · 2 | | | | |
| 7 | 544 | 490000000007 | D3884 · 5L · 20 | | | | |
| 8 | 747 | 490000000008 | D5034 · 50L · 8 | | | | |
| 9 | 822 | 490000000009 | D3786 · AR · 12 | | | | |
| 10 | 948 | 490000000010 | D4966 · 5L · 3 | | | | |
| 11 | 973 | 490000000011 | D3884 · 50L · 18 | | | | |
| 12 | 1156 | 490000000012 | D5034 · AR · 6 | | | | |
| 13 | 1216 | 490000000013 | D3786 · 5L · 10 | | | | |
| 14 | 1313 | 490000000014 | D4966 · 50L · 4 | | | | |
| 15 | 1359 | 490000000015 | D3884 · AR · 16 | | | | |
| 16 | 1514 | 490000000016 | D5034 · 5L · 1 | | | | |
| 17 | 1523 | 490000000017 | D3786 · 50L · 20 | | | | |
| 18 | 1722 | 490000000018 | D4966 · AR · 7 | | | | |
| 19 | 1798 | 490000000019 | D3884 · 5L · 14 | | | | |
| 20 | 1939 | 490000000020 | D5034 · 50L · 9 | | | | |

| Rescans | Misses (> 5 s) | Manual entries | Scans recorded (report) | Mean s / scan (report) | Gaps > 5 s (report) | UDS score |
|---|---|---|---|---|---|---|
| | | | / 20 | | | |

| Score | Manual entries per 100 scans |
|---|---|
| 5 | 0 |
| 4 | 1 |
| 3 | 2–3 |
| 2 | 4–10 |
| 1 | More than 10 |

# Test 1 + 4 run sheet — Run 2

**Date:** _____ **Scanner (person):** _____ **Observer:** _____ **Station / room:** _____

**Start time:** _____ **End time:** _____ **Report run #:** _____ **Mode: Stack · IN:** _____

Before the run: **scripts/test1-scan-reliability.py reset**. Present each stack once, in order, as fast as comfortable. Tick **Rescan** for every extra scan a stack needed and **> 5 s** if it was not confirmed (green) within 5 s of being presented. Afterwards run **report N** and copy its numbers below.

| # | Label code | Project | Test · treatment · pieces | Green 1st try | Rescans (tally) | > 5 s | Notes |
|---|---|---|---|---|---|---|---|
| 1 | 13 | 490000000001 | D3786 · 5L · 1 | | | | |
| 2 | 21 | 490000000002 | D4966 · 50L · 20 | | | | |
| 3 | 229 | 490000000003 | D3884 · AR · 10 | | | | |
| 4 | 324 | 490000000004 | D5034 · 5L · 5 | | | | |
| 5 | 370 | 490000000005 | D3786 · 50L · 15 | | | | |
| 6 | 528 | 490000000006 | D4966 · AR · 2 | | | | |
| 7 | 544 | 490000000007 | D3884 · 5L · 20 | | | | |
| 8 | 747 | 490000000008 | D5034 · 50L · 8 | | | | |
| 9 | 822 | 490000000009 | D3786 · AR · 12 | | | | |
| 10 | 948 | 490000000010 | D4966 · 5L · 3 | | | | |
| 11 | 973 | 490000000011 | D3884 · 50L · 18 | | | | |
| 12 | 1156 | 490000000012 | D5034 · AR · 6 | | | | |
| 13 | 1216 | 490000000013 | D3786 · 5L · 10 | | | | |
| 14 | 1313 | 490000000014 | D4966 · 50L · 4 | | | | |
| 15 | 1359 | 490000000015 | D3884 · AR · 16 | | | | |
| 16 | 1514 | 490000000016 | D5034 · 5L · 1 | | | | |
| 17 | 1523 | 490000000017 | D3786 · 50L · 20 | | | | |
| 18 | 1722 | 490000000018 | D4966 · AR · 7 | | | | |
| 19 | 1798 | 490000000019 | D3884 · 5L · 14 | | | | |
| 20 | 1939 | 490000000020 | D5034 · 50L · 9 | | | | |

| Rescans | Misses (> 5 s) | Manual entries | Scans recorded (report) | Mean s / scan (report) | Gaps > 5 s (report) | UDS score |
|---|---|---|---|---|---|---|
| | | | / 20 | | | |

| Score | Manual entries per 100 scans |
|---|---|
| 5 | 0 |
| 4 | 1 |
| 3 | 2–3 |
| 2 | 4–10 |
| 1 | More than 10 |

# Test 1 + 4 run sheet — Run 3

**Date:** _____ **Scanner (person):** _____ **Observer:** _____ **Station / room:** _____

**Start time:** _____ **End time:** _____ **Report run #:** _____ **Mode: Stack · IN:** _____

Before the run: **scripts/test1-scan-reliability.py reset**. Present each stack once, in order, as fast as comfortable. Tick **Rescan** for every extra scan a stack needed and **> 5 s** if it was not confirmed (green) within 5 s of being presented. Afterwards run **report N** and copy its numbers below.

| # | Label code | Project | Test · treatment · pieces | Green 1st try | Rescans (tally) | > 5 s | Notes |
|---|---|---|---|---|---|---|---|
| 1 | 13 | 490000000001 | D3786 · 5L · 1 | | | | |
| 2 | 21 | 490000000002 | D4966 · 50L · 20 | | | | |
| 3 | 229 | 490000000003 | D3884 · AR · 10 | | | | |
| 4 | 324 | 490000000004 | D5034 · 5L · 5 | | | | |
| 5 | 370 | 490000000005 | D3786 · 50L · 15 | | | | |
| 6 | 528 | 490000000006 | D4966 · AR · 2 | | | | |
| 7 | 544 | 490000000007 | D3884 · 5L · 20 | | | | |
| 8 | 747 | 490000000008 | D5034 · 50L · 8 | | | | |
| 9 | 822 | 490000000009 | D3786 · AR · 12 | | | | |
| 10 | 948 | 490000000010 | D4966 · 5L · 3 | | | | |
| 11 | 973 | 490000000011 | D3884 · 50L · 18 | | | | |
| 12 | 1156 | 490000000012 | D5034 · AR · 6 | | | | |
| 13 | 1216 | 490000000013 | D3786 · 5L · 10 | | | | |
| 14 | 1313 | 490000000014 | D4966 · 50L · 4 | | | | |
| 15 | 1359 | 490000000015 | D3884 · AR · 16 | | | | |
| 16 | 1514 | 490000000016 | D5034 · 5L · 1 | | | | |
| 17 | 1523 | 490000000017 | D3786 · 50L · 20 | | | | |
| 18 | 1722 | 490000000018 | D4966 · AR · 7 | | | | |
| 19 | 1798 | 490000000019 | D3884 · 5L · 14 | | | | |
| 20 | 1939 | 490000000020 | D5034 · 50L · 9 | | | | |

| Rescans | Misses (> 5 s) | Manual entries | Scans recorded (report) | Mean s / scan (report) | Gaps > 5 s (report) | UDS score |
|---|---|---|---|---|---|---|
| | | | / 20 | | | |

| Score | Manual entries per 100 scans |
|---|---|
| 5 | 0 |
| 4 | 1 |
| 3 | 2–3 |
| 2 | 4–10 |
| 1 | More than 10 |

# Test 1 + 4 run sheet — Run 4

**Date:** _____ **Scanner (person):** _____ **Observer:** _____ **Station / room:** _____

**Start time:** _____ **End time:** _____ **Report run #:** _____ **Mode: Stack · IN:** _____

Before the run: **scripts/test1-scan-reliability.py reset**. Present each stack once, in order, as fast as comfortable. Tick **Rescan** for every extra scan a stack needed and **> 5 s** if it was not confirmed (green) within 5 s of being presented. Afterwards run **report N** and copy its numbers below.

| # | Label code | Project | Test · treatment · pieces | Green 1st try | Rescans (tally) | > 5 s | Notes |
|---|---|---|---|---|---|---|---|
| 1 | 13 | 490000000001 | D3786 · 5L · 1 | | | | |
| 2 | 21 | 490000000002 | D4966 · 50L · 20 | | | | |
| 3 | 229 | 490000000003 | D3884 · AR · 10 | | | | |
| 4 | 324 | 490000000004 | D5034 · 5L · 5 | | | | |
| 5 | 370 | 490000000005 | D3786 · 50L · 15 | | | | |
| 6 | 528 | 490000000006 | D4966 · AR · 2 | | | | |
| 7 | 544 | 490000000007 | D3884 · 5L · 20 | | | | |
| 8 | 747 | 490000000008 | D5034 · 50L · 8 | | | | |
| 9 | 822 | 490000000009 | D3786 · AR · 12 | | | | |
| 10 | 948 | 490000000010 | D4966 · 5L · 3 | | | | |
| 11 | 973 | 490000000011 | D3884 · 50L · 18 | | | | |
| 12 | 1156 | 490000000012 | D5034 · AR · 6 | | | | |
| 13 | 1216 | 490000000013 | D3786 · 5L · 10 | | | | |
| 14 | 1313 | 490000000014 | D4966 · 50L · 4 | | | | |
| 15 | 1359 | 490000000015 | D3884 · AR · 16 | | | | |
| 16 | 1514 | 490000000016 | D5034 · 5L · 1 | | | | |
| 17 | 1523 | 490000000017 | D3786 · 50L · 20 | | | | |
| 18 | 1722 | 490000000018 | D4966 · AR · 7 | | | | |
| 19 | 1798 | 490000000019 | D3884 · 5L · 14 | | | | |
| 20 | 1939 | 490000000020 | D5034 · 50L · 9 | | | | |

| Rescans | Misses (> 5 s) | Manual entries | Scans recorded (report) | Mean s / scan (report) | Gaps > 5 s (report) | UDS score |
|---|---|---|---|---|---|---|
| | | | / 20 | | | |

| Score | Manual entries per 100 scans |
|---|---|
| 5 | 0 |
| 4 | 1 |
| 3 | 2–3 |
| 2 | 4–10 |
| 1 | More than 10 |

# Test 1 + 4 run sheet — Run 5

**Date:** _____ **Scanner (person):** _____ **Observer:** _____ **Station / room:** _____

**Start time:** _____ **End time:** _____ **Report run #:** _____ **Mode: Stack · IN:** _____

Before the run: **scripts/test1-scan-reliability.py reset**. Present each stack once, in order, as fast as comfortable. Tick **Rescan** for every extra scan a stack needed and **> 5 s** if it was not confirmed (green) within 5 s of being presented. Afterwards run **report N** and copy its numbers below.

| # | Label code | Project | Test · treatment · pieces | Green 1st try | Rescans (tally) | > 5 s | Notes |
|---|---|---|---|---|---|---|---|
| 1 | 13 | 490000000001 | D3786 · 5L · 1 | | | | |
| 2 | 21 | 490000000002 | D4966 · 50L · 20 | | | | |
| 3 | 229 | 490000000003 | D3884 · AR · 10 | | | | |
| 4 | 324 | 490000000004 | D5034 · 5L · 5 | | | | |
| 5 | 370 | 490000000005 | D3786 · 50L · 15 | | | | |
| 6 | 528 | 490000000006 | D4966 · AR · 2 | | | | |
| 7 | 544 | 490000000007 | D3884 · 5L · 20 | | | | |
| 8 | 747 | 490000000008 | D5034 · 50L · 8 | | | | |
| 9 | 822 | 490000000009 | D3786 · AR · 12 | | | | |
| 10 | 948 | 490000000010 | D4966 · 5L · 3 | | | | |
| 11 | 973 | 490000000011 | D3884 · 50L · 18 | | | | |
| 12 | 1156 | 490000000012 | D5034 · AR · 6 | | | | |
| 13 | 1216 | 490000000013 | D3786 · 5L · 10 | | | | |
| 14 | 1313 | 490000000014 | D4966 · 50L · 4 | | | | |
| 15 | 1359 | 490000000015 | D3884 · AR · 16 | | | | |
| 16 | 1514 | 490000000016 | D5034 · 5L · 1 | | | | |
| 17 | 1523 | 490000000017 | D3786 · 50L · 20 | | | | |
| 18 | 1722 | 490000000018 | D4966 · AR · 7 | | | | |
| 19 | 1798 | 490000000019 | D3884 · 5L · 14 | | | | |
| 20 | 1939 | 490000000020 | D5034 · 50L · 9 | | | | |

| Rescans | Misses (> 5 s) | Manual entries | Scans recorded (report) | Mean s / scan (report) | Gaps > 5 s (report) | UDS score |
|---|---|---|---|---|---|---|
| | | | / 20 | | | |

| Score | Manual entries per 100 scans |
|---|---|
| 5 | 0 |
| 4 | 1 |
| 3 | 2–3 |
| 2 | 4–10 |
| 1 | More than 10 |

# Test 1 + 4 run sheet — UL site-visit run

**Date:** _____ **Scanner (person):** _____ **Observer:** _____ **Station / room:** _____

**Start time:** _____ **End time:** _____ **Report run #:** _____ **Mode: Stack · IN:** _____

Before the run: **scripts/test1-scan-reliability.py reset**. Present each stack once, in order, as fast as comfortable. Tick **Rescan** for every extra scan a stack needed and **> 5 s** if it was not confirmed (green) within 5 s of being presented. Afterwards run **report N** and copy its numbers below.

| # | Label code | Project | Test · treatment · pieces | Green 1st try | Rescans (tally) | > 5 s | Notes |
|---|---|---|---|---|---|---|---|
| 1 | 13 | 490000000001 | D3786 · 5L · 1 | | | | |
| 2 | 21 | 490000000002 | D4966 · 50L · 20 | | | | |
| 3 | 229 | 490000000003 | D3884 · AR · 10 | | | | |
| 4 | 324 | 490000000004 | D5034 · 5L · 5 | | | | |
| 5 | 370 | 490000000005 | D3786 · 50L · 15 | | | | |
| 6 | 528 | 490000000006 | D4966 · AR · 2 | | | | |
| 7 | 544 | 490000000007 | D3884 · 5L · 20 | | | | |
| 8 | 747 | 490000000008 | D5034 · 50L · 8 | | | | |
| 9 | 822 | 490000000009 | D3786 · AR · 12 | | | | |
| 10 | 948 | 490000000010 | D4966 · 5L · 3 | | | | |
| 11 | 973 | 490000000011 | D3884 · 50L · 18 | | | | |
| 12 | 1156 | 490000000012 | D5034 · AR · 6 | | | | |
| 13 | 1216 | 490000000013 | D3786 · 5L · 10 | | | | |
| 14 | 1313 | 490000000014 | D4966 · 50L · 4 | | | | |
| 15 | 1359 | 490000000015 | D3884 · AR · 16 | | | | |
| 16 | 1514 | 490000000016 | D5034 · 5L · 1 | | | | |
| 17 | 1523 | 490000000017 | D3786 · 50L · 20 | | | | |
| 18 | 1722 | 490000000018 | D4966 · AR · 7 | | | | |
| 19 | 1798 | 490000000019 | D3884 · 5L · 14 | | | | |
| 20 | 1939 | 490000000020 | D5034 · 50L · 9 | | | | |

| Rescans | Misses (> 5 s) | Manual entries | Scans recorded (report) | Mean s / scan (report) | Gaps > 5 s (report) | UDS score |
|---|---|---|---|---|---|---|
| | | | / 20 | | | |

| Score | Manual entries per 100 scans |
|---|---|
| 5 | 0 |
| 4 | 1 |
| 3 | 2–3 |
| 2 | 4–10 |
| 1 | More than 10 |

# Test 5 reset log — outage resilience

**Date:** _____ **Tester:** _____ **Station IP:** _____ **Server (Mac) IP:** _____

For each reset: unplug the Pi's power **and** turn off its network, wait 10 s, restore both, and start the stopwatch at reconnection. Stop when the kiosk shows the scan-ready screen with **Online**. Then scan that row's reference label in **Single** mode (each label is one piece, so every reset records something new) and confirm it turns green. Pass: mean < 60 s, no keyboard/mouse, every scan recorded.

| Reset | Reference label (code · item) | Recovery time (s) | Keyboard / mouse needed? | Scan recorded (green)? | Notes |
|---|---|---|---|---|---|
| 1 | 2024 · FR Cotton 88/12 Twill 9 oz 1/5 | | yes / no | yes / no | |
| 2 | 2035 · FR Cotton 88/12 Twill 9 oz 2/5 | | yes / no | yes / no | |
| 3 | 2043 · FR Cotton 88/12 Twill 9 oz 3/5 | | yes / no | yes / no | |
| 4 | 2056 · FR Cotton 88/12 Twill 9 oz 4/5 | | yes / no | yes / no | |
| 5 | 2062 · FR Cotton 88/12 Twill 9 oz 5/5 | | yes / no | yes / no | |
| 6 | 2070 · Meta-Aramid IIIA 4.5 oz Pl 1/8 | | yes / no | yes / no | |
| 7 | 2081 · Meta-Aramid IIIA 4.5 oz Pl 2/8 | | yes / no | yes / no | |
| 8 | 2097 · Meta-Aramid IIIA 4.5 oz Pl 3/8 | | yes / no | yes / no | |
| 9 | 2100 · Meta-Aramid IIIA 4.5 oz Pl 4/8 | | yes / no | yes / no | |
| 10 | 2113 · Meta-Aramid IIIA 4.5 oz Pl 5/8 | | yes / no | yes / no | |
| Mean | | | | | |