



开智学院

像黑客一样创作

第三讲 Jekyll 博客

By Azeril



0.Blogging your ideas

为什么写



长期写作的价值

- * 饼干盒
- * 镜子
- * 磨刀石
- * 试金石
- * 树林
- * 灯塔

jekyll

transform your text into a monster

1.Jekyll



About Jekyll

Jekyll 静态网站生成器

原理：一整套文件模板 → 博客/网站

About Jekyll...





罗伯特·史蒂文森 - Dr. Jekyll and Mr. Hyde



BBC 出品 Jekyll (2007) 6 集迷你剧 中文名《变身怪医》

Jekyll 博客的优势

- * GitHub & Git
- * 普及度高
- * 安全
- * 扩展性强
- * 适配移动版
- * 发布方便

Jekyll 博客的缺点

- * 技术门槛（Git、Markdown、CLI等）
- * 搭建步骤稍繁琐
- * 深入个性化，需 HTML CSS 等知识

GET STARTED
WITH JEKYLL!



2.Jekyll 博客快速上手

快速生成流程

0. 注册并登录 GitHub
1. Fork 主题博客模板并更名
2. Clone 模板库到本地
3. 个性化配置，完成博客基础设定
4. 发布并推送第一篇博文


1. 主题模板

Clean Blog
A Clean Blog Theme by Start Bootstrap

Man must explore, and this is exploration at its greatest
Problems look mighty small from 150 miles up
Posted by Start Bootstrap on September 24, 2014

Business Casual
3481 MELROSE PLACE | BEVERLY HILLS, CA 90210 | 123.456.7890

HOME ABOUT BLOG CONTACT



HMFAYSAL
Omega: The Coolest Theme for Jekyll

this post is featured

FIRST COMMIT

15 May 2014 in Personal • 4 minutes read

"The beginning is the most important part of the work."

Photo Credit: WeGraphics

Recent Posts

Author Override
A post to test author overrides using a data file.

Syntax Highlighting Post
Demo post displaying the various ways of highlighting code in Markdown.

Sample Link Post

Post with Large Feature Image and Text
Custom written post descriptions are the way to go... if you're not lazy.

A Post with Images
Exemplar and code for displaying images in posts.



Michael Rose

Just another boring, time traveling, tattooed, designer from Buffalo New York.

Twitter
Facebook
GitHub

1. 主题模板

(1) fork

(2) 仓库更名 username.github.io

博客模板主题站：

* Jekyll 博客主题精选 - Microdust

* Jekyll Themes

* Sites · jekyll/jekyll Wiki

2.Clone 到本地

两个方式：

- (1) GitHub 图形客户端
- (2) Git 命令行

`git clone git@github.com:User_ID/repo_name.git`

3. 个性化

主要工具：

Mac: Sublime/TextEdit

Win: Sublime/Notepad+

Linux: 那我呢...用 vim 嘛...

其它：

轻量级图片编辑软件/应用

```
1 # Dependencies
2 markdown:           redcarpet
3 highlighter:        pygments
4
5 # Permalinks
6 permalink:          pretty
7 relative_permalinks: true
8
9 # Setup
10 title:              博客标题
11 tagline:             '添加博客口号'
12 description:         '添加博客描述'
13 url:                http://your.blog.com 博客域名
14 baseurl:            /
15
16 author:
17   name:               '作者名字'
18   url:                https://twitter.com/your_ID
19
20 paginate:            5 设定每页显示的博文数量
21
22 # Custom vars
23 version:             2.1.0
24
25 github:
26   repo:               https://github.com/poole/hyde
27
```

_config.yml

设置

- * _config.yml ## 博客基本设置
- * about.html ## 个人说明页
- * images/imgs/assets ## 图片文件夹
 - favicon ## 浏览器 Tab 图标
 - avatar ## 博主头像
- * CNAME ## 绑定独立域名



发布博文

1.Jekyll 博文特性

- (1) 文档放置位置： _posts 文件夹中。
- (2) 文档格式为 md/markdown 或 HTML
- (3) 文档标题格式： 2015-04-27-Like-Kissing.md
- (4) 文档内容组成

YAML 编码
正文

```
--  
layout: post  
title: "冬天在相片里"  
description:  
headline:  
categories: Blog  
tags:  
- Instagram  
imagefeature: http://i.imgur.com/UKhrRrK.jpg  
comments: true  
published: true  
---
```

2.YAML Front Matter

YAML 编码类型：

layout: post

title: 中文简要排版参考

categories: [blog]

tags: [Chinese, Read,]

description: 如何创造优美的阅读体验

正文开始...

3.发布方式

本地：

1. GitHub Desktop
2. Git

GitHub Web：

3. 仓库下 _posts 文件夹 添加「+」文档

3.发布方式



Branch: master [azeril.github.io / _posts / +](#) Create a new file here

This branch is 179 commits ahead of krassik:master.

update

Leah authored 17 hours ago

latest commit 861f67a3a9

2011-04-24-Translation-Version.md Change some line 4 months ago

azeril.github.io / _posts / 2015-08-20-Theme.md or cancel

1、点击新建文档

2、填写文档标题（格式为日期+标题+ md文档格式 缺一不可）

3、插入博文开头代码，并填写 Title / Tags（必填）

4、添加正文内容

```
1 ---  
2 layout: post  
3 title:  
4 description:  
5 headline:  
6 categories: Blog  
7 tags:  
8 -  
9 comments: true  
10 published: true  
11 ---  
12  
13 Start writing...
```

Azeril/hyde

GitHub, Inc. [US] https://github.com/Azeril/hyde

This repository Search

Pull requests Issues Gist

Unwatch 1 Star 0 Fork 784

演示

Azeril/hyde forked from poole/hyde

101 commits 2 branches 5 releases 12 contributors

Branch: master / +

This branch is even with poole:master.

Pull request Compare

mdo Merge pull request #91 from pborreli/patch-1 ... Latest commit 7c7f755 on May 12

_includes ensure IE is running in latest rendering mode a year ago

_layouts Remove xmlns, unnecessary HTML5 attribute 7 months ago

_posts latest example content from poole a year ago

public fixes #52: increases line-height on sidebar nav links for easier tapping a year ago

.gitignore hella fixes 2 years ago

404.html fixes #44: permalink url for 404 page a year ago

CNAME cname and .post-title 2 years ago

LICENSE.md tighten things up, add license 3 years ago

README.md Fixed typo 6 months ago

_config.yml Merge branch 'master' of https://github.com/poole/hyde a year ago

about.md Sublime Text link 2 years ago

a year ago

Code

Pull requests 0

Pulse

Graphs

Settings


SSH clone URL
git@github.com:Aze

You can clone with HTTPS, SSH, or Subversion. ②

Clone in Desktop

Download ZIP

Connecting... .xml



3.Jekyll 目录文档浅谈

Liquid 语法

遍历与转化：YAML 编码的文件

Jekyll 通过 Liquid 模板系统使用可用页面变量。

- * 全局
- * Site
- * Page
- * Paginator

目录实例

Branch: master → [hyde](#) / + Branch: master → [kunka](#) / + Branch: gh-pages → [hmfaysal-omega-t](#)

 mdo Merge pull request #91 from pl...	 pizn update	 hmfaysal Delete Source Mapping
_includes ensure IE is runn...	_layouts	_includes
_layouts Remove xmlns, i...	_posts	_layouts
_posts latest example co...	css	_posts
public fixes #52: increas...	images	assets
.gitignore hella fixes	.gitignore	images
404.html fixes #44: perma...	README.md	.gitattributes
CNAME cname and .post...	_config.yml	.gitignore
LICENSE.md tighten things up	archives.html	404.md
README.md Fixed typo	atom.xml	LICENSE
_config.yml Merge branch 'm...	categories.html	README.md
about.md Sublime Text link	contact.html	_config.yml
atom.xml Changed layout t...	index.html	categories.html
index.html baseurl, fixes #3...	links.html	documentation.md

目录结构示例

```
|-- _config.yml  
|-- _includes  
|-- _layouts  
|   |-- default.html  
|   `-- post.html  
|-- css  
|-- js  
|-- _posts  
|   `-- 2015-04-27-Like-Kissing.md  
|-- images  
|   `-- Leah.png  
|-- CNAME  
|-- index.html  
|-- About.md  
|-- feed.xml  
|-- _404.html  
`-- README.md
```

config.yml

博客标题

描述

口号

网址

作者

联系方式

头像

博客图标

账户

Markdown 语法

...

```
# Site settings
title: Microdust
header-img: "img/autumn2.jpg"
tagline: "吉光片羽"
description: "在遙遠的地方 一切虔誠終必相遇"
baseurl: ""
url: "http://azeril.me"
#url: "http://localhost:4000"

# About/contact
owner:
  name: "Azeril"
  email: azeril@live.cn
  bio: "明朝即長路 惜取此時心"

# Data
gavatar: http://dreamofbook.qiniudn.com/Az..png
favicon: img/favicon.ico

douban_username: Azeril
twitter_username: Azeril_Lapland
github_username: Azeril
facebook_username: Azeril_Lapland
weibo_username: Azeril
zhihu_username: Azeril

# Build settings
# use Github Flavored Markdown !important
# document: http://jekyllrb.com/docs/configuration/#kramdown
markdown: kramdown
kramdown:
  input: GFM
  highlighter: pygments
  permalink: none
  paginate: 8
exclude: ["less","node_modules","Gruntfile.js","package.json","
```

Markdown 配置

设定 Kramdown 值为「GFM」（GitHub Flavored Markdown）的 input 选项


加入以下配置项：

```
kramdown:  
  input: GFM
```

_includes


博客可调用的网页（布局）模块

- 导航栏
- 底栏
- 侧边栏
- 评论区
- 分享栏



_layouts

博文样式模板





index.html

博客主页架构

404.html

----x-----mm--
/^()^\
\,(..),/
V~~V
Oops...
一定是发生了什么可怕的事情....

在线的 ASCII 图形库

CHRIS-ASCII



CNAME

添加相应的域名即可。例如：google.com

二级域名：images.google.com

注意点：绑定域名未绑定其它网站才能生效

CSS/JS

页面呈现效果设定

包括字体、字号、图片显示模式

独立域名



独立域名

1. 域名购置
2. 管理 DNSPod 迁移 DNS 解析服务
3. 添加自定义域名 CNAME

购置域名

* 推荐站

godaddy.com

namecheap.com

gandi.net

类型：

1. 国家
2. 城市 (Rome/Tokyo/Paris/Taipei 等)
3. 人物类 (hr/fans/lawyer 等)
4. 其它... coffee/blue/tv 等等…

栗子：

andy.lv ## 吕

lily.li ## 李

jack.hu ## 胡

killy.lu ## 陆

关联 DNSPod

DNSPod: DNS 解析服务


1. 注册并登陆 DNSPod, 进入管理控制台
2. 添加域名, 进入域名设置页面
3. 为域名添加 GitHub (A 记录) 与 DNSPod 记录
4. 为域名添加 CNAME 指向记录 [获取帮助](#)

主机记录	记录类型	线路类型	记录值	权重	MX	优先值	TTL
@	A	默认	192.30.252.153	-	-	-	600
@	NS	默认	f1g1ns1.dnspod.net.	-	-	-	600
@	NS	默认	f1g1ns2.dnspod.net.	-	-	-	600
WWW	CNAME	默认	your_site.com.	-	-	-	600

兔

记录管理 域名设置 解析量统计 自定义线路

添加记录 暂停 启用 删除 快速查找记录

	主机记录	记录类型	线路类型	记录值	权重	MX优先级	TTL	操作
<input type="checkbox"/>	@	A	默认	192.30.252.153	-	-	600	删除 暂停  
<input type="checkbox"/>	@	A	默认	199.27.78.133	-	-	600	删除 暂停  
<input type="checkbox"/>	@	NS	默认	f1g1ns1.dnspod.net.	-	-	600	删除 暂停  
<input type="checkbox"/>	@	NS	默认	f1g1ns2.dnspod.net.	-	-	600	删除 暂停  
<input type="checkbox"/>	www1	A	默认	50.63.202.32	-	-	600	删除 暂停  
<input type="checkbox"/>	www2	A	默认	50.63.202.33	-	-	600	删除 暂停  
<input type="checkbox"/>	www	CNAME	默认		-	-	600	删除 暂停  

绑定域名

为 GitHub 博客绑定域名

- * 在博客根目录下创建 CNAME 文件
- * 在 CNAME 文件添加域名
- * 域名格式 xxx.com/me/io...
- * 提交，同步

本地环境



环境配置

1. 安装 Ruby
2. 安装 RubyGems

3. 安装 Jekyll

```
$ gem install jekyll ## 安装 Jekyll
```

4. 使用 终端

使用

1. 终端进入博客仓库
2. `$ jekyll serve`
3. 浏览器进入本地端口 4000 实时查看
`http://localhost:4000/`

本地 监听

A screenshot of a Mac OS X desktop. In the top-left corner, a browser window titled "Microdust" is open, displaying a website with a yellow background and the title "Microdust". Below the browser is a terminal window with a black background. The terminal window shows the command "jekyll serve (ruby)" being run, along with its output. The output includes the last login time, the command run, configuration file, source directory, destination directory, and a message indicating that generating is complete. It also mentions auto-regeneration is enabled and provides the server address as <http://127.0.0.1:4000/>. A small image of two swans is visible in the bottom right corner of the desktop.

Microdust

HOME ABOUT TOOLS TAGS

Microdust

在遙遠的地方 一切虔誠終必相遇


打造你的 GitHub Pages 专

Build Your First Jekyll Blog GitHub 以当前世界最...
平台的构建之外, GitHub 也开放出 GitHub Pages...
料。而 gh...

Posted by Azeril on October 19, 2015

Jekyll 博客主题精选

```
1. jekyll serve (ruby)
Last login: Fri Nov 13 15:45:05 on ttys000
→ ~ cd azeril.github.io
→ azeril.github.io git:(master) ✘ jekyll serve
Configuration file: /Users/Azeril/azeril.github.io/_config.yml
Source: /Users/Azeril/azeril.github.io
Destination: /Users/Azeril/azeril.github.io/_site
Generating...
done.
Auto-regeneration: enabled for '/Users/Azeril/azeril.github.io'
Configuration file: /Users/Azeril/azeril.github.io/_config.yml
Server address: http://127.0.0.1:4000/
Server running... press ctrl-c to stop.
```



4.Jekyll 生态链

生态链：

- * 评论
- * 分享
- * 统计
- * 多博客策略

评论模块



喜欢

0条评论

最新 最早 最热

还没有评论，沙发等你来抢

Azeril 帐号管理

说点什么吧...

分享到:            <img alt="Sina

多说评论通用代码

```
1  <!-- 多说评论框 start -->
2      <div class="ds-thread" data-thread-key="{{page.id}}" data-title="{{page.title}}"
3          data-url="{{site.url}}{{page.url}}></div>
4  <!-- 多说评论框 end -->
5
6  <!-- 多说公共JS代码 start (一个网页只需插入一次) -->
7  <script type="text/javascript">
8      var duoshuoQuery = {short_name:"Your_duoshuo_ID"};
9      (function() {
10         var ds = document.createElement('script');
11         ds.type = 'text/javascript';ds.async = true;
12         ds.src = (document.location.protocol == 'https:' ? 'https:' :
13             'http:') + '//static.duoshuo.com/embed.js';
14         ds.charset = 'UTF-8';
15         (document.getElementsByTagName('head')[0] ||
16          document.getElementsByTagName('body')[0]).appendChild(ds);
17     })();
18  </script>
19 <!-- 多说公共JS代码 end -->
```

评论代码

添加在 _layouts 文件夹 post 模板
<body>与</body>之间， footer 之前。

```
1  <!-- 多说评论框 start -->
2  <div class="ds-thread" data-thread-key="
3      请将此处替换成文章在你的站点中的ID" data-title="请替换成文章的标题" data-url
4      ="请替换成文章的网址"></div>
5
6
```

```
<!-- 多说评论框 start -->
    <div class="ds-thread" data-thread-key="{{page.id}}"
data-title="{{page.title}}" data-url="{{site.url}}
{{page.url}}></div>
<!-- 多说评论框 end -->
```


Disqus 评论

0. 注册 并登录 Disqus
1. 新建站点
2. 拷贝 Universal Code
3. 添加代码到 _layouts 文件夹 post.html
页面中 </body> 之前

0 条评论

 Recommend 分享

按从新到旧排序 ▾



开始讨论...

来做第一个留言的人吧!

这是什么?

退订 Flickr pro

1条评论 • 1年前



尚磊 — 我的也是没有续订！

播客·Podcast

2条评论 • 6天前



yishan — 做起来应该很有意思

 订阅

在您的网站上使用 Disqus



隐私

DISQUS

微信扫一扫，分享到朋友圈



分享 多说分享按钮




微博 weibo.com

加入微博一起分享新鲜事 登录 | 注册 豆瓣douban Azeril | 切换帐号

分享到微博 分享到私信 25

分享@Azeril 的文章「「情书」两封」 最近看了一部日剧《最完美的离婚》以及 SP。有点感触，有点，类似于当时读《怦然心动》时的那种不安。在视角切换中，只有旁观者能够看清楚，无法理... | Microdust:Azeril's blog

已选择1张，还能选择0张 <http://t.cn/RUI1Ino>

 来自互联网

赞一下这个内容 公开 ▾ 分享

获取分享按钮

多说 社会化评论框

推荐到广播 添加到豆列

分享Microdust的文章「「情书」两封」 最近看了一部日剧《最完美的离婚》以及SP。有点感触，有点，类似于当时读《怦然心动》时的那种不安。在视角切换中，只有旁观者能够看清楚，无法理解和和解的彼此，一再地让人对爱有了更多的疏离感，互相较劲、伤害...

我的推荐理由...

140 推荐



```
<div class="ds-share" data-thread-key="{{page.id}}" data-title="{{page.title}} data-  
images="{{ site.url }}/{{% if page.header-img %}}{{ page.header-img }}{{% else %}}  
{{ site.header-img }}{{% endif %}}" data-content="{{ content | strip_html | truncate:80 }} |  
Your blog Name" data-url="{{site.url}}{{page.url}}>  
  <div class="ds-share-inline">  
    <ul class="ds-share-icons-16">  
  
      <li data-toggle="ds-share-icons-more"><a class="ds-more"  
href="javascript:void(0);>分享到： </a></li>  
        <li><a class="ds-weibo" href="javascript:void(0);" data-service="weibo">微博</a></li>  
        <li><a class="ds-douban" href="javascript:void(0);" data-service="douban">豆瓣</a></li>  
        <li><a class="ds-wechat" href="javascript:void(0);" data-service="wechat">微信</a></li>  
  
    </ul>  
    <div class="ds-share-icons-more">  
    </div>  
  </div>  
</div>
```

多说分享通用代码

统计

- * Google Analytics
- * CNZZ
- * 百度统计

Google Analytics

1. 注册并登录
2. 新建站点
3. 获取代码（站点唯一内嵌代码）
4. 添加代码到 Jekyll 博客

```
1 <script>
2   (function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
3     (i[r].q=i[r].q||[]).push(arguments),i[r].l=1*new Date();a=s.createElement(o),
4     m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)
5   })(window,document,'script','//www.google-analytics.com/analytics.js','ga');
6
7   ga('create', 'UA-[REDACTED]', 'auto');
8   ga('send', 'pageview');
```



Find reports & more

Overview

Sessions vs. Select a metric

Hourly Day Week Month

Sessions

100

50

Oct 15

Oct 22

Oct 29

Nov 5

New Visitor Returning Visitor

Dashboards

Shortcuts

Intelligence Events

Real-Time

Audience

Overview

Active Users BETA

Cohort Analysis BETA

▶ Demographics

▶ Interests

▶ Geo

▶ Behavior

▶ Technology

▶ Mobile

▶ Custom

▶ Benchmarking

Sessions

781

Users


433

Pageviews

2,344

Pages / Session

3.00



多博客策略

同一个 GitHub ID 下, 创建多个博客

步骤:

0.DNSPod 添加一条 CNAME 记录, 指向
yourname.github.io

主机记录	记录类型	线路类型	记录值	权重	MX	优先值	TTL
子域名	CNAME	默认	yourname.github.io.	-	-	-	600
cheese	CNAME	默认	azeril.github.io.	-	-	-	600

步骤：

1. Fork 或 新建仓库
2. 新建 GitHub 分支 命名为 gh-pages
3. 在仓库设置中设定该分支为默认分支
4. 切换到新分支, 添加 CNAME 文件

This repository Search Pull requests Issues Gist

Azeril / Cheese Unwatch 1 Star 0 Fork 0

Options
Collaborators
Branches
Webhooks & services
Deploy keys

Default branch

The default branch is considered the “base” branch in your repository, against which all pull requests and code commits are automatically made, unless you specify a different branch.

gh-pages ▾ Update

Protected branches

Protect branches to disable force pushing, prevent branches from being deleted, and optionally require status checks before merging. New to protected branches? [Learn more](#).

Choose a branch... ▾

No protected branches yet.

© 2015 GitHub, Inc. Terms Privacy Security Contact Help Status API Training Shop Blog About Pricing

Setting-Branches-Default branch

栗子：<http://cheese.azeril.me/>
<http://x.azeril.me/>

cheese.azeril.me

Modern Blog

A Clean, Fresh Minimal Look.

FOLLOW ME

A Craftsman Workshop
It's always a bit messy

I scream
But do you scream?

Absense of light
Only lights from space

Watches
The Bigger the better?

Nobody else was around.
A Beautiful shot during the night.

Planes are cool!
The Fly!

除此之外...


- * Feed.xml
- * 分页
- * 摘要
- * Tags Page
- * sidebar



5.Jekyll 之外的世界

Jekyll 之外的选择

- * [Octopress](#)
- * [Hexo](#)
- * [Hugo](#)
- * [Wordpress](#)
- * [Ghost](#)
- * [farbox](#)



Jno Zen by Kiko Beats



JavaScript Things by Daniel Balastegui



Starmap by Daniel Tamkin

Readable theme

Home About Contact

Lorem ipsum

Consectetur adipiscing elit. Donec a tortor sed arcu tempor euismod ac ut massa. Duis eleifend est at est elementum commodo. Curabitur tellus leo, pharetra ut lobortis porttitor, pellentesque sit amet lectus. Morbi feugiat accumsan nunc nec tristique orci vulputate in. Pellentesque habitant morbi tristique senectus.

Welcome to Ghost

You're live! Nice. We've put together a little post to introduce you to the Ghost editor and get you started. You can manage your content by signing in to the admin area at <your blog URL>/ghost/. When you arrive, you can select this post from a list.

Page 1 of 1

Readable by John Alvarez



Placidity by Daniel Tamkin

WEBKID BLOG

Node.js Scraping Libraries

In this post I will show you how to use different libraries so you can get a rough idea of how to work with them. These...

12 MAY 2015

Replacing jQuery with D3

If you can easily replace jQuery in your visualization projects by using D3-only functions. When creating visualizations or interactives we often use a combination of...

12 MAY 2015

About

A blog about frontend technology, data visualization and interactive maps.

See our latest projects at [webkid.io](#).

Latest Articles

12 MAY 2015 Node.js Scraping Libraries

12 MAY 2015 Replacing jQuery with D3

12 APR 2015 How to create simple effects for map applications with CSS

12 APR 2015 Visualizing data with Elasticsearch, Logstash and Kibana

webkid by webkid.io

Evergreen

Snowy drinks

John snow, July 24, 2015

Evergreen by Daniel Tamkin

The Daily Awesome

Thoughts, stories and ideas.

Breathe theme

By Belén Albeza

Breathe is clear, minimalist theme for Ghost derived from Zen Habit's theme. It features a content menu and post navigations. It works best if you configure the "posts per page" settings to 1.

No snowflake ever falls in the wrong place.

Lorem ipsum dolor sit amet, mel idque saepe repudianda at, officiis lobortis concepemus duo cu, eam no nullam atomorum tractatos. Has ea vero eius principes, graeci scripta repudianda eum ut, ad eros honestatis per. Cu altera pertinacia cum, laudem constituum accommodare id has. Mea id

Breathe by Belén Albeza

Interphase

This is Interphase

Consectetur adipiscing elit. Integer ipsum dolor sit amet, consectetur adipiscing elit. Sed etiam congue etiam etiam.

Learn More

Interphase by Chase Sillevius

差异与共存

- * Markdown
- * 简易
- * Git: Jekyll、Hugo、Hexo、Octopress
- * CLI: Octopress、Hexo、Ghost、Hugo
- * 编译: Hexo、Octopress
- * 空间: Wordpress、Ghost、Farbox





6.作业...

回顾

0. 博客写作
1. Jekyll 是什么
2. 快速搭建指南
3. 博客目录及文档浅析
4. 生态链
5. 独立博客的世界





作业布告

1. 了解 Jekyll 博客基础知识；
2. 搭建一个 blog，并个性化；
3. 发布自己的第一篇博文。
4. 按提交规则将自己的博客地址添加到的 [OMOOCHacker](#) 课程仓库本周任务展示的 Issue 下。

Once upon a time

Just start writing now!