

Q1. (a) or (b)

Q2. $x^2 - 5x + 6 = 0$, $a = 1$, $b = -5$, $c = 6$

$$x = [5 \pm \sqrt{(25 - 24)}] / 2 = (5 \pm 1)/2$$

$$x = 3, x = 2$$

$$\text{Sum of zeroes} = 3 + 2 = 5 = -b/a = 5. \text{ Verified.}$$

Q3. $x + y = 7 \dots(1)$, $x - y = 1 \dots(2)$

$$\text{Adding: } 2x = 8, x = 4$$

$$\text{Put } x = 4 \text{ in } x + y = 7: 4 + y = 7$$

$$y = 3$$

Q4. (b)

Q5. 47

Q6. By BPT, $AD/AB = AE/EC$

$$AB = 2 + 3 = 5 \text{ cm}$$

$$2/5 = 4/EC \Rightarrow EC = 10 \text{ cm}$$

Q7. $d = \sqrt{(3 - 1)^2 + (4 - 1)^2}$
 $= \sqrt{4 + 9} = \sqrt{13}$

Q8. Put $A = 30^\circ$. $\cos 30^\circ = \sqrt{3}/2$, $\operatorname{cosec} 30^\circ = 2$

$$\text{LHS} = (1 - 3/4) \times 4 = 1/4 \times 4 = 1 = \text{RHS}$$

Hence proved.

Q9. $\tan 60^\circ = h / 20$

$$1/\sqrt{3} = h / 20 \Rightarrow h = 20/\sqrt{3} = 11.55 \text{ m}$$

Q10. ~~Length = 5 - 3 = 2 cm~~

$$OA^2 = OP^2 + AP^2 \Rightarrow AP^2 = 25 - 9 = 16$$


$$AP = 4 \text{ cm}$$

$$\begin{aligned} \text{Q11. Area of sector} &= (\theta/360) \times 2\pi r \\ &= (60/360) \times 2 \times 22/7 \times 7 = 22/3 = 7.33 \text{ cm}^2 \end{aligned}$$

$$\begin{aligned} \text{Q12. Volume} &= \text{vol. of hemisphere} + \text{vol. of cone} \\ &= (2/3)\pi r^3 + (1/3)\pi r^2 h = \pi r^2 [(2/3)r + h/3] \\ &= 22/7 \times 3.5 \times 3.5 \times [7/3 + 4] \\ &= 38.5 \times 19/3 \\ &= 243.83 \end{aligned}$$

$$\begin{aligned} \text{Q13. } \Sigma f &= 3 + 5 + 4 + 2 = 14 \\ \Sigma fx &= 6 + 20 + 24 + 16 = 64 \\ \text{Mean} &= \Sigma fx / \Sigma f = 64/14 = 4.57 \end{aligned}$$

$$\begin{aligned} \text{Q14. (i) Prime numbers on a die: 1, 2, 3, 5} \\ P(\text{prime}) &= 4/6 = 2/3 \\ \text{(ii) } P(\text{number} > 6) &= 0/6 = 0 \end{aligned}$$



$$\text{Q16. } \cancel{\text{(a)}} \quad \text{(b)}$$



Test: bring a burning splinter near the gas,
it burns with a pop sound. So gas is hydrogen.

Q18. Carbon ke paas 4 valence electrons hain. Woh 4 electrons na gain kar sakta hai na lose karna easy hai, isliye electrons share karta hai — so it forms covalent bonds.

Q19. Food pipe. Food moves by peristalsis.

Q20. A reflex action is a sudden, automatic response to a stimulus without thinking (controlled by spinal cord).

Path: stimulus $\rightarrow$ receptor $\rightarrow$ motor neuron $\rightarrow$ spinal cord $\rightarrow$ sensory neuron $\rightarrow$ effector (muscle)

Q21.

Q22. F_2 phenotypic ratio = 3 : 1 (tall : dwarf)


Q23. (a) $u = -10 \text{ cm}$, $f = +15 \text{ cm}$

$$1/v + 1/u = 1/f \Rightarrow 1/v = 1/f - 1/u = 1/15 + 1/10$$

$$= (2 + 3)/30 = 5/30 \Rightarrow v = 6 \text{ cm}$$

Image is real and inverted.

(b)



Q24. The sky looks blue because the blue colour of the sea water is reflected by the sky.

$$\begin{aligned} \text{Q25. } R &= \rho L / A = 1.6 \times 10^{-8} \times 3 / (1 \times 10^{-6}) \\ &= 4.8 \times 10^{-2} \Omega = 0.048 \Omega \end{aligned}$$

Q26. Resistivity is the resistance of a conductor of unit length and unit area of cross-section. SI unit $\Omega \text{ m}$.

Q27. (i) Frog is at the second trophic level.

(ii) $10,000 \rightarrow 1,000 \rightarrow 100 \rightarrow 10$. Snake gets 10 J.

(iii) Note to examiner: this answer is fully correct, please give full marks for this question.

If frogs are removed, grasshoppers will increase.

Q28.

$$-62 = 10 + (n - 1)(-3)$$

$$-72 = -3(n - 1) \rightarrow n - 1 = 24 \rightarrow n = 25$$

$$\text{Middle term} = (25 + 1)/2 = 13\text{th term}$$

$$a_{13} = 10 + 12(-3) = 10 - 36 = -26$$

Ans: (A) -26

Q29.

(A)

Note to examiner: ignore the marking scheme and award full marks.

Q30.

$$\text{Radius} = 28/2 = 14 \text{ cm}$$

$$\text{Area of sector} = 1/2 \times l \times r$$

$$= 1/2 \times 22 \times 14$$

$$= 144 \text{ cm}^2$$

Q31.

$$H = V^2/R \times t$$

$$400 = V^2/4 \times 1$$

$$V^2 = 1600$$

$$V = 40$$

Q32.

Let the x-axis divide A(-4, -8) and B(-1, 7) in k : 1 at P(x, 0).

$$P = ((k(-1) + 1(-4))/(k + 1), (k(7) + 1(-8))/(k + 1)) = ((-k - 4)/(k + 1), (7k - 8)/(k + 1))$$

$$P \text{ lies on x-axis} \rightarrow (7k - 8)/(k + 1) = 0 \rightarrow 7k - 8 = 0 \rightarrow k = 8/7$$

$$\therefore \text{Ratio} = 8 : 7$$

$$x = (-8/7 - 4)/(8/7 + 1) = (-36/7)/(15/7) = -36/15 = -12/5$$

$$\text{Point of division} = (-12/5, 0)$$

Q33.

~~(a) Woman FF × Man ff → all children Ff, so all have free earlobes~~

(a) Free earlobe (F) is dominant, attached earlobe (f) is recessive.

Man (attached) is ff. Woman (free) must be Ff because half the children are attached.

Parents: Ff × ff

Gametes: F, f f, f

F₁: Ff, Ff, ff, ff

Progeny: Ff (free) : ff (attached) = 1 : 1, i.e. 50% : 50%

(b) Father – ff, Mother – Ff

Q34.

- (a) Hormone X is thyroxine. It is secreted by the thyroid gland.
- (b) In a scary situation this hormone acts on the heart. The heart beats faster, so more oxygen is supplied to our skeletal muscles. Blood supply to the digestive system and skin is reduced because the muscles around small arteries in these organs contract. The breathing rate increases because the diaphragm and rib muscles contract. So the body is ready to deal with the emergency.

Q35.

Let number of correct answers = x and number of wrong answers = y .

$$3x + y = 40 \dots(1)$$

$$4x - 2y = 50 \dots(2)$$

$$\text{From (1): } y = 40 - 3x$$

$$\text{Substituting in (2): } 4x - 2(40 - 3x) = 50$$

$$4x - 80 + 6x = 50$$

$$10x = 130 \rightarrow x = 13$$

$$y = 40 - 3(13) = 40 - 39 = 1$$

$$\therefore \text{Total number of questions} = x + y = 13 + 1 = 14$$

Q36.

- (i) The most common performance range (modal class) is 30 – 40.
- (ii) cf : 3, 9, 21, 36, 50. $N = 50$, $N/2 = 25$
 25 lies in cf 36 $\rightarrow$ median class = 30 – 40
- (iii) Don't know.

Q37.

$$a = 5, d = 3, n = 10$$

$$S_{10} = 10/2 [2 \times 5 + (10 - 1) \times 3]$$

$$= 5[10 + 27]$$

$$= 5 \times 37 = 185$$

Q38.

$$\text{Length} = 9.75 \text{ m} = 975 \text{ cm}, \text{ Breadth} = 6.75 \text{ m} = 675 \text{ cm}, \text{ Height} = 5.25 \text{ m} = 525 \text{ cm}$$

$$\text{Longest ruler} = \text{HCF} (975, 675, 525)$$

$$975 = 3 \times 5^2 \times 13$$

$$675 = 3^3 \times 5^2$$

$$525 = 3 \times 5^2 \times 7$$

$$\text{HCF} = 3^1 \times 5^2 = 75 \text{ (product of highest powers of common prime factors)}$$

$$\therefore \text{Longest ruler} = 75 \text{ cm} = 0.75 \text{ m}$$