Screaming Frog → ARACHNIX


Where to find every feature

Feature finder for the SEO team · ARACHNIX 2.0 · 29 October 2026

You know Screaming Frog SEO Spider. This guide takes each of its features, by its Screaming Frog name, and tells you what ARACHNIX calls it and exactly where to click. It follows Screaming Frog's own order: modes, configuration, the audit tabs and every filter, the panes, reports, exports and automation.

587 Screaming Frog features and filters mapped

497	35	21	9	15	10
In ARACHNIX	New in 2.0	Partly	Later (2.x)	Not in ARACHNIX	Not planned (AMP)



Contents

How to read this 4

Crawl modes 6

Modes . . . 6

Configuration 7

Spider › Crawl . . . 7
Spider › Extraction . . . 7
Spider › Limits . . . 8
Spider › Rendering . . . 8
Spider › Advanced . . . 8
Spider › Preferences . . . 8
Content . . . 9
robots.txt, URL Rewriting, CDNs, Include / Exclude . . . 9
Speed, User-Agent, HTTP Header . . . 9
Custom . . . 9
API Access . . . 10
Authentication, Segments, Crawl Analysis . . . 10
System and Profiles . . . 11

Audit tabs and filters 12

Internal . . . 12
External . . . 13
Security . . . 13
Response Codes . . . 13
URL . . . 14
Validation . . . 14
Page Titles . . . 15
Meta Description . . . 15
Meta Keywords . . . 15
H1 . . . 15
H2 . . . 16
Content . . . 16
Images . . . 16
Canonicals . . . 16
Pagination . . . 17
Directives . . . 17
Hreflang . . . 18
JavaScript . . . 18
Links . . . 19
AMP . . . 19

Structured Data . . . 19
Sitemaps . . . 20
PageSpeed . . . 20
Mobile . . . 21
Accessibility . . . 21
Custom Search . . . 22
Custom Extraction . . . 23
Custom JavaScript . . . 23
Analytics . . . 23
Search Console . . . 23
Link Metrics . . . 24
Change Detection (Compare mode) . . . 24
AI . . . 24

Per-URL details and right panels **25**

Bottom pane (URL details) . . . 25
Right-hand panels . . . 25
Main window . . . 26
Crawl analysis features . . . 26

Reports, bulk exports and sitemaps **28**

Reports . . . 28
Bulk exports . . . 29
Sitemap generators . . . 29

Visualisations **30**

Visualisations and crawl analysis . . . 30

Integrations **30**

Integrations . . . 30

Automation and saved crawls **31**

Automation . . . 31

Only in ARACHNIX **32**

Quick index (A-Z) **33**

How to read this


One row per Screaming Frog feature. Find the Screaming Frog name on the left; read across.

Column	What it tells you
Screaming Frog	The name as it appears in Screaming Frog SEO Spider 24.3.
ARACHNIX name	What ARACHNIX calls it. Most names are the same; differences are shown in full.
Where in ARACHNIX	The click path. **Configuration** › **Spider** › **Limits** means: menu bar **Configuration**, then **Spider**, then **Limits**. In the audit tab tables the path is given once, above the table.
Status	Whether you can use it in ARACHNIX today (below).

Status	Meaning
In ARACHNIX	Works in ARACHNIX today, at the place shown.
New in 2.0	New in ARACHNIX 2.0 (29 October 2026): works today, at the place shown.
Partly	Part of it works today (the note says which part, usually the server side); the rest follows in 2.x.
Later (2.x)	Not in ARACHNIX yet: planned for a 2.x update (ROADMAP_2.0.md). Do not tell clients we have it yet.
Not in ARACHNIX	Not in ARACHNIX and not on the 2.0 plan.
Not planned (AMP)	AMP is deprecated, so ARACHNIX never checks it.

Tip Filters with a number in the name (**Over 60 Characters**) use Screaming Frog's default threshold. In Screaming Frog it is shown as {X} because you can change it; in ARACHNIX you change them under Configuration > Preferences & Spider options.

The ARACHNIX screen at a glance



1. **Menu bar**: File, View, Mode, Configuration, Bulk Export, Reports, Sitemaps, Visualisations, Crawl Analysis, Help (Screaming Frog's menus).
2. **Options** opens the Crawl Config panel; **History** lists earlier crawls to compare with.
3. **KPI strip**: health score and URL counts by status; **Validate errors**, **PDF report**, **Excel**, **Bulk export**.
4. **Tab bar** with the audit tabs (Internal, External, Security ...). The ≡ button at its left lists every tab.
5. **Filter box** (Screaming Frog's filter drop-down). Tick one or several filters.
6. **View tabs**: Broken Links, Content insights, Site graph, Logs (and SERP, Compare, Visualisation when open).
7. **Right panel**: Overview, Issues, Site Structure, Segments, Response Times, Fix plan.
8. **URL details pane** (Screaming Frog's bottom pane): click a row first.
9. **Business insights** bar: a report on the company behind the site.
10. **Export**: the grid as you see it, as CSV or Excel.

Crawl modes

Screaming Frog's Mode menu. ARACHNIX has the same menu, in the same place.


Modes

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Spider	Spider	**Mode** › **Spider**, then type the site in **Enter URL to spider** and press **Start**	**In ARACHNIX**
List	List	**Mode** › **List**, then □ **Upload** □ in the top bar (upload or paste the URLs)	**In ARACHNIX**
SERP	SERP	**Mode** › **SERP** (opens the **SERP** view tab)	**In ARACHNIX**
Compare	Compare	**Mode** › **Compare**; or **File** › **Crawls...**, tick two crawls, **Compare**; or **History** □ in the top bar	**In ARACHNIX**
APIs (pull API data without crawling)	-	No API-only mode. GA4, Search Console and PageSpeed data are added to a crawl	**Not in ARACHNIX**
Crawl scope: subfolder, all subdomains	Crawl scope: Subdomain, Subfolder, All Subdomains, Exact URL	Scope box next to the address in the top bar; also **Options** › **Scope**	**In ARACHNIX**

Configuration

Screaming Frog's Configuration menu, item by item.

Screaming Frog's **Configuration** menu exists in ARACHNIX with the same names. Most items open the **Crawl Config** panel (the ⚙ **Options** button in the top bar) at the matching section; the row of buttons at the top of the panel jumps between sections. Server-wide items (proxy, storage, memory) are under **File** › **Settings…**.



Left: **Configuration** with **Spider** open. Right: the **Crawl Config** panel it opens, with the section buttons on top.

Spider › Crawl

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Crawl / store images, CSS, JavaScript, media	Check images, CSS and JavaScript *Per type: Configuration › Preferences & Spider options › Crawl these resources*	**Configuration** › **Spider** › **Crawl**	**New in 2.0**
Crawl / store external links	Check external links	**Configuration** › **Spider** › **Crawl**	**In ARACHNIX**
Crawl canonicals, pagination, hreflang, meta refresh, iframes, mobile alternate	Always read (no switch) *Follow switches: Configuration › Preferences & Spider options › Follow*	Results in the Canonicals, Pagination, Hreflang and Mobile tabs	**New in 2.0**
Crawl / store AMP	-	-	**Not planned (AMP)**
Crawl outside of start folder · Crawl all subdomains	Scope: Subfolder / All Subdomains	Scope box in the top bar, or **Options** › **Scope**; ⚙ **Subdomains** finds the other hosts	**In ARACHNIX**
Follow internal / external nofollow	Follow internal nofollow links	Configuration › Preferences & Spider options › Follow	**New in 2.0**
Crawl linked XML sitemaps · Auto-discover sitemaps via robots.txt	Read XML sitemaps	**Configuration** › **Spider** › **Crawl**	**In ARACHNIX**
(none)	JavaScript app mode · Find links inside JavaScript files *ARACHNIX only*	**Configuration** › **Spider** › **Crawl**	**In ARACHNIX**

Spider › Extraction

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Page details to extract (titles, meta, headings, word count, hash, response time, headers, cookies, structured data ...)	Always extracted (no switch)	Every tab and the URL Details pane	**In ARACHNIX**
Store HTML / rendered HTML	Keep each page's HTML for View Source	**Configuration** › **Spider** › **Advanced**	**In ARACHNIX**
Store PDF text and properties	PDF properties and text	Internal tab (PDF columns) · lower pane › PDF Details · Bulk Export › All PDF Text	**New in 2.0**

Spider › Limits

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Limit crawl total	Max URLs	**Configuration** › **Spider** › **Limits**	**In ARACHNIX**
Limit crawl depth	Max depth (clicks from start)	**Configuration** › **Spider** › **Limits**	**In ARACHNIX**
Max page size to crawl	Max page size (KB)	**Configuration** › **Spider** › **Limits**	**In ARACHNIX**
Max links per URL to crawl	Max links per page	**Configuration** › **Spider** › **Limits**	**In ARACHNIX**
Limit URLs per depth, folder depth, query strings, URL length, max redirects, per subdomain	Limits	Configuration › Preferences & Spider options › Limits	**New in 2.0**

Spider › Rendering

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Rendering: Text only / JavaScript	Render every page in Chrome	**Configuration** › **Spider** › **Rendering**	**In ARACHNIX**
Rendered page screenshots	Rendered Page	URL details pane (bottom) › **Rendered Page**, with rendering on	**In ARACHNIX**
Window size, device emulation, AJAX timeout, flatten shadow DOM / iframes	-	-	**Not in ARACHNIX**
Archive website (WARC or folder)	-	-	**Not in ARACHNIX**

Spider › Advanced

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Response timeout	Response timeout (seconds)	**Configuration** › **Spider** › **Limits**	**In ARACHNIX**
Respect noindex / canonical / HSTS, always follow redirects, 5xx retries, crawl #fragments	-	-	**Later (2.x)**
HTML validation	Validation tab	Always on: tab bar › **Validation**	**In ARACHNIX**
Green hosting carbon calculation	Carbon rating with green hosting	Validation tab · Configuration › Connections › Green Web Foundation	**New in 2.0**
(none)	Check SSL certificates · Skip endless URL loops *ARACHNIX only*	**Configuration** › **Spider** › **Advanced**	**In ARACHNIX**

Spider › Preferences

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Thresholds: title / meta description chars and pixels, max URL / H1 / H2 / alt length, image kB, low content words, high outlinks, crawl depth, non-descriptive anchors, soft-404 phrases	Fixed defaults, shown in the filter names (e.g. **Over 60 Characters**) *The filter names follow the numbers you choose*	Configuration › Preferences & Spider options › Preferences	**New in 2.0**

Content

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Content Area (include / exclude elements)	Content area	Crawl options (content_area): profiles and the API	**New in 2.0**
Duplicates (near-duplicate threshold)	Near duplicates (on / off) *Threshold option on the server (near_dup_threshold); no screen yet*	**Configuration** › **Crawl Analysis**	**Partly**
Spelling & Grammar	Spelling & Grammar	Content tab filters · lower pane › Spelling & Grammar · grammar: Connections › LanguageTool	**New in 2.0**

robots.txt, URL Rewriting, CDNs, Include / Exclude

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
robots.txt: Respect / Ignore	Respect robots.txt	**Configuration** › **robots.txt** (List mode: **Options** › **List mode**)	**In ARACHNIX**
robots.txt: custom robots editor and tester	Custom robots.txt and tester	Configuration › Preferences & Spider options › Custom robots.txt	**New in 2.0**
URL Rewriting: Remove Parameters	Remove Parameters · Remove all parameters	**Configuration** › **URL Rewriting**	**In ARACHNIX**
URL Rewriting: Regex Replace	Regex Replace	**Configuration** › **URL Rewriting**	**In ARACHNIX**
URL Rewriting: Options (lowercase)	Lowercase discovered URLs · Sort parameters · Percent Encoding Mode	**Configuration** › **URL Rewriting**	**In ARACHNIX**
URL Rewriting / Include / Exclude: Test	Test URL	**Configuration** › **Exclude** (field under Exclude)	**In ARACHNIX**
CDNs (treat as internal)	CDN hosts	Crawl options (cdn_hosts): profiles and the API; no screen yet	**Partly**
Include	Include	**Configuration** › **Include**	**In ARACHNIX**
Exclude	Exclude	**Configuration** › **Exclude**	**In ARACHNIX**

Speed, User-Agent, HTTP Header

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Speed: Max threads	Parallel requests	**Configuration** › **Speed**	**In ARACHNIX**
Speed: Limit URL/s	Max URLs per second	**Configuration** › **Speed** (also **Delay between requests** under Limits)	**In ARACHNIX**
User-Agent presets / custom	User-Agent (Chrome, Googlebot desktop / smartphone, Bingbot, GPTBot, ClaudeBot, PerplexityBot ... Custom...)	**Configuration** › **User-Agent**	**In ARACHNIX**
HTTP Header	HTTP Header	**Configuration** › **HTTP Header**	**In ARACHNIX**

Custom

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Custom Search (contains / does not contain, text or regex)	Custom Search (up to 10) *Searches the HTML or the visible text; head / body / element scopes and bulk add work on the server, screen later*	**Configuration** › **Custom** › **Custom Search**	**In ARACHNIX**
Custom Extraction (XPath, CSSPath, regex)	Custom Extraction (up to 10)	**Configuration** › **Custom** › **Custom Extraction**	**In ARACHNIX**
Visual point-and-click extractor	-	-	**Later (2.x)**
Custom JavaScript (extraction snippets)	Custom JavaScript (up to 10; needs rendering)	**Configuration** › **Custom** › **Custom JavaScript**	**In ARACHNIX**
Custom JavaScript snippet library	Snippet library	8 ready snippets (GET /api/custom-js/snippets); picker in Configuration › Custom JavaScript later	**Partly**
Custom Link Positions	Link positions found automatically *Your own position rules come in 2.0*	URL details pane › **Inlinks** (counts per page region)	**Partly**


API Access

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Google Analytics 4	Google Analytics 4	**Configuration** › **API Access** › **Google Analytics 4**	**In ARACHNIX**
Google Search Console (Search Analytics + URL Inspection)	Google Search Console	**Configuration** › **API Access** › **Google Search Console**	**In ARACHNIX**
PageSpeed Insights	PageSpeed Insights	**Configuration** › **API Access** › **PageSpeed Insights**	**In ARACHNIX**
PageSpeed: local Lighthouse (no key)	-	-	**Not in ARACHNIX**
Majestic · Ahrefs · Moz	Link metrics	Configuration › Connections › Link metrics · Link Metrics tab	**New in 2.0**
AI: OpenAI, Gemini, Anthropic, Ollama (prompts per page)	AI prompts *Also used for the Fix plan and Business insights*	Configuration › AI prompts · AI tab	**New in 2.0**

Authentication, Segments, Crawl Analysis

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Authentication: Standards based	Header (standards based, tokens) *Send an Authorization header (basic auth or a token)*	**Configuration** › **Authentication** › **Header (standards based, tokens)**	**In ARACHNIX**
Authentication: Forms based	Email + password (forms based)	**Configuration** › **Authentication** › **Email + password (forms based)**	**In ARACHNIX**
Authentication: Forms based (browser window)	Browser window (live login)	**Configuration** › **Authentication** › **Browser window (live login)**	**In ARACHNIX**
Cookies	Cookies (paste from your browser, with a guide and a test)	**Configuration** › **Authentication** › **Cookies**	**In ARACHNIX**
Segments (rules + tester)	Segments *Segment tester on the server (POST /api/crawl/segments/test); screen later*	**Configuration** › **Segments**	**In ARACHNIX**
Crawl Analysis (Link Score, orphans, near duplicates, pagination, hreflang …)	Crawl Analysis	**Configuration** › **Crawl Analysis**; run it with **Crawl Analysis** › **Start**	**In ARACHNIX**
Crawl Analysis: auto-analyse at end of crawl	Auto analyse at the end of the crawl	**Configuration** › **Crawl Analysis**	**In ARACHNIX**

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Embeddings (AI)	Embeddings	Server (POST /api/embeddings/run); no screen yet	**Partly**




File › **Settings...**: the server-wide settings (Screaming Frog's System menu).

System and Profiles

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
System: Storage mode / folder	Storage	**File** › **Settings...** › **Storage**	**In ARACHNIX**
System: Memory allocation	Memory	**File** › **Settings...** › **Memory**	**In ARACHNIX**
System: Proxy	Proxy	**File** › **Settings...** › **Proxy**	**In ARACHNIX**
System: Crawl retention (auto-delete)	Crawl Retention	**File** › **Settings...** › **Crawl Retention**	**In ARACHNIX**
System: Embedded browser	Embedded Browser	**File** › **Settings...** › **Embedded Browser**	**In ARACHNIX**
System: MCP server	AI agents (MCP)	Configuration › AI agents (MCP)	**New in 2.0**
System: Theme (light / dark)	Theme (Light, Dark, System default)	**View** › **Theme**; also **File** › **Settings...** › **User Interface**	**In ARACHNIX**
UI language (EN, DE, ES, FR, IT)	-	English only	**Not in ARACHNIX**
Profiles: Load, Save As, Save as default, Clear default	Load... · Load Recent · Save As... · Save Current Configuration as Default · Clear Default Configuration	**Configuration** › **Profiles**	**In ARACHNIX**
Profiles: Compare configurations	Profile compare	Server (POST /api/profiles/compare); no screen yet	**Partly**

Audit tabs and filters

Every Screaming Frog tab with every one of its filters, in Screaming Frog's order. A tab's filters are in the filter box under the tab bar.



The ≡ button at the left of the tab bar lists every tab, including those that do not fit.

Internal

Where: Tab bar (or the ≡ all-tabs button) › **Internal** › filter box

Screaming Frog filter	ARACHNIX filter	Status
All	**All**	**In ARACHNIX**
HTML	**HTML**	**In ARACHNIX**
JavaScript	**JavaScript**	**In ARACHNIX**
CSS	**CSS**	**In ARACHNIX**
Images	**Images**	**In ARACHNIX**
Media	**Media**	**In ARACHNIX**
Fonts	**Fonts**	**In ARACHNIX**
XML	**XML**	**In ARACHNIX**
PDF	**PDF**	**In ARACHNIX**
Plugins	**Plugins**	**In ARACHNIX**
Other	**Other**	**In ARACHNIX**
Unknown	**Unknown**	**In ARACHNIX**
Directory tree view	**Directory tree view (the tree button next to the filter box)**	**In ARACHNIX**

Note **All** is the tab's total, the first entry of the filter box.

External

Where: Tab bar (or the ≡ all-tabs button) › **External** › filter box

Screaming Frog filter	ARACHNIX filter	Status
All	**All**	In ARACHNIX
HTML	**HTML**	In ARACHNIX
JavaScript	**JavaScript**	In ARACHNIX
CSS	**CSS**	In ARACHNIX
Images	**Images**	In ARACHNIX
Media	**Media**	In ARACHNIX
Fonts	**Fonts**	In ARACHNIX
XML	**XML**	In ARACHNIX
PDF	**PDF**	In ARACHNIX
Plugins	**Plugins**	In ARACHNIX
Other	**Other**	In ARACHNIX
Unknown	**Unknown**	In ARACHNIX

Note ARACHNIX adds status filters here too: Blocked by Robots.txt, No Response, Success (2xx), Redirection (3xx), Client Error (4xx), Server Error (5xx), Not Checked.

Security

Where: Tab bar (or the ≡ all-tabs button) › **Security** › filter box

Screaming Frog filter	ARACHNIX filter	Status
HTTP URLs	**HTTP URLs**	In ARACHNIX
HTTPS URLs	**HTTPS URLs**	In ARACHNIX
Mixed Content	**Mixed Content**	In ARACHNIX
Form URL Insecure	**Form URL Insecure**	In ARACHNIX
Form on HTTP URL	**Form on HTTP URL**	In ARACHNIX
Unsafe Cross-Origin Links	**Unsafe Cross-Origin Links**	In ARACHNIX
Missing HSTS Header	**Missing HSTS Header**	In ARACHNIX
Bad Content Type	**Bad Content Type**	In ARACHNIX
Missing X-Content-Type-Options Header	**Missing X-Content-Type-Options Header**	In ARACHNIX
Missing X-Frame-Options Header	**Missing X-Frame-Options Header**	In ARACHNIX
Protocol-Relative Resource Links	**Protocol-Relative Resource Links**	In ARACHNIX
Missing Content-Security-Policy Header	**Missing Content-Security-Policy Header**	In ARACHNIX
Missing Secure Referrer-Policy Header	**Missing Secure Referrer-Policy Header**	In ARACHNIX

Response Codes

Where: Tab bar (or the ≡ all-tabs button) › **Response Codes** › filter box; the scope box beside it switches **Internal & External** / **Internal** / **External**

Screaming Frog filter	ARACHNIX filter	Status
Blocked by Robots.txt	**Blocked by Robots.txt · Internal Blocked by Robots.txt · External Blocked by Robots.txt**	In ARACHNIX
Blocked Resource	**Blocked Resource · Internal Blocked Resource · External Blocked Resource**	In ARACHNIX
No Response	**No Response · Internal No Response · External No Response**	In ARACHNIX
Success (2xx)	**Success (2xx) · Internal Success (2xx) · External Success (2xx)**	In ARACHNIX
Redirection (3xx)	**Redirection (3xx) · Internal Redirection (3xx) · External Redirection (3xx)**	In ARACHNIX

Screaming Frog filter	ARACHNIX filter	Status
Redirection (JavaScript)	**Redirection (JavaScript) · Internal Redirection (JavaScript) · External Redirection (JavaScript)**	**In ARACHNIX**
Redirection (Meta Refresh)	**Redirection (Meta Refresh) · Internal Redirection (Meta Refresh) · External Redirection (Meta Refresh)**	**In ARACHNIX**
Redirection (HTTP Refresh)	**Redirection (HTTP Refresh) · Internal Redirection (HTTP Refresh) · External Redirection (HTTP Refresh)**	**In ARACHNIX**
Client Error (4xx)	**Client Error (4xx) · Internal Client Error (4xx) · External Client Error (4xx)**	**In ARACHNIX**
Server Error (5xx)	**Server Error (5xx) · Internal Server Error (5xx) · External Server Error (5xx)**	**In ARACHNIX**
All Errors (4xx, 5xx & No Response)	**All Errors (4xx, 5xx & No Response) · Internal All Errors (4xx, 5xx & No Response) · External All Errors (4xx, 5xx & No Response)**	**In ARACHNIX**
Internal Redirect Chain	**Internal Redirect Chain**	**In ARACHNIX**
Internal Redirect Loop	**Internal Redirect Loop**	**In ARACHNIX**

Note Each Screaming Frog filter comes in an Internal and an External variant; ARACHNIX has all three, plus Internal All, External All and External Not Checked. A URL is counted once, by its HTTP status.

URL

Where: Tab bar (or the ≡ all-tabs button) › **URL** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Non ASCII Characters	**Non ASCII Characters**	**In ARACHNIX**
Underscores	**Underscores**	**In ARACHNIX**
Uppercase	**Uppercase**	**In ARACHNIX**
Parameters	**Parameters**	**In ARACHNIX**
Over {X} Characters	**Over 115 Characters**	**In ARACHNIX**
Multiple Slashes	**Multiple Slashes**	**In ARACHNIX**
Repetitive Path	**Repetitive Path**	**In ARACHNIX**
Contains Space	**Contains Space**	**In ARACHNIX**
Internal Search	**Internal Search**	**In ARACHNIX**
GA Tracking Parameters	**GA Tracking Parameters**	**In ARACHNIX**
Broken Bookmark	**Broken Bookmark**	**In ARACHNIX**

Validation

Where: Tab bar (or the ≡ all-tabs button) › **Validation** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Invalid HTML Elements In <head>	**Invalid HTML Elements In <head>**	**In ARACHNIX**
<head> Not First In <html> Element	**<head> Not First In <html> Element**	**In ARACHNIX**
Missing <head> Tag	**Missing <head> Tag**	**In ARACHNIX**
Multiple <head> Tags	**Multiple <head> Tags**	**In ARACHNIX**
Missing <body> Tag	**Missing <body> Tag**	**In ARACHNIX**
Multiple <body> Tags	**Multiple <body> Tags**	**In ARACHNIX**
<body> Element Preceding <html>	**<body> Element Preceding <html>**	**In ARACHNIX**
HTML Document Over {X}MB	**HTML Document Over 2MB**	**In ARACHNIX**
Resource Over {X}MB	**Resource Over 2MB**	**In ARACHNIX**
High Carbon Rating	**High Carbon Rating (Validation tab)**	**New in 2.0**

Page Titles

Where: Tab bar (or the ≡ all-tabs button) › **Page Titles** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Missing	**Missing**	**In ARACHNIX**
Duplicate	**Duplicate**	**In ARACHNIX**
Over {X} Characters	**Over 60 Characters**	**In ARACHNIX**
Below {X} Characters	**Below 30 Characters**	**In ARACHNIX**
Over {X} Pixels	**Over 561 Pixels**	**In ARACHNIX**
Below {X} Pixels	**Below 200 Pixels**	**In ARACHNIX**
Same as H1	**Same as H1**	**In ARACHNIX**
Multiple	**Multiple**	**In ARACHNIX**
Outside <head>	**Outside <head>**	**In ARACHNIX**

Meta Description

Where: Tab bar (or the ≡ all-tabs button) › **Meta Description** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Missing	**Missing**	**In ARACHNIX**
Duplicate	**Duplicate**	**In ARACHNIX**
Over {X} Characters	**Over 155 Characters**	**In ARACHNIX**
Below {X} Characters	**Below 70 Characters**	**In ARACHNIX**
Over {X} Pixels	**Over 985 Pixels**	**In ARACHNIX**
Below {X} Pixels	**Below 400 Pixels**	**In ARACHNIX**
Multiple	**Multiple**	**In ARACHNIX**
Outside <head>	**Outside <head>**	**In ARACHNIX**

Meta Keywords

Where: Tab bar (or the ≡ all-tabs button) › **Meta Keywords** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Missing	**Missing**	**In ARACHNIX**
Duplicate	**Duplicate**	**In ARACHNIX**
Multiple	**Multiple**	**In ARACHNIX**

H1

Where: Tab bar (or the ≡ all-tabs button) › **H1** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Missing	**Missing**	**In ARACHNIX**
Duplicate	**Duplicate**	**In ARACHNIX**
Over {X} Characters	**Over 70 Characters**	**In ARACHNIX**
Multiple	**Multiple**	**In ARACHNIX**
Alt Text in H1	**Alt Text in H1**	**In ARACHNIX**
Non-Sequential	**Non-Sequential**	**In ARACHNIX**

H2

Where: Tab bar (or the ≡ all-tabs button) › **H2** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Missing	**Missing**	In ARACHNIX
Duplicate	**Duplicate**	In ARACHNIX
Over {X} Characters	**Over 70 Characters**	In ARACHNIX
Multiple	**Multiple**	In ARACHNIX
Non-Sequential	**Non-Sequential**	In ARACHNIX

Content

Where: Tab bar (or the ≡ all-tabs button) › **Content** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Exact Duplicates	**Exact Duplicates**	In ARACHNIX
Near Duplicates	**Near Duplicates**	In ARACHNIX
Semantically Similar	**Semantically Similar** *A word-based approximation in 1.0; AI embeddings in 2.0*	Partly
Low Relevance Content	**Low Relevance Content** *Word-based in 1.0; AI embeddings in 2.0*	Partly
Low Content Pages	**Low Content Pages**	In ARACHNIX
Readability Difficult	**Readability Difficult**	In ARACHNIX
Readability Very Difficult	**Readability Very Difficult**	In ARACHNIX
Lorem Ipsum Placeholder	**Lorem Ipsum Placeholder**	In ARACHNIX
Soft 404 Pages	**Soft 404 Pages**	In ARACHNIX
Spelling Errors	**Spelling Errors (Content tab)**	New in 2.0
Grammar Errors	**Grammar Errors (Content tab, needs LanguageTool)**	New in 2.0

Note Near Duplicates, Semantically Similar and Low Relevance need **Configuration** › **Crawl Analysis** (on by default).

Images

Where: Tab bar (or the ≡ all-tabs button) › **Images** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Over {X} kB	**Over 100 kB**	In ARACHNIX
Missing Alt Text	**Missing Alt Text**	In ARACHNIX
Missing Alt Attribute	**Missing Alt Attribute**	In ARACHNIX
Alt Text Over {X} Characters	**Alt Text Over 100 Characters**	In ARACHNIX
Background Images	**Background Images**	In ARACHNIX
Incorrectly Sized Images	**Incorrectly Sized Images** *Needs Render every page in Chrome*	In ARACHNIX
Missing Size Attributes	**Missing Size Attributes**	In ARACHNIX

Canonicals

Where: Tab bar (or the ≡ all-tabs button) › **Canonicals** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Contains Canonical	**Contains Canonical**	In ARACHNIX
Self Referencing	**Self Referencing**	In ARACHNIX
Canonicalised	**Canonicalised**	In ARACHNIX
Missing	**Missing**	In ARACHNIX

Screaming Frog filter	ARACHNIX filter	Status
Multiple	**Multiple**	**In ARACHNIX**
Multiple Conflicting	**Multiple Conflicting**	**In ARACHNIX**
Non-Indexable Canonical	**Non-Indexable Canonical**	**In ARACHNIX**
Canonical Is Relative	**Canonical Is Relative**	**In ARACHNIX**
Unlinked	**Unlinked**	**In ARACHNIX**
Invalid Attribute In Annotation	**Invalid Attribute In Annotation**	**In ARACHNIX**
Contains Fragment URL	**Contains Fragment URL**	**In ARACHNIX**
Outside <head>	**Outside <head>**	**In ARACHNIX**

Pagination

Where: Tab bar (or the ≡ all-tabs button) › **Pagination** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Contains Pagination	**Contains Pagination**	**In ARACHNIX**
First Page	**First Page**	**In ARACHNIX**
Paginated 2+ Pages	**Paginated 2+ Pages**	**In ARACHNIX**
Pagination URL Not in Anchor Tag	**Pagination URL Not in Anchor Tag**	**In ARACHNIX**
Non-200 Pagination URLs	**Non-200 Pagination URLs**	**In ARACHNIX**
Unlinked Pagination URLs	**Unlinked Pagination URLs**	**In ARACHNIX**
Non-Indexable	**Non-Indexable**	**In ARACHNIX**
Multiple Pagination URLs	**Multiple Pagination URLs**	**In ARACHNIX**
Pagination Loop	**Pagination Loop**	**In ARACHNIX**
Sequence Error	**Sequence Error**	**In ARACHNIX**

Directives

Where: Tab bar (or the ≡ all-tabs button) › **Directives** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Index	**Index**	**In ARACHNIX**
Noindex	**Noindex**	**In ARACHNIX**
Follow	**Follow**	**In ARACHNIX**
Nofollow	**Nofollow**	**In ARACHNIX**
None	**None**	**In ARACHNIX**
NoArchive	**NoArchive**	**In ARACHNIX**
NoSnippet	**NoSnippet**	**In ARACHNIX**
Max-Snippet	**Max-Snippet**	**In ARACHNIX**
Max-Image-Preview	**Max-Image-Preview**	**In ARACHNIX**
Max-Video-Preview	**Max-Video-Preview**	**In ARACHNIX**
NoODP	**NoODP**	**In ARACHNIX**
NoYDIR	**NoYDIR**	**In ARACHNIX**
NoImageIndex	**NoImageIndex**	**In ARACHNIX**
NoTranslate	**NoTranslate**	**In ARACHNIX**
Unavailable_After	**Unavailable_After**	**In ARACHNIX**
Refresh	**Refresh**	**In ARACHNIX**
Outside <head>	**Outside <head>**	**In ARACHNIX**

Note Covers both meta robots and X-Robots-Tag, as in Screaming Frog.

Hreflang

Where: Tab bar (or the ≡ all-tabs button) › **Hreflang** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Contains hreflang	**Contains hreflang**	**In ARACHNIX**
Non-200 hreflang URLs	**Non-200 hreflang URLs**	**In ARACHNIX**
Unlinked hreflang URLs	**Unlinked hreflang URLs**	**In ARACHNIX**
Missing Return Links	**Missing Return Links**	**In ARACHNIX**
Inconsistent Language & Region Return Links	**Inconsistent Language & Region Return Links**	**In ARACHNIX**
Non-Canonical Return Links	**Non-Canonical Return Links**	**In ARACHNIX**
Noindex Return Links	**Noindex Return Links**	**In ARACHNIX**
Incorrect Language & Region Codes	**Incorrect Language & Region Codes**	**In ARACHNIX**
Multiple Entries	**Multiple Entries**	**In ARACHNIX**
Missing Self Reference	**Missing Self Reference**	**In ARACHNIX**
Not Using Canonical	**Not Using Canonical**	**In ARACHNIX**
Missing X-Default	**Missing X-Default**	**In ARACHNIX**
Missing	**Missing**	**In ARACHNIX**
Outside <head>	**Outside <head>**	**In ARACHNIX**

JavaScript

Where: Tab bar (or the ≡ all-tabs button) › **JavaScript** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Uses Old AJAX Crawling Scheme URLs	**Uses Old AJAX Crawling Scheme URLs**	**In ARACHNIX**
Uses Old AJAX Crawling Scheme Meta Fragment Tag	**Uses Old AJAX Crawling Scheme Meta Fragment Tag**	**In ARACHNIX**
Page Title Only in Rendered HTML	**Page Title Only in Rendered HTML**	**In ARACHNIX**
Page Title Updated by JavaScript	**Page Title Updated by JavaScript**	**In ARACHNIX**
H1 Only in Rendered HTML	**H1 Only in Rendered HTML**	**In ARACHNIX**
H1 Updated by JavaScript	**H1 Updated by JavaScript**	**In ARACHNIX**
Canonical Only in Rendered HTML	**Canonical Only in Rendered HTML**	**In ARACHNIX**
Canonical Mismatch	**Canonical Mismatch**	**In ARACHNIX**
Noindex Only in Original HTML	**Noindex Only in Original HTML**	**In ARACHNIX**
Nofollow Only in Original HTML	**Nofollow Only in Original HTML**	**In ARACHNIX**
Contains JavaScript Links	**Contains JavaScript Links**	**In ARACHNIX**
Contains JavaScript Content	**Contains JavaScript Content**	**In ARACHNIX**
Pages with Blocked Resources	**Pages with Blocked Resources**	**In ARACHNIX**
Pages with JavaScript Errors	**Pages with JavaScript Errors**	**In ARACHNIX**
Pages with JavaScript Warnings	**Pages with JavaScript Warnings**	**In ARACHNIX**
Pages with Chrome Issues	**Pages with Chrome Issues**	**In ARACHNIX**

Note Most filters need **Configuration** › **Spider** › **Rendering** › **Render every page in Chrome**; without it they say "Not checked". ARACHNIX also has Meta Description Only in Rendered HTML and Meta Description Updated by JavaScript.

Links

Where: Tab bar (or the ≡ all-tabs button) › **Links** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Pages Without Internal Outlinks	**Pages Without Internal Outlinks**	In ARACHNIX
Internal Nofollow Outlinks	**Internal Nofollow Outlinks**	In ARACHNIX
Internal Outlinks With No Anchor Text	**Internal Outlinks With No Anchor Text**	In ARACHNIX
Non-Descriptive Anchor Text In Internal Outlinks	**Non-Descriptive Anchor Text In Internal Outlinks**	In ARACHNIX
Pages With High External Outlinks	**Pages With High External Outlinks**	In ARACHNIX
Pages With High Internal Outlinks	**Pages With High Internal Outlinks**	In ARACHNIX
Follow & Nofollow Internal Inlinks To Page	**Follow & Nofollow Internal Inlinks To Page**	In ARACHNIX
Internal Nofollow Inlinks Only	**Internal Nofollow Inlinks Only**	In ARACHNIX
Pages With High Crawl Depth	**Pages With High Crawl Depth**	In ARACHNIX
Outlinks To Localhost	**Outlinks To Localhost**	In ARACHNIX
Non-Indexable Page Inlinks Only	**Non-Indexable Page Inlinks Only**	In ARACHNIX
Pages With Uncrawlable Internal Outlinks	**Pages With Uncrawlable Internal Outlinks**	In ARACHNIX

Note ARACHNIX also has **No Links From Page Content**.

AMP

Where: Not in ARACHNIX: AMP is deprecated, so the tab is hidden for good.

Screaming Frog filter	ARACHNIX filter	Status
Non-200 Response	-	Not planned (AMP)
Missing Non-AMP Return Link	-	Not planned (AMP)
Missing Canonical to Non-AMP	-	Not planned (AMP)
Non-Indexable Canonical	-	Not planned (AMP)
Indexable · Non-Indexable	-	Not planned (AMP)
Missing <html amp> / doctype / head / body / canonical / charset / viewport / AMP script / boilerplate	-	Not planned (AMP)
Contains Disallowed HTML	-	Not planned (AMP)
Other Validation Errors	-	Not planned (AMP)

Structured Data

Where: Tab bar (or the ≡ all-tabs button) › **Structured Data** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Contains Structured Data	**Contains Structured Data**	In ARACHNIX
Missing	**Missing**	In ARACHNIX
Validation Errors	**Validation Errors** *Google's rich-result rules and the full schema.org vocabulary (2.0)*	New in 2.0
Validation Warnings	**Validation Warnings** *Same as Validation Errors*	Partly
Rich Result Validation Errors	**Rich Result Validation Errors**	In ARACHNIX
Rich Result Validation Warnings	**Rich Result Validation Warnings**	In ARACHNIX
Parse Errors	**Parse Errors**	In ARACHNIX

Screaming Frog filter	ARACHNIX filter	Status
Microdata URLs	**Microdata URLs**	**In ARACHNIX**
JSON-LD URLs	**JSON-LD URLs**	**In ARACHNIX**
RDFa URLs	**RDFa URLs**	**In ARACHNIX**
Rich Result Feature Detected	**Rich Result Feature Detected**	**In ARACHNIX**

Note ARACHNIX also has **Schema Values Not On Page** and **Schema Price Not On Page**.

Sitemaps

Where: Tab bar (or the ≡ all-tabs button) › **Sitemaps** › filter box

Screaming Frog filter	ARACHNIX filter	Status
URLs in Sitemap	**URLs in Sitemap**	**In ARACHNIX**
URLs not in Sitemap	**URLs not in Sitemap**	**In ARACHNIX**
Orphan URLs	**Orphan URLs**	**In ARACHNIX**
Non-Indexable URLs in Sitemap	**Non-Indexable URLs in Sitemap**	**In ARACHNIX**
URLs in Multiple Sitemaps	**URLs in Multiple Sitemaps**	**In ARACHNIX**
XML Sitemap with over 50k URLs	**XML Sitemap with over 50k URLs**	**In ARACHNIX**
XML Sitemap over 50MB	**XML Sitemap over 50MB**	**In ARACHNIX**

Note ARACHNIX also checks lastmod: **Invalid Lastmod**, **Lastmod In The Future**, **Missing Lastmod**, **Lastmod Older Than Last-Modified**.

PageSpeed

Where: Tab bar (or the ≡ all-tabs button) › **PageSpeed** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Core Web Vitals Assessment Failed	**Core Web Vitals Assessment Failed**	**In ARACHNIX**
Document Request Latency	**Document Request Latency**	**In ARACHNIX**
LCP Request Discovery	**LCP Request Discovery**	**In ARACHNIX**
Render Blocking Requests	**Render Blocking Requests**	**In ARACHNIX**
Network Dependency Tree	**Network Dependency Tree**	**In ARACHNIX**
Use Efficient Cache Lifetimes	**Use Efficient Cache Lifetimes**	**In ARACHNIX**
Layout Shift Culprits	**Layout Shift Culprits**	**In ARACHNIX**
Optimize DOM Size	**Optimize DOM Size**	**In ARACHNIX**
Improve Image Delivery	**Improve Image Delivery**	**In ARACHNIX**
Forced Reflow	**Forced Reflow**	**In ARACHNIX**
Legacy JavaScript	**Legacy JavaScript**	**In ARACHNIX**
Duplicated JavaScript	**Duplicated JavaScript**	**In ARACHNIX**
Font Display	**Font Display**	**In ARACHNIX**
Avoid Enormous Network Payloads	**Avoid Enormous Network Payloads**	**In ARACHNIX**
Minify CSS	**Minify CSS**	**In ARACHNIX**
Minify JavaScript	**Minify JavaScript**	**In ARACHNIX**
Reduce Unused CSS	**Reduce Unused CSS**	**In ARACHNIX**
Reduce Unused JavaScript	**Reduce Unused JavaScript**	**In ARACHNIX**
Reduce JavaScript Execution Time	**Reduce JavaScript Execution Time**	**In ARACHNIX**
Minimize Main-Thread Work	**Minimize Main-Thread Work**	**In ARACHNIX**
Request Errors	**Request Errors**	**In ARACHNIX**

Note Needs a PageSpeed Insights key: **Configuration** › **API Access** › **PageSpeed Insights**. Per-URL results: URL details pane › **Lighthouse Details**.

Mobile

Where: Tab bar (or the ≡ all-tabs button) › **Mobile** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Viewport Not Set	**Viewport Not Set**	**In ARACHNIX**
Target Size	**Target Size**	**In ARACHNIX**
Content Not Sized Correctly	**Content Not Sized Correctly**	**In ARACHNIX**
Illegible Font Size	**Illegible Font Size**	**In ARACHNIX**
Contains Unsupported Plugins	**Contains Unsupported Plugins**	**In ARACHNIX**
Mobile Alternate Link	**Mobile Alternate Link**	**In ARACHNIX**

Accessibility

Where: Tab bar (or the ≡ all-tabs button) › **Accessibility** › filter box. The filter box groups the rules by WCAG level and impact (e.g. **WCAG AA / serious**). Most rules need **Configuration** › **Spider** › **Rendering** › **Render every page in Chrome**; ARACHNIX then runs axe-core, the same engine as Screaming Frog.

Screaming Frog	ARACHNIX filter	Status
axe-core rules with the same name in both tools (e.g. **Elements must meet minimum color contrast ratio thresholds**)	**Same name (listed below)**	**In ARACHNIX**
Rules ARACHNIX folds into a plain-language filter (table below)	**10 basic-check filters**	**In ARACHNIX**
Score bands: Poor · Needs Improvement · Good	**Accessibility Score Poor · Accessibility Score Needs Improvement · Accessibility Score Good**	**In ARACHNIX**
landmark-complementary-is-top-level (deprecated by axe-core)	-	**Not in ARACHNIX**
frame-tested (needs axe-core inside every frame)	-	**Not in ARACHNIX**

Count: Screaming Frog has 96 accessibility filters (93 axe-core rules + 3 score bands). ARACHNIX covers 94 (91 rules + 3 bands) and skips 2. The 94 and 2 are counted in this document's totals.

Screaming Frog rule(s)	ARACHNIX filter	Status
<html> element must have a lang attribute	**Missing HTML Lang**	**In ARACHNIX**
Form elements must have labels · Select element must have an accessible name · ARIA input / toggle fields must have an accessible name	**Form Fields Without Label**	**In ARACHNIX**
Links must have discernible text	**Links Without Accessible Name**	**In ARACHNIX**
Buttons must have discernible text · Input buttons must have discernible text · Image buttons must have alternative text	**Buttons Without Accessible Name**	**In ARACHNIX**
ARIA commands, tabs and treeitems must have an accessible name	**Other Controls Without Accessible Name**	**In ARACHNIX**
Images must have alternative text · role="img" / svg elements must have an alternative text	**Images Without Alt Attribute**	**In ARACHNIX**
Frames must have an accessible name	**Frames Without Title**	**In ARACHNIX**
Document should have one main landmark	**No Main Landmark**	**In ARACHNIX**
Heading levels should only increase by one	**Skipped Heading Levels**	**In ARACHNIX**
Elements should not have tabindex greater than zero	**Positive Tabindex**	**In ARACHNIX**

ARACHNIX also keeps two basic checks of its own: **Duplicate IDs** and **Broken ARIA / Label References**.

The same-name rules, as grouped in ARACHNIX's filter box

Group	Filters (identical to Screaming Frog's names)
WCAG A / critical	<video> elements must have captions · Active <area> elements must have alternative text · ARIA attributes must conform to valid names · ARIA attributes must conform to valid values · ARIA roles used must conform to valid values · aria-hidden="true" must not be present on the document body · Certain ARIA roles must be contained by particular parents · Certain ARIA roles must contain particular children · Delayed refresh under 20 hours must not be used · Elements must only use supported ARIA attributes · IDs used in ARIA and labels must be unique · Required ARIA attributes must be provided
WCAG A / serious	<blink> elements are deprecated and must not be used · <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or elements · <dt> and <dd> elements must be contained by a <dl> · <html> element must have a valid value for the lang attribute · elements must be contained in a or · <marquee> elements are deprecated and must not be used · <object> elements must have alternative text · and must only directly contain , <script> or <template> elements · ARIA attributes must be used as specified for the element's role · ARIA hidden element must not be focusable or contain focusable elements · ARIA meter nodes must have an accessible name · ARIA progressbar nodes must have an accessible name · ARIA tooltip nodes must have an accessible name · aria-braille attributes must have a non-braille equivalent · Documents must have <title> element to aid in navigation · Elements must have their visible text as part of their accessible name · Elements must only use permitted ARIA attributes · Frames must have a unique title attribute · Frames with focusable content must not have tabindex=-1 · Interactive controls must not be nested · Links must be distinguishable without relying on color · Page must have means to bypass repeated blocks · Scrollable region must have keyboard access · Summary elements must have discernible text · Table cell headers attributes must refer to other <th> elements in the same table · Table headers in a data table must refer to data cells
WCAG A / moderate	<video> or <audio> elements must not play automatically · Form field must not have multiple label elements · HTML elements with lang and xml:lang must have the same base language
WCAG A / minor	Deprecated ARIA roles must not be used · Server-side image maps must not be used
WCAG AA / serious	All touch targets must be 24px large, or leave sufficient space · autocomplete attribute must be used correctly · Elements must meet minimum color contrast ratio thresholds · Inline text spacing must be adjustable with custom stylesheets · lang attribute must have a valid value
WCAG AA / moderate	Zooming and scaling must not be disabled
WCAG AAA / serious	Elements must meet enhanced color contrast ratio thresholds
WCAG AAA / minor	Delayed refresh must not be used · Links with the same name must have a similar purpose
Best practice / serious	"role=text" should have no focusable descendants · accesskey attribute value should be unique · ARIA dialog and alertdialog nodes should have an accessible name · Form elements should have a visible label
Best practice / moderate	All page content should be contained by landmarks · Banner landmark should not be contained in another landmark · Contentinfo landmark should not be contained in another landmark · Document should not have more than one banner landmark · Document should not have more than one contentinfo landmark · Document should not have more than one main landmark · Landmarks should have a unique role or role/label/title (i.e. accessible name) combination · Main landmark should not be contained in another landmark · Page should contain a level-one heading · scope attribute should be used correctly · The skip-link target should exist and be focusable
Best practice / minor	Alternative text of images should not be repeated as text · ARIA role should be appropriate for the element · Elements marked as presentational should be consistently ignored · Headings should not be empty · Table header text should not be empty · Tables should not have the same summary and caption · Users should be able to zoom and scale the text up to 500%

Custom Search

Where: Tab bar (or the ≡ all-tabs button) › **Custom Search** › filter box

Screaming Frog filter	ARACHNIX filter	Status
One filter per search (contains / does not contain)	**Custom Search 1 … 10 (named after your search)**	**In ARACHNIX**
Bulk add searches	-	**Not in ARACHNIX**

Note Set the searches up first: **Configuration** › **Custom** › **Custom Search**.

Custom Extraction

Where: Tab bar (or the ≡ all-tabs button) › **Custom Extraction** › filter box

Screaming Frog filter	ARACHNIX filter	Status
One column per extractor (XPath, CSSPath, regex)	**Extractor 1 … 10 (named after your extractor)**	**In ARACHNIX**

Note Set the extractors up first: **Configuration** › **Custom** › **Custom Extraction**.

Custom JavaScript

Where: Tab bar (or the ≡ all-tabs button) › **Custom JavaScript** › filter box

Screaming Frog filter	ARACHNIX filter	Status
One column per extraction snippet	**Snippet 1 … 10 (named after your snippet)**	**In ARACHNIX**
Action snippets (scroll, click, accept cookies)	-	**Not in ARACHNIX**

Note Set the snippets up first: **Configuration** › **Custom** › **Custom JavaScript**; needs **Render every page in Chrome**.

Analytics

Where: Tab bar (or the ≡ all-tabs button) › **Analytics** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Sessions Above 0	**Sessions Above 0**	**In ARACHNIX**
Bounce Rate Above {X}%	**Bounce Rate Above 70%**	**In ARACHNIX**
No GA Data	**No GA Data**	**In ARACHNIX**
Non-Indexable with GA Data	**Non-Indexable with GA Data**	**In ARACHNIX**
Orphan URLs	**Orphan URLs**	**In ARACHNIX**

Note Needs **Configuration** › **API Access** › **Google Analytics 4**.

Search Console

Where: Tab bar (or the ≡ all-tabs button) › **Search Console** › filter box

Screaming Frog filter	ARACHNIX filter	Status
Clicks Above 0	**Clicks Above 0**	**In ARACHNIX**
No Search Analytics Data	**No Search Analytics Data**	**In ARACHNIX**
Non-Indexable with Search Analytics Data	**Non-Indexable with Search Analytics Data**	**In ARACHNIX**
Orphan URLs	**Orphan URLs**	**In ARACHNIX**
URL Is Not on Google	**URL Is Not on Google**	**In ARACHNIX**
Indexable URL Not Indexed	**Indexable URL Not Indexed**	**In ARACHNIX**
URL is on Google, But Has Issues	**URL is on Google But Has Issues**	**In ARACHNIX**
User-Declared Canonical Not Selected	**User-Declared Canonical Not Selected**	**In ARACHNIX**
Page Is Not Mobile Friendly	**Page Is Not Mobile Friendly**	**In ARACHNIX**
AMP URL Invalid	-	**Not planned (AMP)**
Rich Result Invalid	**Rich Result Invalid**	**In ARACHNIX**

Note Needs **Configuration** › **API Access** › **Google Search Console** (URL Inspection for the last six filters).

Link Metrics

Where: Link Metrics tab (connect Moz, Majestic or Ahrefs under Configuration › Connections).

Screaming Frog filter	ARACHNIX filter	Status
Majestic metrics per URL	**Link Metrics tab**	New in 2.0
Ahrefs metrics per URL	**Link Metrics tab**	New in 2.0
Moz metrics per URL	**Link Metrics tab**	New in 2.0

Note New in 2.0: the tab shows Not connected until a provider is connected.

Change Detection (Compare mode)

Where: Compare two crawls (**Mode** › **Compare**, or **File** › **Crawls...** › tick two › **Compare**), then the **Compare** view tab › **Change detection**. Pick the elements under **Change detection** in the Crawls dialog.

Screaming Frog filter	ARACHNIX filter	Status
Page Titles	**Page title**	In ARACHNIX
Meta Description	**Meta description**	In ARACHNIX
H1	**H1**	In ARACHNIX
Word Count	**Word count**	In ARACHNIX
Crawl Depth	**Crawl depth**	In ARACHNIX
Inlinks	**Internal inlinks**	In ARACHNIX
Indexability	**Indexability**	In ARACHNIX
Structured Data Unique Types	**Structured data types**	In ARACHNIX
Content (changed by more than {X}%)	**Content (similarity)**	In ARACHNIX
Unique Inlinks	-	Later (2.x)
Internal Outlinks	-	Later (2.x)
Unique Internal Outlinks	-	Later (2.x)
External Outlinks	-	Later (2.x)
Unique External Outlinks	-	Later (2.x)
Added / New / Removed / Missing for every filter	**Every filter (Current, Previous, Change, Added, New, Removed, Missing)** *Compare view › Every filter*	In ARACHNIX
URL Mapping (staging vs live)	**URL mapping** *File › Crawls... (compare) › URL mapping*	In ARACHNIX

Note ARACHNIX adds two elements Screaming Frog lacks: **Status code** and **Canonical**.

AI

Where: AI tab (prompts under Configuration › AI prompts).

Screaming Frog filter	ARACHNIX filter	Status
One column per AI prompt (OpenAI, Gemini, Anthropic, Ollama)	**AI tab: one column per prompt**	New in 2.0
AI image generation and text-to-speech	-	Not in ARACHNIX

Note New in 2.0. AI is also used by the Fix plan panel and Business insights.

Per-URL details and right panels


Screaming Frog's bottom pane (17 tabs) and right-hand overview panels (8 tabs).

Bottom pane (URL details)

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
URL Details	URL Details	URL details pane (bottom) › **URL Details** (click a row in the grid first)	In ARACHNIX
Inlinks	Inlinks	URL details pane (bottom) › **Inlinks**	In ARACHNIX
Outlinks	Outlinks	URL details pane (bottom) › **Outlinks**	In ARACHNIX
Image Details	Image Details	URL details pane (bottom) › **Image Details**	In ARACHNIX
Resources	Resources	URL details pane (bottom) › **Resources**	In ARACHNIX
SERP Snippet (desktop, mobile, tablet)	SERP Snippet *Desktop preview; mobile preview in 2.0*	URL details pane (bottom) › **SERP Snippet**	Partly
Rendered Page	Rendered Page	URL details pane (bottom) › **Rendered Page** (needs Render every page in Chrome)	In ARACHNIX
Chrome Console Log	Chrome Console Log	URL details pane (bottom) › **Chrome Console Log**	In ARACHNIX
View Source (original vs rendered)	View Source (Original, Rendered HTML, both side by side)	URL details pane (bottom) › **View Source**	In ARACHNIX
HTTP Headers	HTTP Headers	URL details pane (bottom) › **HTTP Headers**	In ARACHNIX
Cookies	Cookies	URL details pane (bottom) › **Cookies**	In ARACHNIX
Duplicate Details	Duplicate Details	URL details pane (bottom) › **Duplicate Details**	In ARACHNIX
Structured Data Details	Structured Data Details	Lower pane › **Structured Data Details**	New in 2.0
Lighthouse Details	Lighthouse Details	URL details pane (bottom) › **Lighthouse Details** (with a PageSpeed key)	In ARACHNIX
Accessibility Details	Accessibility Details	Lower pane › **Accessibility Details** · Bulk Export › Accessibility Violations	New in 2.0
Spelling & Grammar Details	Spelling & Grammar Details	Lower pane › Spelling & Grammar	New in 2.0
N-grams	N-grams	Server (GET /api/crawl/ngrams); pane later	Partly
(none)	Issues · Why & Fix · Link Source *ARACHNIX only*	URL details pane (bottom) › **Issues**, **Why & Fix**, **Link Source**	In ARACHNIX

Right-hand panels

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Overview	Overview	Right panel › **Overview** (every tab and filter with its count; click to open)	In ARACHNIX
Issues (High / Medium / Low)	Issues	Right panel › **Issues** (type and priority chips, how to fix)	In ARACHNIX
Site Structure	Site Structure	Right panel › **Site Structure**	In ARACHNIX
Segments	Segments	Right panel › **Segments**	In ARACHNIX
Response Times	Response Times	Right panel › **Response Times**	In ARACHNIX
API (fetch progress)	Connection and fetch status	**Configuration** › **API Access** › **Overview**	Partly
Spelling & Grammar	Spelling & Grammar	Content tab · lower pane › Spelling & Grammar	New in 2.0
Semantic Search (embeddings)	Semantic Search (embeddings)	Server (GET /api/crawl/semantic-search); search box later	Partly
(none)	Fix plan *ARACHNIX only*	Right panel › **Fix plan**	In ARACHNIX



Right panel › **Fix plan**: root causes in fix-first order, with **Export tickets** □ and **Export fix files** □.

Main window

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Tab bar	Tab bar	Under the KPI strip; the ≡ button lists every tab	**In ARACHNIX**
Filter drop-down	Filter box	Toolbar under the tabs (shows **All** at first); tick several filters, then **Any** / **All**	**In ARACHNIX**
Search box	Search address or any column	Toolbar under the tabs	**In ARACHNIX**
Export (current tab and filter)	□ Export □	Right end of the toolbar (CSV or Excel)	**In ARACHNIX**
Column chooser / reset columns	Choose columns (+) · Reset Columns for All Tables	**+** at the right end of the grid header; **View** › **Reset Columns for All Tables**	**In ARACHNIX**
Configure tabs	Configure Tabs... · Reset Tabs · Focus Mode	**View** › **Configure Tabs...**	**In ARACHNIX**
Status bar (mode, URL/s, completed)	Status bar	Bottom edge of the window	**In ARACHNIX**


Crawl analysis features

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Link Score (internal PageRank)	Link score	URL details pane › **URL Details**; switch in **Configuration** › **Crawl Analysis**	**In ARACHNIX**
Orphan pages	Orphan URLs	Sitemaps tab › **Orphan URLs**; **Reports** › **Orphan Pages**	**In ARACHNIX**
Near duplicates (minhash)	Near Duplicates	Content tab › **Near Duplicates**	**In ARACHNIX**

Screaming Frog	ARACHNIX name	Where in ARACHNIX	Status
Semantic similarity / low relevance (embeddings)	Semantically Similar · Low Relevance Content	Content tab (word-based; AI embeddings on the server)	**Partly**
Issues with type and priority	Issues	Right panel › **Issues**	**In ARACHNIX**
Segments in every report	Segment box	Toolbar segment box (when segments exist); **Reports** › **Segments Overview**	**In ARACHNIX**
Carbon rating	Carbon rating	Validation tab › High Carbon Rating	**New in 2.0**

Reports, bulk exports and sitemaps

Screaming Frog's Reports, Bulk Export and Sitemaps menus. ARACHNIX has the same three menus.



Left: **Reports** with **Redirects** open. Right: **Bulk Export** › a tab › its filters (each has **URLs** and **Inlinks**).

Reports

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
Crawl Overview	**Reports** › **Crawl Overview**	**In ARACHNIX**
Issues Overview	**Reports** › **Issues Overview**	**In ARACHNIX**
Crawl Overview Comparison	**Reports** › **Compare** › **Comparison Overview**	**In ARACHNIX**
Segments Overview	**Reports** › **Segments Overview**	**In ARACHNIX**
Redirects: All Redirects	**Reports** › **Redirects** › **All Redirects**	**In ARACHNIX**
Redirects: Redirect Chains	**Reports** › **Redirects** › **Redirect Chains**	**In ARACHNIX**
Redirects: Redirect & Canonical Chains	**Reports** › **Redirects** › **Redirect & Canonical Chains**	**In ARACHNIX**
Redirects: Redirects to Error	**Reports** › **Redirects** › **Redirects to Error**	**In ARACHNIX**
Canonicals: Canonical Chains	**Reports** › **Canonicals** › **Canonical Chains**	**In ARACHNIX**
Canonicals: Non-Indexable Canonicals	**Reports** › **Canonicals** › **Non-Indexable Canonicals**	**In ARACHNIX**
Pagination: Non-200 / Unlinked Pagination URLs	**Reports** › **Pagination** › **Non-200 Pagination URLs / Unlinked Pagination URLs**	**In ARACHNIX**
Hreflang (all sub-reports)	**Reports** › **Hreflang** › All hreflang URLs, Non-200, Unlinked, Missing Return Links, Inconsistent Language & Region Return Links, Non Canonical Return Links, Noindex Return Links	**In ARACHNIX**
Insecure Content	**Reports** › **Insecure Content**	**In ARACHNIX**
SERP Summary	**Reports** › **SERP Summary**	**In ARACHNIX**
Orphan Pages	**Reports** › **Orphan Pages**	**In ARACHNIX**
JavaScript Console Log Summary	**Reports** › **Javascript** › **JavaScript Console Log Summary**	**In ARACHNIX**
Structured Data: Validation Errors & Warnings (+ Summary)	**Reports** › **Structured Data** › **Validation Errors & Warnings / … Summary**	**In ARACHNIX**
Structured Data: Google Rich Result Features (+ Summary)	**Reports** › **Structured Data** › **Google Rich Result Features / … Summary**	**In ARACHNIX**
PageSpeed: summary	**Reports** › **PageSpeed** › **PageSpeed Summary**	**In ARACHNIX**

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
PageSpeed: per-audit reports, CSS / JS coverage	Reports › PageSpeed › Opportunities (coverage tables later)	Partly
Mobile: summary and target size	**Reports** › **Mobile** › **Mobile Summary** *Also Reports › Mobile › Small Tap Targets (every small target)*	New in 2.0
Accessibility: Violations Summary	**Reports** › **Accessibility** › **Accessibility Violations Summary**	In ARACHNIX
HTTP Header Summary	**Reports** › **HTTP Headers** › **HTTP Header Summary**	In ARACHNIX
Cookie Summary	**Reports** › **Cookies** › **Cookie Summary**	In ARACHNIX
Crawl Path Report	Reports › Crawl Path	New in 2.0
Export format: CSV / Excel	**Reports** › **Format** (same choice in **Bulk Export** › **Format**)	In ARACHNIX
Export to Google Sheets	Server (POST /api/sheets/export) after connecting Google Sheets; menu entry later	Partly
Looker Studio template	-	Not in ARACHNIX

Bulk exports


Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
All Inlinks · All Outlinks · All Anchor Text	**Bulk Export** › **Links** › **All Inlinks** / **All Outlinks** / **All Anchor Text**	In ARACHNIX
External Links	**Bulk Export** › **Links** › **External Links**	In ARACHNIX
Queued URLs	**Bulk Export** › **Queued URLs**	In ARACHNIX
Path Type (absolute, protocol-relative, root-relative, path-relative)	**Bulk Export** › **Path Type** › one entry per type	In ARACHNIX
All HTTP Headers · All Cookies	**Bulk Export** › **Web** › **All HTTP Headers** / **All Cookies**	In ARACHNIX
All Page Source	**Bulk Export** › **Web** › **All Page Source**	In ARACHNIX
Any tab filter: its URLs and their inlinks (e.g. Images › Missing Alt Text › Inlinks)	**Bulk Export** › *tab* › *filter* › **URLs** / **Inlinks**	In ARACHNIX
Semantically Similar	**Bulk Export** › **Content** › **Semantically Similar** › **URLs**	In ARACHNIX
Structured Data (per filter)	**Bulk Export** › **Structured Data** › *filter* *Also Bulk Export › Structured Data › Structured Data Properties (every value)*	New in 2.0
URL Inspection data	**Bulk Export** › **Search Console** › *filter* *URLs per filter*	Partly
Accessibility violations (every element)	**Bulk Export** › **Accessibility Violations (every element)**	In ARACHNIX
All Issues · Issues Overview	**Bulk Export** › **Issues** › **All Issues** / **Issues Overview** (and each issue)	In ARACHNIX
Multi-Export	**Bulk Export** › **Multi-Export**	In ARACHNIX
List mode: URLs in upload order	**Bulk Export** › **Listed URLs (upload order)** (List mode only)	In ARACHNIX
Screenshots	Issue screenshots inside Right panel › **Fix plan** › **Export tickets** □ (ZIP) *No plain screenshot export*	Partly
All Page Text	-	Not in ARACHNIX
All PDFs · PDF text	Bulk Export › All PDF Text	New in 2.0
Spelling & Grammar errors	Bulk Export › Spelling / Grammar Errors	New in 2.0
Archived website (WARC)	-	Not in ARACHNIX
AI images and TTS audio	-	Not in ARACHNIX

Sitemap generators

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
XML Sitemap	**Sitemaps** › **XML Sitemap**	In ARACHNIX
Images Sitemap	**Sitemaps** › **Images Sitemap**	In ARACHNIX

Visualisations

Screaming Frog's Visualisations menu; ARACHNIX adds a drill-down tree.



Left: **Visualisations**. Right: the **Crawl Analysis** menu.

Visualisations and crawl analysis

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
Crawl Tree Graph	**Visualisations** › **Crawl Tree Graph**	**In ARACHNIX**
Directory Tree Graph	**Visualisations** › **Directory Tree Graph**	**In ARACHNIX**
Force-Directed Crawl Diagram	**Visualisations** › **Force-Directed Crawl Diagram** (opens the **Site graph** view tab)	**In ARACHNIX**
Force-Directed Directory Tree Diagram	**Visualisations** › **Force-Directed Directory Tree Diagram**	**In ARACHNIX**
3D force-directed diagrams	-	**Not in ARACHNIX**
Inlink Anchor Text Word Cloud	**Visualisations** › **Inlink Anchor Text Word Cloud** (of the row selected in the grid)	**In ARACHNIX**
Body Text Word Cloud	**Visualisations** › **Body Text Word Cloud** (of the row selected in the grid)	**In ARACHNIX**
Content Cluster Diagram (embeddings)	-	**Later (2.x)**
Crawl Analysis: Start / Stop / Configure	**Crawl Analysis** › **Start** / **Stop** / **Configure**	**In ARACHNIX**

Integrations

Data sources and connections.

Integrations

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
Google Analytics 4	**Configuration** › **API Access** › **Google Analytics 4** → Analytics tab	**In ARACHNIX**
Google Search Console + URL Inspection API	**Configuration** › **API Access** › **Google Search Console** → Search Console tab	**In ARACHNIX**
PageSpeed Insights (CrUX + lab data)	**Configuration** › **API Access** › **PageSpeed Insights** → PageSpeed tab	**In ARACHNIX**
Majestic · Ahrefs · Moz	Configuration › Connections › Link metrics	**New in 2.0**

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
OpenAI / Gemini / Anthropic / Ollama prompts	Configuration › AI prompts *Also: Fix plan › Explain with AI; Business insights*	New in 2.0
Embeddings (semantic similarity, clusters, semantic search)	Server (embeddings, clusters, semantic search); screens later	Partly
Google Sheets / Drive	Configuration › Connections › Google Sheets	Partly
Email notifications (SMTP)	**File** › **Settings...** › **Notifications**	In ARACHNIX
MCP server for AI agents	Configuration › AI agents (MCP)	New in 2.0

Automation and saved crawls

Scheduling, command line, email, profiles and crawl storage.

Automation

Screaming Frog	Where in ARACHNIX (the last name is ARACHNIX's)	Status
Scheduling (tasks with a start URL and a config profile)	**File** › **Scheduling**	In ARACHNIX
Scheduler: API data, sitemap or Google Sheet as the start list	-	Later (2.x)
Command line: crawl a URL or a list	**python cli.py** *URL* (or **--list** *FILE*) on the server	In ARACHNIX
Command line: export tabs, reports, bulk exports	**python cli.py** ... **--report** *ID* (ids: **--list-reports**), **--format** xlsx / csv, **--pdf**, **--sitemap**	In ARACHNIX
Command line: load a saved crawl, crawl diff, config files	cli.py --profile / --config (saved crawls and diff later) *Profiles and config files on the command line: 2.0*	Partly
Email the results	**File** › **Settings...** › **Notifications**	In ARACHNIX
Save and reuse configuration profiles	**Configuration** › **Profiles**	In ARACHNIX
Saved crawls and projects	**File** › **Crawls...** (open, rename, project folder, lock, duplicate, export, import)	In ARACHNIX
Open recent crawls	**File** › **Open Recent**	In ARACHNIX
Import / export a crawl file	**File** › **Import...** / **File** › **Export...**	In ARACHNIX
Log File Analyser (separate product)	Configuration › Log files (server logs) · Log Files tab · Reports › Log Files	New in 2.0

Only in ARACHNIX

Things Screaming Frog does not have, with where to find them.

Feature	What it does	Where in ARACHNIX
Health score and KPI strip	Share of pages that load, URL counts by HTTP status, issues / warnings / opportunities	KPI strip under the top bar
PDF audit report	A ready-to-send audit PDF with pinpointed issue screenshots	**PDF report** button in the KPI strip; **Reports** › **PDF audit report**
Excel workbooks	Full workbook, or one per status class (4xx, 5xx, 3xx ...)	**Excel** □ button; **Reports** › **Excel workbooks**
Fix plan with AI insights	Issues grouped by root cause, in fix-first order; AI explanations on free providers	Right panel › **Fix plan** (**Explain with AI**)
Import-ready fix files	Fixes as Yoast, Rank Math, Shopify, .htaccess, Next.js or CSV files	Right panel › **Fix plan** › **Export fix files** □
Developer tickets	One ticket per root cause (CSV, Jira, Markdown or ZIP with screenshots)	Right panel › **Fix plan** › **Export tickets** □
Content insights	Pages whose content does not match their title, thin pages, off-topic pages	View tab **Content insights** (next to the SEO tabs)
Broken Links view	Every broken link with the page it sits on	View tab **Broken Links**
Re-check fixes	Re-check errors or chosen URLs live, without a new crawl	□ **Validate errors** in the KPI strip (results: **Verified** view tab); tick rows › **Recheck selected URLs**
Issue dismissals	Mark an issue (or some URLs) as fine; counts stay honest	Right panel › **Issues** › an issue › **Dismiss**; URL details › **Issues** › **Dismiss for this URL**
Search and AI bot check	Fetches pages as a browser and as each search / AI crawler and says what to do	**Configuration** › **Crawl Analysis** › **Search and AI bot check**; results in the **AI Crawlers** tab
AI Crawlers tab + llms.txt	13 crawler checks and 4 llms.txt checks	Tab bar › **AI Crawlers**
Robots.txt audit	17 robots.txt and snippet-control checks, crawl-budget advice	Tab bar › **Robots.txt**
Hygiene, Parameters, Performance, Social, Third Parties tabs	Crawl traps, staging links, URL parameters, slow pages, Open Graph / Twitter tags, third-party hosts	Tab bar › **Hygiene**, **Parameters**, **Performance**, **Social**, **Third Parties**
Paste cookies sign-in	Crawl as a signed-in user by pasting your browser's cookies, with a guide and a test	**Configuration** › **Authentication** › **Cookies**
Live browser sign-in	Sign in yourself in a live Chrome window (two-factor works)	**Configuration** › **Authentication** › **Browser window (live login)**
Subdomain discovery	Finds the domain's other hosts and crawls them too	□ **Subdomains** button in the top bar
Drill-down site graph	Folder / crawl tree you open level by level, with search	**Visualisations** › **Drill-down Tree**; View tab **Site graph**
Multi-filter	Pick several filters at once; counts are distinct URLs	Filter box: tick several, then **Any** / **All**
Compare extras	Status code and canonical changes, health score, settings that changed	**Compare** view tab; **Reports** › **Compare** › **Comparison Overview**
Segment suggestions	Segments proposed from page types and top folders	**Configuration** › **Segments** › **Suggest segments**
Business insights	Plain-English report on the company behind a site, as a PDF	**Business insights** bar at the bottom › **Generate business report**; **Reports** › **Business report (PDF)**
Team web app	One server the whole team opens in a browser, with a team access key	Key button in the top bar (when the server has a key); **File** › **Settings...** › **Access Key**
Crawl logs	What the crawler did, step by step	View tab **Logs**
Usage Stats	Crawls and URLs on this server	**Help** › **Usage Stats**
Glass effects and themes	Frosted-glass look: On / Reduced / Off; Light / Dark / System	**View** › **Glass effects**; **View** › **Theme**

Quick index (A-Z)

Screaming Frog names and the page where each one is mapped.

#

3D force-directed diagrams **30**

A

Accessibility Details **25**
Accessibility tab **21-22**
Accessibility violations (every element) **29**
Accessibility: Violations Summary **28-29**
AI images and TTS audio **29**
AI: OpenAI, Gemini, Anthropic, Ollama (prompts per page) **10**
AI tab **24**
All HTTP Headers · All Cookies **29**
All Inlinks · All Outlinks · All Anchor Text **29**
All Issues · Issues Overview **29**
All Page Source **29**
All Page Text **29**
All PDFs · PDF text **29**
AMP tab **19**
Analytics tab **23**
Any tab filter: its URLs and their inlinks (e.g. Images › Missing Alt Text › Inlinks) **29**
API (fetch progress) **25**
APIs (pull API data without crawling) **6**
Archived website (WARC) **29**
Archive website (WARC or folder) **8**
Authentication: Forms based **10-11**
Authentication: Forms based (browser window) **10-11**
Authentication: Standards based **10-11**

B

Body Text Word Cloud **30**

C

Canonicals: Canonical Chains **28-29**
Canonicals: Non-Indexable Canonicals **28-29**
Canonicals tab **16-17**
Carbon rating **26-27**
CDNs (treat as internal) **9**
Change Detection tab **24**
Chrome Console Log **25**
Column chooser / reset columns **26**
Command line: crawl a URL or a list **31**
Command line: export tabs, reports, bulk exports **31**
Command line: load a saved crawl, crawl diff, config files **31**
Compare **6**
Configure tabs **26**
Content Area (include / exclude elements) **9**
Content Cluster Diagram (embeddings) **30**
Content tab **16**
Cookies **10-11**
Cookie Summary **28-29**
Crawl Analysis: auto-analyse at end of crawl **10-11**
Crawl Analysis (Link Score, orphans, near duplicates, pagination, hreflang ...) **10-11**
Crawl Analysis: Start / Stop / Configure **30**
Crawl canonicals, pagination, hreflang, meta refresh, iframes, mobile alternate **7**
Crawl linked XML sitemaps · Auto-discover sitemaps via robots.txt **7**
Crawl outside of start folder · Crawl all subdomains **7**
Crawl Overview **28-29**
Crawl Overview Comparison **28-29**
Crawl Path Report **28-29**
Crawl scope: subfolder, all subdomains **6**
Crawl / store AMP **7**
Crawl / store external links **7**
Crawl / store images, CSS, JavaScript, media **7**
Crawl Tree Graph **30**
Custom Extraction tab **23**
Custom Extraction (XPath, CSSPath, regex) **9-10**
Custom JavaScript (extraction snippets) **9-10**
Custom JavaScript snippet library **9-10**
Custom JavaScript tab **23**
Custom Link Positions **9-10**
Custom Search (contains / does not contain, text or regex) **9-10**
Custom Search tab **22**

D

Directives tab **17**
Directory Tree Graph **30**
Duplicate Details **25**
Duplicates (near-duplicate threshold) **9**

E

Email notifications (SMTP) **30-31**
Email the results **31**
Embeddings (AI) **10-11**
Embeddings (semantic similarity, clusters, semantic search) **30-31**
Exclude **9**
Export (current tab and filter) **26**
Export format: CSV / Excel **28-29**
Export to Google Sheets **28-29**
External Links **29**
External tab **13**

F

Filter drop-down **26**
Follow internal / external nofollow **7**
Force-Directed Crawl Diagram **30**
Force-Directed Directory Tree Diagram **30**

G

Google Analytics 4 **10**
Google Search Console (Search Analytics + URL Inspection) **10**
Google Search Console + URL Inspection API **30-31**
Google Sheets / Drive **30-31**
Green hosting carbon calculation **8**

H

H1 tab **15**
H2 tab **16**
Hreflang (all sub-reports) **28-29**
Hreflang tab **18**
HTML validation **8**
HTTP Header **9**
HTTP Headers **25**
HTTP Header Summary **28-29**

I

Image Details **25**
Images Sitemap **29**
Images tab **16**
Import / export a crawl file **31**
Include **9**
Inlink Anchor Text Word Cloud **30**
Inlinks **25**
Insecure Content **28-29**
Internal tab **12**
Issues (High / Medium / Low) **25**
Issues Overview **28-29**
Issues with type and priority **26-27**

J

JavaScript Console Log Summary **28-29**
JavaScript tab **18**

L

Lighthouse Details **25**
Limit crawl depth **8**
Limit crawl total **8**
Limit URLs per depth, folder depth, query strings, URL length, max redirects, per subdomain **8**
Link Metrics tab **24**
Link Score (internal PageRank) **26-27**
Links tab **19**
List **6**
List mode: URLs in upload order **29**
Log File Analyser (separate product) **31**
Looker Studio template **28-29**

M

Majestic · Ahrefs · Moz **10**
Max links per URL to crawl **8**
Max page size to crawl **8**
MCP server for AI agents **30-31**
Meta Description tab **15**
Meta Keywords tab **15**
Mobile: summary and target size **28-29**
Mobile tab **21**
Multi-Export **29**

N

Near duplicates (minhash) **26-27**
N-grams **25**

O

OpenAI / Gemini / Anthropic / Ollama prompts **30-31**
Open recent crawls **31**
Orphan pages **26-27**
Orphan Pages **28-29**
Outlinks **25**
Overview **25**

P

Page details to extract (titles, meta, headings, word count, hash, response time, headers, cookies, structured data ...) **7-8**
PageSpeed Insights **10**
PageSpeed Insights (CrUX + lab data) **30-31**
PageSpeed: local Lighthouse (no key) **10**
PageSpeed: per-audit reports, CSS / JS coverage **28-29**
PageSpeed: summary **28-29**
PageSpeed tab **20-21**
Page Titles tab **15**
Pagination: Non-200 / Unlinked Pagination URLs **28-29**
Pagination tab **17**
Path Type (absolute, protocol-relative, root-relative, path-relative) **29**
Profiles: Compare configurations **11**
Profiles: Load, Save As, Save as default, Clear default **11**

Q

Queued URLs **29**

R

Redirects: All Redirects **28-29**
Redirects: Redirect & Canonical Chains **28-29**
Redirects: Redirect Chains **28-29**
Redirects: Redirects to Error **28-29**
Rendered Page **25**
Rendered page screenshots **8**
Rendering: Text only / JavaScript **8**
Resources **25**
Respect noindex / canonical / HSTS, always follow redirects, 5xx retries, crawl #fragments **8**
Response Codes tab **13-14**
Response timeout **8**
Response Times **25**
robots.txt: custom robots editor and tester **9**
robots.txt: Respect / Ignore **9**

S

Save and reuse configuration profiles **31**
Saved crawls and projects **31**
Scheduler: API data, sitemap or Google Sheet as the start list **31**
Scheduling (tasks with a start URL and a config profile) **31**
Screenshots **29**
Search box **26**
Search Console tab **23**
Security tab **13**
Segments **25**
Segments in every report **26-27**
Segments Overview **28-29**
Segments (rules + tester) **10-11**
Semantically Similar **29**
Semantic Search (embeddings) **25**
Semantic similarity / low relevance (embeddings) **26-27**

SERP **6**
SERP Snippet (desktop, mobile, tablet) **25**
SERP Summary **28-29**
Sitemaps tab **20**
Site Structure **25**
Speed: Limit URL/s **9**
Speed: Max threads **9**
Spelling & Grammar **9**
Spelling & Grammar Details **25**
Spelling & Grammar errors **29**
Spider **6**
Status bar (mode, URL/s, completed) **26**
Store HTML / rendered HTML **7-8**
Store PDF text and properties **7-8**
Structured Data Details **25**
Structured Data: Google Rich Result Features (+ Summary) **28-29**
Structured Data (per filter) **29**
Structured Data tab **19-20**
Structured Data: Validation Errors & Warnings (+ Summary) **28-29**
System: Crawl retention (auto-delete) **11**
System: Embedded browser **11**
System: MCP server **11**
System: Memory allocation **11**
System: Proxy **11**
System: Storage mode / folder **11**
System: Theme (light / dark) **11**

T

Tab bar **26**
Thresholds: title / meta description chars and pixels, max URL / H1 / H2 / alt length, image kB, low content words, high outlinks, crawl depth, non-descriptive anchors, soft-404 phrases **8-9**

U

UI language (EN, DE, ES, FR, IT) **11**
URL Details **25**
URL Inspection data **29**
URL Rewriting / Include / Exclude: Test **9**
URL Rewriting: Options (lowercase) **9**
URL Rewriting: Regex Replace **9**
URL Rewriting: Remove Parameters **9**
URL tab **14**
User-Agent presets / custom **9**

V

Validation tab **14**
View Source (original vs rendered) **25**
Visual point-and-click extractor **9-10**

W

Window size, device emulation, AJAX timeout, flatten shadow DOM / iframes **8**

X

XML Sitemap **29**