Grasberg

Bathware | Tiles | Chemicals

We exceptional offering is a product of vision, demand, and objecti e of delivering ceramic products that add iconic values to spaces. It is also a passionate endeavor encouraged and inspired by the efforts od sutainsbillity for a beeer tomorrow.

We belive in delivering an experience beyond excellence and the same is fulfilled by revolutionay ceramic products dominaating the l ury sector of the tiling indutry backed by innovaation, technology, and a pioneering vision.

The Concept Of Being Awesome

INSPIRING EXCELLENCE

The Concept **Of Best Slabs**

Aims to bring an exceptional variety to its collection of tiles to transform your space into something unique and extraordinary. The artistry that is being showcased by our styles and designs portrays an inspiration fom creative imaginaation and wonders.

Aims to provide authentic excellence in its quality through advancement in its technology and innovation. It is very important to keep being innovatively dynamic in this indusrty.

The awakening
Of Creative Artistry

Our new collection brings a new wave of artistry and creativity to the market. The dimensions are 1600x3200 mm, with a thickness of 12 mm. We manufacture under state-of-the-art technology, experienced professionals, and well-trained workers.

This collection speaks for itself. It is a melange of soft yet brilliant textures and patterns over distinctive shades under specific aesthetic colours. Our styles aim to illuminate your home and elevate it to another level of luxury.

Features

As already mentioned, we strives for excellence. Our surfaces require the lowest efforts in maintenance, are hygienic in nature, have strong qualities such as water resistance and liquid repellant, and have such strength that makes them to be impact & heat resistant in nature.

Furthermore, they have resistance against frost or extreme temperatures, scratches or abrasions, chemicals or stains, fire, bending or any pressure, and much more. Our features provide every comfort and luxury.



Application Areas

Our Collection has such variants in designs and colours that it showcases that it can blend with many spaces in your lifestyle and home. Application areas include kitchen countertop, dining tables, bathtub, shelves, staircase, door and window frames, and much more.

We believe to be one-stop for improvising many areas of your home with artistically creative designs having a touch of luxury and sophistication. Our vision is to bring absolute satisfaction to you.



Edge Profiles

The unmatched strength of the ArchRock Collection allows you to establish a dynamic ambiance in your spaces with fine detailing of the edges, which can be shaped into a plethora of profiles like half bullnose, square ridge, round ridge, and more. Enjoy a customized edge profile of your countertops, tabletops, and other design elements with the collection and personalize your spaces.

Micro bevel

Double straight rounded edge

Straight squared edge

Rounded straight edge

Double straight squared edge

Half bullnoss

Rounded edge at 45°

Full bullnoss

Squared edge at 45°

Demi bullnoss

Joint Possibilities

Birds beak

45° corner

Soft corner

WHITE BODY | GREY BODY | BROWN BODY | BLACK BODY

We have 4 variants in colours of the body of its surfaces - White, Grey, Brown and Black. All of the variants have differences only in colours and not in quality. Quality is maintained top notch with newest technology and advancement.

We have established one of the most advanced and innovative slabs manufacturing units in India with the latest importes machinery, automated handling units, and advanced process to lead in the ceramic industry through taking steps right along the ever-changing dynamic world.

Face 1

Face 2

Face 2

Face 1

ACROPOLIS GRANO

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

APOLLO WHITE

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

APOLLO WHITE
High Gloss



Face 1

Face 2

Face 2

Face 1

APOLLO WHITE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

ARBESCCATO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

ARBESCCATO
High Gloss

Face 1

Face 2

Face 2

Face 1

ATLANTIC BIANCO

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

ATLANTIC BIANCO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

ATLANTIC BIANCO
High Gloss



Face 1

Face 2

Face 2

Face 1

BAOBOB FURRY

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

CALACATTA BELISIMO

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

BAOBOB FURRY
High Gloss



Face 1

Face 2

Face 3

Face 1

CALACATTA BELISIMO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	03 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

CALACUTTA ROYALE

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

CALACUTTA ROYALE
High Gloss

Face 1



Face 2

Face 3



Face 1

CALACUTTA ROYALE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	03 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

CELESTE ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

CELESTE ONYX
High Gloss

Face 1

Face 2

Face 2

Face 1

Book Match

PATAGON STONE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

PATAGONIA BIANCO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

PATAGONIA BIANCO
High Gloss

Face 1

Face 2

Face 2

Face 1

Book Match

PEARL WHITE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

PEARL WHITE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

PEARL WHITE
High Gloss



Face 1

Face 2

Face 2

Face 1

PINK VALENCIA

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2



Face 2

Face 1

STATUARIO MAGIA

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

PINK VALENCIA
High Gloss

Face 1

Face 2

Face 2

Face 1

STATUARIO MAGIA

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

STATUARIO NATURAL

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

STATUARIO NATURAL
High Gloss

Face 1

Face 2

Face 2

Face 1

STATUARIO NATURAL

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

STATUARIO SYMPHONY

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

STATUARIO SYMPHONY
High Gloss

Face 1

Face 2

Face 2

Face 1

STATUARIO TOH

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

STATUARIO TOH

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

STATUARIO TOH
High Gloss

Face 1

Face 2

Face 2

Face 1

TORSO BIANCO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

VERONIC ARBESQUE

Book Match

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	White Body

VERONIC ARBESQUE
High Gloss

Face 1

Face 2

Face 3

Face 1

VERONIC ARBESQUE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	03 Face
Type	:	White Body

Face 1

Face 2

Face 2

Face 1

CLOUDY ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

CLOUDY ONYX
High Gloss

Face 1

Face 2

Face 2

Face 1

ESTILLO ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

HONEY ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

ESTILLO ONYX
High Gloss

Face 1

Face 2

Face 2

Face 1

ILLUSION BRONZE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

IMPERIO ARMANI MOCHA

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

ILLUSION BRONZE
High Gloss



Face 1

Face 2

Face 2

Face 1

KRAZZY RETRO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

OCEANO ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

OCEANO ONYX
High Gloss

Face 1

Face 2

Face 2

Face 1

TRAVERTINO SAND

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 1

Face 1

Face 1

TURKEY ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	01 Face
Type	:	Ivory Body

TURKEY ONYX
High Gloss

Face 1

Face 2

Face 2

Face 1

VIOLA ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body



Face 1

Face 2

Face 2

Face 1

BOTANIC BLACK

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

VIOLA ONYX
High Gloss



Face 1

Face 2

Face 2

Face 1

BOTANIC BLUE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

Face 1

Face 2

Face 2

Face 1

CRYSTAL ONYX

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

BOTANIC BLACK
High Gloss



Face 1

Face 2

Face 2

Face 1

AMAZONITE

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

Face 1

Face 2

Face 2

Face 1

IMPERIO ARMANI GREY

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

AMAZONITE
High Gloss

Face 1

Face 2

Face 2

Face 1

SONATA GREY

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

Face 1

Face 2

Face 2

Face 1

BLACK NOIR

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Black Body

SONATA GREY
High Gloss

Face 1

Face 1

Face 1

Face 1

MARQUS AQUA

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	01 Face
Type	:	Black Body



Face 1

Face 2

Face 2

Face 1

THUNDER NIGHT

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Black Body

MARQUS AQUA
High Gloss





Face 1

Face 2

Face 2

Face 1

WILLIAM NERO

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Black Body

Face 1

Face 2

Face 2

Face 1

BLACK GOLD

Size	:	1600x3200mm
Surface	:	High Gloss
Thickness	:	12mm
Random	:	02 Face
Type	:	Black Body

BLACK GOLD
High Gloss

Face 1

Face 2

Face 2

Face 1

DAZZLE BROWN

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

JAVA CAMEL

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

DAZZLE BROWN
Matt

Face 1

Face 2

Face 2

Face 1

JAVA CREMA

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

JAVA TOBBACO

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

JAVA CREMA
Matt

Face 1

Face 2

Face 2

Face 1

MARRAZI SAND

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

PLUTO SMOKE

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

PLUTO SMOKE

Matt

Face 1

Face 2

Face 2

Face 1

PLUTO TOBBACO

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

Face 1

Face 2

Face 2

Face 1

TRAVERTINO SAND

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Ivory Body

PLUTO TOBBACO

Matt



Face 1

Face 2

Face 2

Face 1

JAVA GRIS

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

Face 1

Face 2

Face 2

Face 1

MARRAZI GREY

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

JAVA GRIS

Matt



Face 1



Face 2

Face 2



Face 1

PLUTO GRIS

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

Face 1

Face 2

Face 2

Face 1

TRAVERTINO ASH

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Grey Body

PLUTO GRIS

Matt



Face 1

Face 2

Face 2

Face 1

DAZZLE NERO

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Black Body



Face 1

Face 2

Face 2

Face 1

STONIA NERO

Size	:	1600x3200mm
Surface	:	Matt
Thickness	:	12mm
Random	:	02 Face
Type	:	Black Body

DAZZLE NERO
Matt



CINNAMON

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body



STEEL GREY

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body

CINNAMON

Matt & Glossy



BONE

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body



BRONZE

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body

BRONZE

Matt & Glossy



GREY

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body



PEWTER

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body

GREY

Matt & Glossy

SOLID BIANCO

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body

VENTA BLACK

Size	:	1600x3200mm
Surface	:	Matt & Glossy
Thickness	:	12mm
Type	:	Full Body

VENTA BLACK

Matt & Glossy

CLEANING & MAINTENCE

High- quality raw materials, rigorous production parameters and world-class technology we make the exclusive offering nonporthus and thus no dust or deposited waste penetrates the surface.
The no-maintenance surfaces require only a damp cloth for cleaning.
Routine and recurring cleaning spotlights the aesthetic features of the surfaces and keeps the surfaces shining.
For cleaning contamination and stains caused by some common food and other material follow the table below:

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Ble ach, Nail Paint Remo ver
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Re agent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Ble ach
Coffee	Alkaline - Solvent	Ammonia, Liquid Ble ach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle W ax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that an y kind of stain needs t o get clean immediat ely / as soon as possible.

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	MEAN VALUE OF ADICON	METHOD OF TESTING
Regulat ory Properties				
Deviation in Length and W idth	± 0.30 % (1.00 mm)	± 0.10 %	±0.10 %	ISO 10545-2/IS 13630-1
Deviation in Thickness	± 5.0 % (0.50 mm)	± 5.0 %	±5.0 %	ISO 10545-2/IS 13630-1
Straightness in Side	± 0.30 % (0.80 mm)	± 0.10 %	±0.10 %	ISO 10545-2/IS 13630-1
Rectangularit y	± 0.30 % (1.50 mm)	± 0.10%	±0.10 %	ISO 10545-2/IS 13630-1
Surface Flatness Central Curvature	± 0.40 % (1.80 mm)	± 0.50 %	±0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Edge C urvature	± 0.40 % (1.80 mm)	± 0.50 %	±0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness W arpage	± 0.40 % (1.80 mm)	± 0.50 %	±0.10 %	ISO 10545-2/IS 13630-1
Surface Qualit y	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1
Small Color Difference (For Plain Colour)	∆ E <1.00	N.A.	∆ E <0.80	ISO 10545-16
Glossiness (Polished)	As per Manuf acturer	As per Manuf acturer	= 90	Gloss Meter 60
Glossiness (Satin/Posh)	As per Manuf acturer	As per Manuf acture	7 = Gloss Value = 25	Gloss Meter 60
Structural Properties				
Water Absorption	≤ 0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2
Bulk Densit y	As per Manuf acturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
Massive Mechanical P roperties				
Modulus of Ruptur e	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	SO 10545-4/IS 13630-6
Breaking Strength Thickness =7 .5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000 .0 N	ISO 10545-4/IS 13630-6
Surface Mechanical P roperties				
MOH S Hardness #	As per Manuf acturer	Min. 5	Polished Min 4 **/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance #	As per Manuf acturer	Min. Class II	Polished Min II* */ Satin & Posh Min III	ISO 10545-7/IS 13630-11
Thermal Hy grometr ic Properties				
Moisture Expansion	Max 0.06% (0.6 mm/ m)	Max 0.02 mm/ m	Max 0.02 mm/ m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100 C	As per Manuf acturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5
Impact Resistance(C OR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630- 14
Frost Resistance	As per Manuf acturer	As per Manuf acturer	Frost Proof	ISO 10545-12/IS 13630-10
Crazing Resistance at 7 .5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9
Chemical P roperties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming P ool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class A A	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alk alis Glazed	As per Manuf acturer	As per Manuf acturer	Min Class GLB***/ Min Class A***	ISO-10545-13/IS 13630-8
Resistance to High Concentrate Acid and Alk alis Glazed	As per Manuf acturer	As per Manuf acturer	Min Class GHB***/ Min Class A***	ISO-10545-13/IS 13630-8
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manuf acturer	As per Manuf acturer	Glossy≥P0,Satin,Posh ≥P1	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manuf acturer	As per Manuf acturer	R9 to R10	DIN 51130
Lead and Cadmium r elease	As per Manuf acturer	N.A.	Does not yield Pb &C d	ISO-10545-15

* Whiche ver is Lower
** With nano t echnology (P olished Vitrified tiles) Depending on Application ar ea (low or high int ensity of trafic)
*** Except Hydrofluoric Acid & it's compound
# Tiles Intended for use on floor | ## F or Floor tiles,as per customer requirement

Grasberg

Bathware | Tiles | Chemicals

+1 (647) 410 8233

www.grasberg.ca
business@grasberg.ca