

## PRAC 1

```
import pandas as pd
import numpy as nm
```

```
df = pd.read_csv("academic performance dataset.csv")
df
```

```
df.head()
df.tail()
```

```
df.describe()
df.info()
df.isnull()
df.isnull().sum()
df.isnull().any().any()
```

```
avg_val = df["Discussion"].astype("float").mean()
avg_val
```

```
!pip install seaborn
```

```
import seaborn as sns
import matplotlib.pyplot as plt
from scipy import stats
```

```
sns.regplot(x='Sno', y='AnnouncementsView', data=df)
plt.show()
```

```
sns.boxplot(x=df['AnnouncementsView'])
plt.show()
```

```
z = np.abs(stats.zscore(df['AnnouncementsView']))
print(z)
```

```
threshold = 3
print(np.where(z > 3))
```

```
df1 = pd.DataFrame({ 'Income': [15000, 1800, 120000, 10000],
'Age': [25, 18, 42, 51],
'Department': ['HR','Legal','Marketing','Management']})
```

```
df1
```

```
df1_scaled = df1.copy()
col_names = ['Income', 'Age']
features = df1_scaled[col_names]
```

```
features
```

```
from sklearn.preprocessing import MinMaxScaler
scaler = MinMaxScaler()
df1_scaled[col_names] = scaler.fit_transform(features.values)

print(df1_scaled[col_names])
```